







SCAN TO VIEW TAP SPEC SHEETS SINK SPEC SHEETS











PR Kitchen & Washroom Systems 83 Bangholme Road Dandenong South VIC 3175 Australia Phone +61 3 9700 9100 Fax +61 3 9700 9191 info@prks.com.au

Printed October 2019 - V1

www.franke.com.au





PRODUCT CATALOGUE 2019











Topmount sink



Flushmount sink



Undermount sink



Left-hand drainer (LHD)



Right-hand drainer (RHD)



Sink features Franke hygienic waste (cannot install waste disposer)



18/10 Stainless steel



Minimum cabinet size (in mm)



Accessories included with sink model



Accessories available for sink model



Pull-out tap



Flexi tap



Veggie spray



Tap with light

FEATURE ICONS



FOOD PREPARATION CENTRE

trays, strainer bowls and rollamats.

Franke sinks are Food Preparation Centres.
The benchtop space is maximised by utilising accessories such as chopping boards, strainer



18/10 STAINLESS STEEL

18/10 means that there is 18% chromium and 10% nickel. This stainless steel is 304 grade which is commonly referred to as surgical grade and is used for maximum durability.



FRAGRANITE

Fragranite sinks are made from 80% quartz and 20% methylmethacrylate (resin). The quartz sand, which is fired at high temperature, is colour-pigmented.



PUSH BUTTON REMOTE WASTE

Lift the plug in your Franke sink without putting your hands in the water by pushing the elegant stainless steel button.



FAST FIX INSTALLATION

The stainless steel clips are welded to the side of the bowl and rail. The installer only needs to put silicone on the cut-out edge and push the sink into the cut-out.



HIDDEN OVERFLOW

Designed to ensure that the sink never overflows. Franke looks for kitchen solutions with practicality, the best hygienic levels and the best cosmetic look.



FRANKE ROUND OVERFLOW

The round overflow is designed to ensure that the sink never overflows.Franke looks for kitchen solutions with practicality, the best hygienic levels and best cosmetic look.



SOUND DEADENING PADS

Sound deadening pads are installed to reduce noise levels when pouring or running water into the sink.



HYGIENIC INTEGRATED WASTE

Features elegant design, reduced bacteria build-up on curved edges and easy waste fitting installation. (Food waste disposer cannot be fitted to hygienic waste outlet).



INTEGRATED SEALING STRIP

Franke sinks with integrated sealing strip ensure sinks are water sealed with a factory-applied, inert polyurethane sealant on the underside of the rim edge.



FLEXIBLE FIXING SYSTEM

All laser-cut edge profile sinks have a rail system on the underside of the sink to slide clips into the correct location that the installer needs them to ensure a secure fit.



LASER EDGE PROFILE

The laser-edge profile is a slim profile for topmount sinks at the benchtop, providing easy cleaning and a flushmount appearance.




BOX CENTRE

THE ULTIMATE KITCHEN WORKSPACE

A workspace that combines a washing area and a space dedicated to food preparation, the Box Centre is the perfect solution for those who truly value seamless work processes in the kitchen. When you're not cooking, everything is stored away safely, hygienically and out of sight.







-	
-	
- <u></u>	



MAKE IT WONDERFUL WITH FRANKE KITCHENS

It's easy to be ordinary; to have an ordinary home, filled with things you neither love nor hate. But you should never settle for ordinary and that's why we ensure everything we make is wonderful. Wonderful turns a house into a home and turns work into play. Every Franke product aims to be wonderful in every way; from the first glimpse of carefully considered design, to manufacturing standards that ensures you can feel the quality and craftsmanship of every piece.

Be inspired. We are constantly thinking of new ways to make our range even better, adding new products, new ideas and new innovations.

Keep up to date with it all on our Facebook and Instagram pages.



www.franke.com



@FrankeAUS



@frankeaus



CONTENTS

MODEL	RANGE	PG	FINISH	TOPMOUNT	FLUSHMOUNT	UNDERMOUNT
ANX	Aton	12-13	Stainless Steel	U	I	
PFX	Aurora	14-15	Stainless Steel	U		U
3FG	Basis	16-17	Granite	<u>u</u>		
всх	Bell	18-19	Stainless Steel	U		U
вох	Bolero	20-21	Stainless Steel	U	I	U
зwх	Box Centre	22-23	Stainless Steel	U	E	
cux	Chef Centre	24-25	Stainless Steel			U
СМХ	Centinox Minimalist	26-27	Stainless Steel	U	F	U
СМХ	Centinox Minimalist	28-29	Stainless Steel			U
OX	Epos	30-31	Stainless Steel	U		
стх	Karst	32-33	Stainless Steel	U	F	U
(BX	Kubus	34-35	Stainless Steel			U
СВХ	Kubus i3	34-35	Stainless Steel	U	E	U
(BG	Kubus Fragranite	36-39	Granite			U
MRX	Maris	40-41	Stainless Steel	U	Œ	U
MTF	Mythos Fusion	42-43	Granite	U		
NEX	Neptune	44-45	Stainless Steel	I		
.UX	Rambla	46-47	Stainless Steel	U		
ox	Steel Queen	48-49	Stainless Steel	I		
ox	Steel Queen	50-51	Stainless Steel			U
JBG	Urban Fragranite	52-55	Granite	<u> </u>	E	
LAUNDRY	TUBS					
MODEL	RANGE	PG	FINISH	TOPMOUNT	FLUSHMOUNT	UNDERMOUNT
ox	Steel Queen	56	Stainless Steel	<u>u</u>		
вох	Bolero	57	Stainless Steel	U	I	U
DLT	Deluxe	57	Stainless Steel	U		
ΛΕΧ	Acquario Line	57	Stainless Steel	II		
		57 57	Stainless Steel Granite	U		U
	Acquario Line Kubus Fragranite			T.		U
SOAP DIS	Acquario Line Kubus Fragranite			<u>T</u>		U
SOAP DIS	Acquario Line Kubus Fragranite PENSERS	57	Granite	T		U
SOAP DIS MODEL SD 519	Acquario Line Kubus Fragranite PENSERS RANGE	PG 59	Granite FINISH	T		U
SOAP DIS MODEL 5D 5 19 5DS 246	Acquario Line Kubus Fragranite PENSERS RANGE Sinos	57 PG	Granite FINISH Chrome	T		U
SOAP DIS MODEL 6D 5 19 6DS 246	Acquario Line Kubus Fragranite PENSERS RANGE Sinos Tower Bolero	PG 59 59	FINISH Chrome Stainless Steel			
SOAP DIS MODEL ED 519 EDS 246 ED 320 WATER FI	Acquario Line Kubus Fragranite PENSERS RANGE Sinos Tower Bolero	PG 59 59 59	FINISH Chrome Stainless Steel			
MODEL SD 519 SDS 246 SD 320	Acquario Line Kubus Fragranite PENSERS RANGE Sinos Tower Bolero	PG 59 59	FINISH Chrome Stainless Steel			

CONTENTS

MODEL	RANGE	PG	FINISH	PULL-OUT	FLEX
TA 6850MB	Ozone	62	Matte Black		
TA 6851MB	Ozone	62	Matte Black	<u> </u>	
TA 6831MB	Pyra	63	Matte Black	<u> </u>	
TA 7610MB	Active Plus	63	Matte Black		
TA 7611MB	Active Plus	63	Matte Black	<u> </u>	
TA 621B	Mythos	63	Matte Black	<u> </u>	
TA 6300B	Sinos Black	63	Onyx		
TA 6301B	Sinos Black	63	Onyx	†	
TA 6000	Eclipse	65	Chrome		
TA 6001	Eclipse	65	Chrome	†	
TA 6300	Sinos	67	Chrome		
TA 6301	Sinos	67	Chrome	†	
TA 6400	Swing	65	Chrome		
TA 6831	Pyra	67	Chrome	†	
TA 6841	Pyra Light	67	Chrome	1	
TA 6850	Ozone	65	Chrome	-	
TA 6851	Ozone	65	Chrome	‡	
TA 7300	Verona	69	Chrome	•	
ΓA 7311	Verona	69	Chrome	1	
TA 7181	Professional	69	Chrome	•	\$
ΓA 7610	Active Plus	67	Chrome		
ΓA 7611	Active Plus	67	Chrome	1	
ΓA 7811	Azimut	65	Chrome	<u> </u>	
ΓA 9520	Atlas	71	Stainless Steel	•	
TA 9521	Atlas	71	Stainless Steel	1	
TA 9500	Eos	71	Stainless Steel	•	
TA 9501	Eos	71	Stainless Steel	1	
	Taros	70	Stainless Steel	•	
IA 95 IU					
TA 9510 TA 9511	Taros	70	Stainless Steel	I .	

1911

Hermann Franke establishes a sheet metal business in Rorschach, Switzerland.

1914 • 24

During the First World War it is difficult to obtain materials for production. The post-war period and economic crisis delay development of the business.

1925 ► 30

Recovery of industrial and construction sectors. Addition of a sanitary installations department. Manufacture of hobs, skylights and dormer windows.

1931 • 34

General slump. First sinks produced in nickeline, monel metal and later stainless steel.

1935 - 36

Construction of a new factory, offices and residential building in Aarburg. 10 employees.

1937 - 38

Economic upswing boosts sales. Beginning of series production and launch of first fully welded, flushmounted sink.

1946 - 49

Expansion of manufacturing facilities and production of complete kitchens (Movenpick). First exports to neighbouring countries. Workforce increases to 250.



HUMBLE BEGINNINGS

Founded in 1911, Franke was built on a foundation of precision engineering, combined with traditional craftsmanship.

Over 100 years later, those principles endure, while a focus on the changing needs and lifestyles of our customers has helped us become the world's largest manufacturer of kitchen sinks.





SWISS PRECISION ENGINEERING

Many things have changed in the past century, but what is always the same is a set of values, characterised by respect, trust and openness. The values of innovation, entrepreneurship, quality and stylish design were in the heart of Hermann Franke and continue to be at the heart of the business, as we enter a second century of smart design and stunning beauty.

A CENTURY WITHOUT COMPROMISE

The Franke story began as a small sheet-metal business in Rorschach, Switzerland, established by Hermann Franke in 1911. Since then, we've established efficient and economic manufacturing facilities all around the world.







1962 - 74

Marked expansion of the Franke group.

13 new subsidiaries and two license companies established in Europe. In 1972, Franke builds and installs the first kitchen for McDonald's in Munich.

1975 - 88

Walter Franke's friend and business partner Willi Pieper takes over ownership of Franke. Franke is structured into divisions in 1988.

1989

Michael Pieper (Willi Pieper's son) becomes CEO, and owner of the Franke Group in 1990. Under his leadership, rapid and systematic expansion of the core businesses worldwide takes place.

2002

Franke repositions its strategy and structure. The divisions are given more autonomy and responsibility. Two further core businesses are identified and organised to secure and build on the success of Franke:

Franke Water Systems and Franke Coffee Systems

FRANKE TODAY

Many things have changed for Franke as a business over the last century. What has never changed in 100 years is the unwavering belief in product quality.

Although the product itself transformed from a single household article to a lifestyle addition in a unique range of kitchen systems, the outstanding quality has been a constant.

DISCOVER THE WONDERS OF A FRANKE KITCHEN

What does your dream kitchen look like? Does it stand out with chromeplated steel? Or is it more reserved with a fine, stone finish? Will you be cooking for one, two or twenty?

We at Franke believe that every kitchen should be as unique as you are. It should be a place where you feel free to cook, eat, entertain, celebrate and more. And that's why we want to make your kitchen perfect – from sink to tap to oven – and from morning until night, each and every day.

WONDERFULLY CLEVER

Imagine a kitchen where everything worked together, looked great and had a purpose. A kitchen where all its components were designed to help you enjoy your day more. At Franke, this is how we approach the design of our kitchen systems. We work hard to ensure our solutions deliver the perfect balance of style, comfort and functionality to your kitchen.

WONDERFULLY VERSATILE

Are you a minimalist? Or someone who prefers bolder colours and shapes? With Franke, it doesn't have to be one or the other. Having a wide range of textures, colours and materials for you to choose from allows you to customise the kitchen you want and one that complements your sense of style.

WONDERFULLY INNOVATIVE

For over 100 years we've been tirelessly improving and innovating our products and services. This history and experience has helped us design and create kitchen solutions and products that prove themselves day-in and day-out in more than 100 million households around the world.



FRANKE FOOD PREPARATION CENTRE

Turn your sink into a wonderful work station with our convenient kitchen helpers which are designed to maximise the space you're working in. Whether it be chopping boards, strainer bowls, drainer baskets and more, each piece is designed to be in harmony with your cooking style and needs. Preparation, presentation and cleaning up is easy when you prepare with the right tools.





Roll kitchen chores away with our rollamat

Simple and versatile, the Franke rollamat is a wonderful accessory with a host of applications, from a dish drainer to a trivet.

Roll it out and you're ready. When you don't need it, just roll it up again.



Cutting edge chopping boards

We've thought hard about our kitchen tools so you can enjoy your wonderful kitchen even more. Our own range of chopping boards combine beauty with practicality in the ideal size for your Franke sink.





CHOOSE YOUR CONFIGURATION

CHOOSE YOUR ACCESSORY



CHOOSING YOUR PERFECT SINK


As the kitchen sink is seen as the heart of the kitchen, it's the perfect starting point for creating your dream kitchen. Let your imagination run free with a range of fabulous options to help you maximise space and accentuate the look of the entire room.

There are however certain functional considerations to take into account and the following information will help to ensure that your ideal sink is the perfect fit for your ideal kitchen.

BOWL & DRAINER CONFIGURATION

The type and position of your bowl depends on how you intend to use your sink. If you like room to clean large items like grill pans, a larger single bowl may be best for you, or for a multi-functional purpose, you may prefer the versatility of two separate working bowls. For multi-bowl undermount sinks, it is important to decide which side you require the smaller bowl.


The drainer location is also an important consideration. For many sinks you will need to choose the specific version you prefer - with drainer on the left or right hand side. Whereas other sinks are reversible which indicates the drainer can be positioned on either side.






INSTALLATION TYPES

Sinks can be installed in 3 ways depending on your kitchen worktop and your preference:



TOPMOUNT SINKS

Topmount sinks are installed from above into a pre-prepared hole in your worktop. It gives you the widest range of sink shapes, sizes and styles to choose from.



UJ UNDERMOUNT SINKS

Undermount sinks are installed underneath the worksurface and therefore require a solid surface worktop such as granite, they are not compatible with laminate worksurfaces.



FLUSHMOUNT SINKS

Flushmount sinks feature a single thickness edge allowing a slimfit to the benchtop which can also be recessed resulting in a flush fit with the surface

MATERIAL TYPES



STAINLESS STEEL

Franke stainless steel sinks are made from premium quality chrome nickel steel, which looks stunningly beautiful, is highly resistant to staining, rust and corrosion plus it won't chip, flake or break.

It's the most popular material – and for good reason: Stainless steel has a timeless quality that sits beautifully in a traditional or contemporary style kitchen, offering stunning good looks and a durability that helps keep it looking at its best for years.



FRAGRANITE

Fragranite is an exceptionally tough material which is highly resistant to burns, dents chips and stains. It was pioneered by Franke and contains 80% quartz to form a unique material with a subtle sheen that is warm to the touch.

Kitchens can be a critical location for spreading bacteria and demand special attention to hygiene. On unprotected material, bacteria can multiply every 20 minutes making surfaces unhygienic. The integrated Sanitized® hygiene function in Fragranite sinks helps to keep this area clean and provides the sink with lasting protection.





ACCESSORIES

1



RM 42 Rollamat



CB 104 Chopping Board



SB 112 Strainer Bowl



DB 448 Drainer Basket



5

CR 113

Champagne Flute Rack

6



DT 651 Extension Drainer

ACCESSORY VALUE PACK: AVP-ANX

7









SB 112 Strainer Bowl



CR 113 Champagne Flute Rack

ANX 211



ANX 220



PUSH BUTTON REMOTE WASTE



PUSH BUTTON REMOTE WASTE



ANX 221



PUSH BUTTON REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
ANX 211 LHD ANX 211 RHD	1004 x 514mm	480 x 400 x 190mm/36L	Topmount: 995 x 506mm, cr=20 Flushmount: utilise DXF file	1234567
ANX 220	864 x 514mm	340 x 400 x 190mm/25L (x2)	Topmount: 855 x 506mm, cr=20 Flushmount: utilise DXF file	1234567
ANX 221 LHD ANX 221 RHD	1164 x 514mm	340 x 400 x 190mm/25L (x2)	Topmount: 1155 x 506mm, cr=20 Flushmount: utilise DXF file	1234567
Bowl Radius 36mm			1 ACCESSORIES AVAILABLE	1 ACCESSORIES INCLUDED

FEATURES & BENEFITS







FRANKE Hidden Overflow





ACCESSORIES

1



DB 425 Drainer Basket 2



DT 206 Extension Drainer 3



SB 177 Strainer Bowl 4

CB 173 Chopping Board





CB 523 Chopping Board



RM 44 Rollamat PFX 620B





TECHNICAL	INFORMATION
I FU HIVIU AL	INFURINGILLIN
ILUITIOAL	IIII OKIMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
PFX 620B	860 x 500mm	380 x 420 x 180mm/23L (x2)	Template	1 2 3 4 5 6

Bowl Radius 115mm
















BASIS TOPMOUNT

BFG 651 ONYX REV



BFG 621 ONYX REV

800

PUSH BUTTON REMOTE WASTE







BFG 620 ONYX





PUSH BUTTON REMOTE WASTE



TECLN		IEODI	
IECHN	ICAL II	VEURI	MATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
BFG 651 ONYX REV	970 x 500mm	340 x 420 x 190mm/27L 150 x 290 x 90mm/4L	954 x 484mm	1 2 3 4
BFG 621 ONYX REV	1160 x 500mm	337 x 420 x 190mm/27L (x2)	1144 x 484mm	1 2 3 4
BFG 620 ONYX	860 x 500mm	337 x 420 x 190mm/27L (x2)	840 x 480mm	1 2 3 4

Bowl Radius 15mm

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED














ACCESSORIES

1



DB 448 Drainer Basket

2



CB 932 Chopping Board

3



DT 360 Extension Drainer

BCX 210-38



BCX 210-42







BCX 220-38/38





TOPMOUNT

BCX 611



BCX 621












TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
BCX 210-38	410 x 445mm	380 x 415 x 180mm/27L	Template	1 2 3
BCX 210-42	450 x 445mm	420 x 415 x 200mm /34L	Template	1 2 3
BCX 220-38/38	840 x 460mm	380 x 415 x 180mm/27L (x2)	Template	1 2 3
BCX 611 LHD BCX 611 RHD	860 x 480mm	420 x 415 x 200mm /34L	837 x 457mm, cr=15	1 2
BCX 621 LHD BCX 621 RHD	1080 x 480mm	380 x 415 x 180mm /27L 320 x 350 x 160mm/17L	1057 x 457mm, cr=15	1 2

Bowl Radius 50mm















ACCESSORIES

1



DT 360 Extension Drainer

2



RM 44 Rollamat 3

DB 664 Drainer Basket 4



SB 452 Strainer Bowl



CB 964 Chopping Board



CB 931 Chopping Board

BOX 210-36



BOX 210-50







BOX 220-36



BOX 210-68







BOX 220-42/29 SBL



BOX 220-42/29 SBR







TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
BOX 210-36	400 x 450mm	360 x 410 x 200mm/29L	Template	1 2 3 4 5 6
BOX 210-50	540 x 450mm	500 x 410 x 200mm/41L	Template	1 2 3 4 5 6
BOX 210-68	720 x 450mm	680 x 410 x 200mm/56L	Template	1 2 3 4 5 6
BOX 220-36	782 x 450mm	360 x 410 x 200mm/29L (x2)	Template	1 2 3 4 5 6
BOX 220-42/29	780 x 450mm	420 x 410 x 200mm/34L 298 x 410 x 200mm/24L	Template	1 2 3 4 5 6

Bowl Radius 12mm















*Accessories are available to purchase separately.

ACCESSORIES





CB 134 **Chopping Board**

2



CB 120 Chopping Board

3



DT 360 **Extensions Drainer**



DB 138 Wire Rack



KS 792 Knife Set

6



CB 135 Knife Holder



SBCUW-70S Strainer Bowl





AC 292 Stainless Steel Organiser





PB 835 Push Button Waste

BWX 220-54/27 SBR




BWX 220-54/27 SBL









TECHNICAL INFORMATION				
MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
BWX 220-54/27 SBL BWX 220-54/27 SBR	860 x 510mm	540 x 410 x 200mm/44L 270 x 480 x 200mm/26L	Template	1 2 3 4 5 6 7 8 9
Bowl Radius 12mm			1 ACCESSORIES AV	/AILABLE 1 ACCESSORIES INCLUDED
EEATUDES & DENEEITS				
















*Accessories are available to purchase separately.

ACCESSORIES









3





5



CUW24-36S

Grid Drainer

7

DT 587 Extension Drainer CUW-40S Chopping Board

SP40S Soft Pad

SBCUW-70S Strainer Bowl





CUW-36RM

Rollamat



PB 835

Push Button Waste

CHEF CENTRE UNDERMOUNT

CUX 11024-W



PUSH BUTTON REMOTE WASTE



TECHNICAL INFORMATION

MODEL **OVERALL SIZE BOWL SIZE** CUT-OUT SIZE **ACCESSORIES** 1 2 3 4 5 6 7 CUX 11024-W 854 x 479 mm 600 x 410 x 229mm/56L Template

Bowl Radius 12mm















1





SB 452 Strainer Bowl 3

TR 453 Tray



CB 964 Chopping Board



DT 360 Extension Drainer

6

RM 44

Rollamat



DB 664 Drainer Basket

ACCESSORY VALUE PACK: AVP-CMX

7





DT 360 **Extension Drainer**

CB 964 Chopping Board

450 **T F** 600 **T F** CMX 210-34 CMX 210-50





CENTINOX MINIMALIST

TOPMOUNT/FLUSHMOUNT/ UNDERMOUNT

U U U CMX 220-50/34



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
CMX 210-34	370 x 440mm	340 x 410 x 175mm/24L	Template	1 2 3 4 5 6 7
CMX 210-50	530 x 440mm	500 x 410 x 200mm/41L	Template	1 2 3 4 5 6 7
CMX 220-50/34	887 x 432mm	500 x 410 x 200mm/41L 340 x 410 x 175mm/24L	Topmount: 876 x 421mm, cr=18 Flushmount: utilise DXF file	1 2 3 4 5 6 7

Bowl Radius 12.5mm

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED



















DB 664 Drainer Basket

ACCESSORY VALUE PACK: AVP-CMX

7







DT 360 **Extension Drainer**

CB 964 Chopping Board

450 600 CMX 110-50 CMX 110-34





800 CMX 120-34-34



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
CMX 110-34	370 x 440mm	340 x 410 x 175mm/24L	Template	1 2 3 4 5 6 7
CMX 110-50	530 x 440mm	500 x 410 x 175mm/36L	Template	1 2 3 4 5 6 7
CMX 120-34-34	735 x 440mm	340 x 410 x 175mm/24L (x2)	Template	1 2 3 4 5 6 7

Bowl Radius 12.5mm













ACCESSORIES

1



CB 749 Chopping Board

2



SB 491 Strainer Bowl

3



CB 501 Chopping Board

4



DB 448 Drainer Basket

5



RM 41 Rollamat

ACCESSORY VALUE PACK: AVP-EOX

6



CB 749 Chopping Board



SB 491 Strainer Bowl

TOPMOUNT

EOX 221/HW



PUSH BUTTON REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
EOX 221/HW LHD	1160 x 510mm	360 x 390 x 175mm/24L	1149 x 499mm, cr=10	1 2 3 4 5 6
EOX 221/HW RHD		320 x 390 x 175mm/21L		1 2 3 4 5 0

Bowl Radius 50mm

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED





















KTX 220






TECHN		IFORMATION	VI.
IECHN	IIGAL IN	IFURIVIATIOI	v

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KTX 220	855 x 480mm	450 x 400 x 180mm/31L 300 x 330 x 155mm/14L	Template	1 2 3 4 5

Bowl Radius 65mm




















DB 448 Drainer Basket



DT 651 Extension Drainer KBX 110-20/HW

UNDERMOUNT INSTALL ONLY

I3 SERIES

KBX 210-34/HW

I3 SERIES

KBX 210-55/HW

I3 SERIES

I3 SERIES



UNDERMOUNT INSTALL ONLY

KBX 120-34/OF







NOTE: Template supplied is for installation with reveal leaving a step to the sink for some accessories to recess into the benchtop

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KBX 110-20/HW	230 x 430mm	200 x 400 x 150mm/12L	Template	2 5
KBX 210-34/HW	370 x 430mm	340 x 400 x 175mm/24L	Template	1 2 3 4 5 6 7
KBX 210-45/HW	480 x 430mm	450 x 400 x 180mm/32L	Template	2 3 4 5 6 7
KBX 210-55/HW	580 x 430mm	550 x 400 x 190mm/42L	Template	2 3 4 5 6 7
KBX 110-70/OF	730 x 430mm	700 x 400 x 230mm/64L	Template	2 3 4 5 6 7
KBX 120-34/OF	770 x 450mm	340 x 400 x 175mm/24L (x2)	Template	1 2 3 4 5 6 7

FEATURES & BENEFITS



Bowl Radius 25mm















6



SB 122

Strainer Bowl





RM 42 Rollamat





ST 123 Strainer Tray

7



DB 448 Drainer Basket





DR 121 Drainer Rack

8



DT 651 **Extension Drainer**





CB 749 Chopping Board

9



DT 360 Extension Drainer



RM 41 Rollamat

5



CB 176 Chopping Board

KBG 110-34 ONYX 500 W KBG 110-34 PW










KBG 110-74 ONYX 900 W KBG 110-74 PW







NOTE : Sink has stepped down ledge all around the bowl for correct fitting of some accessories

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KBG 110-34	380 x 440mm	340 x 400 x 200mm/27L	Template	1 2 3 4 6 7 8
KBG 110-50	540 x 440mm	500 x 400 x 200mm/40L	Template	2 3 4 6 7 8
KBG 110-74	802 x 460mm	720 x 390 x 195mm/54L	Template	5 7 9 10

Bowl Radius 25mm 1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED











ACCESSORIES 1 2 3 4

SB 122 Strainer Bowl ST 123 Strainer Tray

DR 121 Drainer Rack

8

CB 749 Chopping Board

5

RM 41 Rollamat

10

6



RM 42 Rollamat



DB 448 Drainer Basket



DT 651Extension Drainer



DT 360 Extension Drainer




CB 176Chopping Board











NOTE: Sink has stepped down ledge all around the bowl for correct fitting of some accessories. Please note no overflow KBG 120 Polar White.

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KBG 160	558 x 460mm	340 x 400 x 200mm/27L 160 x 400 x 130mm/8L	Template	2 3 4 6 7 8
KBG 120	802 x 460mm	345 x 390 x 203mm/27L (x2)	Template	6 7 9 10

Bowl Radius 25mm

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED

















DT 651Extension Drainer

2



SB 497 Strainer Bowl

3



ST 850 Strainer Tray

4



RM 42 Rollamat





CB 071 Chopping Board



CB 471 Chopping Board

MRX 210-34



MRX 210-50







MRX 210-70



MRX 220-40-40







MRX 260-34/19 SBL/SBR





TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
MRX 210-34	380 x 440mm	340 x 400 x 180mm/24L	Template	1 2 3 4 5 6
MRX 210-50	540 x 440mm	500 x 400 x 180mm/36L	Template	1 2 3 4 5 6
MRX 210-70	740 x 440mm	700 x 400 x 180mm/50L	Template	1 2 3 4 5 6
MRX 220-40-40	860 x 435mm	400 x 400 x 180mm/29L (x2)	Template	1 2 3 4 5 6
MRX 260-34/19 SBL MRX 260-34/19 SBR	591 x 436mm	340 x 400 x 175mm/24L 190 x 400 x 130mm/10L	Template	1 2 3 4 5 6
Bowl Radius 16mm			1 ACCESSORIES AVAILABLE	ACCESSORIES INCLUDED













ACCESSORIES

1



RM 40 Rollamat

ST 817



Strainer Tray

3



CB 900 Chopping Board 4



DT 651 **Extension Drainer** MTF 611 ONYX



PUSH BUTTON REMOTE WASTE

MTG 620 ONYX

900

PUSH BUTTON REMOTE WASTE





MTF 651 ONYX



PUSH BUTTON REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
MTF 611 LHD MTF 611 RHD	1000 x 515mm	500 x 390 x 190mm/37L	984 x 494mm, cr=10	1 2 3 4
MTG 620	910 x 515mm	460 x 390 x 210mm/37L 340 x 390 x 210mm/28L	894 x 494mm, cr=10	1 2 3 4
MTF 651 LHD MTF 651 RHD	1000 x 515mm	360 x 390 x 190mm/26L 160 x 390 x 130mm/8L	984 x 494mm, cr=10	1 2 3 4

Bowl Radius 25mm

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED















1



2



3



4



5



CB 601 Chopping Board **SB 603** Strainer Bowl **ST 602** Strainer Tray **DB 664** Drainer Basket RM 44 Rollamat

ACCESSORY VALUE PACK: AVP-NEX

6







CB 601 Chopping Board

DB 664 Drainer Basket

NEPTUNE TOPMOUNT

NEX 611





NEX 651











NEX 621









TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
NEX 611 LHD NEX 611 RHD	860 x 510mm	360 x 420 x 190mm/27L	844 x 494mm, cr=20	1 2 3 4 5 6
NEX 651 LHD NEX 651 RHD	1000 x 510mm	360 x 420 x190mm/27L 167 x 306 x 130mm/6L	984 x 494mm, cr=20	1 2 3 4 5 6
NEX 621 LHD NEX 621 RHD	1160 x 510mm	360 x 420 x 190mm/27L (x2)	1144 x 494mm, cr=20	123456

Bowl Radius 50mm



1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED











ACCESSORIES

1



RM 44 Rollamat **RAMBLA** TOPMOUNT

LUX 610 450 1



TECHNI		

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	
LUX 610	Ø 440mm	Ø 380 x 190mm/22L	Topmount :Ø 425mm	1

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED









ACCESSORIES

1





CB 176 Chopping Board 2



DT 651 Extension Drainer 3



DB 448 Drainer Basket 4



SB 209 Strainer Bowl

5



RM 44 Rollamat **STEEL QUEEN TOPMOUNT**

SQX 610-36-2



SQX 620 D/T









SQX 620 B-R/T



SQX 620 C-R/T










TECHNICAL INFORMATIO)N			
MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
SQX 610-36-2	415 x 465mm	360 x 410 x 200mm/27L	Template	1 2 3 5
SQX 620 D/T	794 x 521mm	356 x 406 x 200mm/27L (x2)	Template	1 2 3 5
SQX 620 B-R/T	794 x 521mm	457 x 406 x 200mm/36L 254 x 406 x 180mm/17L	Template	1 2 3 4 5
SQX 620 C-R/T	692 x 522mm	356 x 406 x 200mm/27L 254 x 406 x 180mm/17L	Template	1 2 3 4 5
Bowl Radius 50mm		1 AC	CESSORIES AVAILABLE	1 ACCESSORIES INCLUDED









STEEL QUEEN UNDERMOUNT

SQX 110-36-2 SQX 120 D-2





SOX 120 C-L-2 SOX 120 C-R-2





TECHNICAL INFORMATIO	ON .			
MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
SQX 110-36-2	400 x 451mm	356 x 406 x 200mm/29L	Template	1 2 3 5
SQX 120 D-2	784 x 451mm	356 x 406 x 200mm/29L (x2)	Template	1 2 3 5
SQX 120 C-L-2	683 x 451mm	254 x 406 x 180mm/18L 356 x 406 x 200mm/29L	Template	1 2 3 4 5
SQX 120 C-R-2	683 x 451mm	356 x 406 x 200mm/29L 254 x 406 x 180mm/18L	Template	1 2 3 4 5
Bowl Radius 50mm		1 AC	CCESSORIES AVAILABLE	1 ACCESSORIES INCLUDED







ACCESSORIES

1



DT 651 Extension Drainer 2



SB 950 Strainer Bowl 3



RM 44 Rollamat



DB 664 Drainer Basket **UBG 221 ONYX REV**



UBG 211-100 ONYX REV

UBG 211-100 PW REV







UBG 221 PW REV











UBG 221 SG REV

















NOTE: Flushmount installation requires the minimum benchtop thickness to be 20mm and a 9mm deep recess into the benchtop

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
UBG 221 REV	1160 x 500mm	348 x 425 x 206/30L (x2)	1124 x 464mm, cr=15	1 2 3 4
UBG 211-100 REV	1000 x 500mm	490 x 425 x 210mm/43L	964 x 464mm, cr=15	1 2 3 4

Bowl Radius 15mm















ACCESSORIES

1



DT 651 Extension Drainer 2



SB 950 Strainer Bowl 3



RM 44 Rollamat



DB 664 Drainer Basket **UBG 220-86 ONYX**





UBG 210-78 ONYX









UBG 220-86 PW





UBG 210-78 PW











UBG 220-86 SG





UBG 210-78 SG











NOTE: Flushmount installation requires the minimum benchtop thickness to be 20mm and a 9mm deep recess into the benchtop

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
UBG 220-86	860 x 500mm	432 x 425 x 230mm/42L 341 x 364 x 220mm/27L	824 x 464mm, cr=15	1 2 3 4
UBG 210-78	780 x 500mm	723 x 425 x 230mm/67L	744 x 464mm, cr=15	1 2 3 4

Bowl Radius 15mm

















LAUNDRY TUBS

SQX 610 STEEL QUEEN





SOX 610-60 STEEL QUEEN









BOX 210-50



BOX 210-68







DLT 610 DELUXE




AEX 610 ACQUARIO LINE





BYPASS PLUMBING KIT









KBG 110-50 ONYX



KBG 110-50 PW







KBG 110-74 ONYX





KBG 110-74 PW









TECHNICAL INFORMATION

MODEL	RANGE	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	FINISH
SQX 610	Steel Queen	510 x 460mm	460 x 410 x 250mm/41L	Template	Stainless Steel
SQX 610-60	Steel Queen	650 x 505mm	600 x 440 x 300mm/70L	Template	Stainless Steel
BOX 210-50	Bolero	540 x 450mm	500 x 410 x 200mm/41L	Template	Stainless Steel
BOX 210-68	Bolero	720 x 450mm	680 x 410 x 200mm/56L	Template	Stainless Steel
DLT 610	Deluxe	600 x 500mm	525 x 425 x 230mm/43L	588 x 488mm, cr=50	Stainless Steel
AEX 610	Acquario Line	860 x 510mm	740 x 375 x 200mm/53L	490 x 840mm, cr=10	Stainless Steel
KBG 110-50	Kubus Fragranite	540 x 440mm	500 x 400 x 200mm/40L	Template	Fragranite
KBG 110-74	Kubus Fragranite	802 x 460mm	720 x 390 x 195mm/54L	Template	Fragranite



SD 519 SINOS SDS 246 TOWER








SD 320 BOLERO INOX



TECHNICAL INFORMATION

MODEL	RANGE	CUT-OUT	OVERALL SIZE	INCLUDES	FINISH
SD 519	Sinos	Ø 25mm	80 x 121mm	Soap Container (250ml)	Chrome
SDS 246	Tower	Ø 25mm	122 x 80mm	Soap Container (330ml)	Stainless Steel
SD320	Bolero	Ø 25mm	56 x 101mm	Soap Container (200ml)	Inox







SAVE MONEY







WATER FILTERS

F1 HIGH FLOW WATER FILTER

F1-R HIGH FLOW FILTER CARTRIDGE





TECHNI	CAL INFORMATION					
MODEL	SIZE	CAPACITY	MAX FLOW RATE	MIN. (kPa)	MAX. (kPa)	MICRON RATING
F1	390 x ø110mm	56,000L	8L per min	200 kPa	860 kPa	1 micron
F1-R	320 x ø110mm	56,000L	8L per min	200 kPa	860 kPa	1 micron



TA 6850MB OZONE

TA 6851MB OZONE (PULL-OUT)





TA 7610MB ACTIVE PLUS


TA 7611MB ACTIVE PLUS (PULL-OUT SPRAY)







TA 6300B SINOS ONYX





TA 621B MYTHOS (PULL-OUT)



TA 6831MB PYRA (PULL-OUT)





TECHNICAL INFORMATION									
MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 6850MB	Ozone	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31537	Matte Black
TA 6851MB	Ozone	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31567	Matte Black
TA 7610MB	Active Plus	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm Reg No: T30838	Matte Black
TA 7611MB	Active Plus	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star /5 Lpm Reg No: T30967	Matte Black
TA 6300B	Sinos Black	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31534	Onyx
TA 6301B	Sinos Black	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 6 Lpm Reg No: T31532	Onyx
TA 621B	Mythos	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star/ 6 Lpm Reg No: T31538	Onyx
TA 6831MB	Pyra	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm Reg No: T31544	Matte Black



PLEASE NOTE

Large and heavy taps should ideally be mounted directly through the solid benchtop or fully supported from underneath. For all other swivel taps, we recommend the use of the Franke Tap Support Arm (see page 73) to provide additional support. Please ensure all Franke tapware is installed at a pressure of no greater than 500 kPa in accordance with AS/NZS3500 and insist that your plumber flushes all of the water supply lines before installing tapware. Failure to do so may void warranty.







TA 6000 ECLIPSE

TA 6001 ECLIPSE (PULL-OUT SPRAY)







TA 6850 OZONE

TA 6851 OZONE (PULL-OUT)








TECHNICAL INFORMATION									
MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 6400	Swing	Non-Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31550	Chrome
TA 7811	Azimut	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31838	Chrome
TA 6000	Eclipse	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31545	Chrome
TA 6001	Eclipse	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31542	Chrome
TA 6850	Ozone	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31536	Chrome
TA 6851	Ozone	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: 31566	Chrome



PLEASE NOTE

Large and heavy taps should ideally be mounted directly through the solid benchtop or fully supported from underneath. For all other swivel taps, we recommend the use of the Franke Tap Support Arm (see page 73) to provide additional support. Please ensure all Franke tapware is installed at a pressure of no greater than 500 kPa in accordance with AS/NZS3500 and insist that your plumber flushes all of the water supply lines before installing tapware. Failure to do so may void warranty.

TA 6300 SINOS











TA 6831 PYRA (PULL-OUT)

TA 7610 ACTIVE PLUS











TECHNICA	AL INFORMATION	ON							
MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 6300	Sinos	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31535	Chrome
TA 6301	Sinos	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 6 Lpm Reg No: T31533	Chrome
TA 7610	Active Plus	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm Reg No: T30838	Chrome
TA 7611	Active Plus	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 5 Lpm Reg No: T30967	Chrome
TA 6831	Pyra	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm Reg No: T31543	Chrome
TA 6841	Pyra Light	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm Reg No: T31541	Chrome



PLEASE NOTE

Large and heavy taps should ideally be mounted directly through the solid benchtop or fully supported from underneath. For all other swivel taps, we recommend the use of the Franke Tap Support Arm (see page 73) to provide additional support. Please ensure all Franke tapware is installed at a pressure of no greater than 500 kPa in accordance with AS/NZS3500 and insist that your plumber flushes all of the water supply lines before installing tapware. Failure to do so may void warranty.

TA 7300 VERONA

TA 7311 VERONA (PULL-OUT SPRAY)









TECHNICAL INFORMATION										
MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH	
TA 7300	Verona	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31830	Chrome	
TA 7311	Verona	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 6 Lpm Reg No: T31834	Chrome	
TA 7181	Professional	Flex	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star/7.5LPM Reg No: T31817	Chrome	



TA 9510 TAROS



TA 9511 TAROS (PULL-OUT)







TA 9520 ATLAS

18 STAINLESS 10 STEEL

TA 9521 ATLAS (PULL-OUT)





TA 9500 EOS



TA 9501 EOS (PULL-OUT)





TA 9101 PROFESSIONAL REACH (PULL-OUT SPRAY)



18 STAINLESS 10 STEEL





TECHNIC	AL INFORMATI	ON							
MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 9510	Taros	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31132	Stainless Stee
TA 9511	Taros	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31043	Stainless Steel
TA 9520	Atlas	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31118	Stainless Steel
TA 9521	Atlas	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31117	Stainless Steel
TA 9500	Eos	Non Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31131	Stainless Steel
TA 9501	Eos	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31042	Stainless Steel
TA 9101	Professional Reach	Pull-Out	Ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm Reg No: T31041	Stainless Steel



TS 896 TAP SUPPORT ARM

TS 655 TAP SUPPORT BRACE





PLUMBING KITS

PK 945 SPAZIO PLUMBING KIT

PK 205 ECO PLUMBING KIT





CLEANING / CARE

INOX CREME INOX TWISTER





TECHNICAL INFORMAT	TION	
MODEL	SIZE	DESCRIPTION
TS 896	100 x 70mm	Plastic.
TS 655	N/A	Metal.
PK 945	N/A	The solution to installing two and three bowls sinks into one flush-fitted outlet located at the rear of your cabinet, maximising space. Includes connection for dishwasher outlet.
PK 205	N/A	Space-saving and levelling kit designed for installing two bowls into one flush-fitted outlet located at the rear of your cabinet, maximising space.
INOX CREME	PVC 250g tube	Highly effective stainless steel cleaner.
INOX TWISTER	300g tub	Highly effective stainless steel cleaner in a ready to use applicator.



SORTER SYSTEMS

SORTER 300-45 DUO SORTER



SORTER 300-60 DUO SORTER



Installation is made easier with the Franke Spazio Plumbing Kit (see page 68) Trio bins can be purchased separately.

BIN IN BENCH

WB 1000 WASTE BIN



TECHNICAL INFORMATION		
MODEL	SIZE	DESCRIPTION
SORTER 300-45 DUO	412 x 454 x 383mm	Waste sorter system - 22L bins (x2)
SORTER 300-60 DUO	562 x 454 x 383mm	Waste sorter system - 21L bins (x2)
WB 1000	ø 306 x 335mm	Bin in Bench - 1x 13L bin Cut-out size : Ø 280mm Drops in counter at 306mm diameter

FRANKE KITCHEN SYSTEMS CHECKLIST

TAP

SINK

MODEL: ____ DRAINER SIDE: ____ MODEL: __ ACCESSORIES: ___ PRICE: MATERIAL: ______ MATERIAL: BOWL CONFIGURATION: SWIVEL/PULLOUT _____ INSTALLATION TYPE: WELS RATING



