

PR Kitchen & Washroom Systems
Kitchen Systems
83 Bangholme Rd
Dandenong South
VIC 3175
Australia
Phone +61 3 9700 9100
Fax +61 3 9700 9191
info@prks.com.au
www.franke.com.au




PRODUCT CATALOGUE

2016/2017

PRODUCT CATALOGUE 2016/2017

KITCHEN SYSTEMS



MAKE IT WONDERFUL



KEY TO SYMBOLS

	Inset sink
	Undermount sink
	Flushmount sink
	Left-hand drainer (LHD)
	Right-hand drainer (RHD)
/HW	Sink features Franke hygienic waste (cannot install waste disposer)
	18/10 Stainless steel
	Minimum cabinet size (in mm)
	Accessories included with sink model
	Accessories available for sink model
	Special order
	Pull-out tap
	Swivel tap
	Flexi tap
	Veggie spray
	Tap with light

FEATURE ICONS



Food Preparation Centre

Franke sinks are Food Preparation Centres. The benchtop space is maximised by utilising accessories such as chopping boards, strainer trays, strainer bowls and Rollamats.



Stainless Steel

18/10 means that there is 18% chromium and 10% nickel. This stainless steel is 304 grade which is commonly referred to as surgical grade and is used for maximum durability.



Franke Granite

Fragranite sinks are made from 80% quartz and 20% methylmethacrylate (resin). The quartz sand, which is fired at high temperature, is colour-pigmented.



Remote-Operated Waste

Lift the plug in your Franke sink without putting your hands in the water by twisting the elegant stainless steel knob.



Waste to Rear of Main Bowl

Franke maximises space in your under bench cupboard by designing most of the sinks to have wastes to the rear of the main bowl.



Fast Fix Installation System

The stainless steel clips are welded to the side of the bowl and rail. The installer only needs to put silicone on the cut-out edge and push the sink into the cut-out.



Franke Hidden Overflow

Franke hidden overflow is designed to ensure that the sink never overflows. Franke looks for Kitchen Solutions with practicality, the best hygienic levels and the best cosmetic look.



Sound Deadening Pads

Sound deadening pads are installed to reduce noise levels when pouring or running water into the sink.



Franke Bowl Insulation

The Franke sprayed bowl insulation is designed to reduce noise levels when pouring or running water into the sink, maintain hot water longer and avoid condensation outside the bowl.



Hygienic Integrated Waste

Franke's hygienic waste features elegant design, reduced bacteria build-up on curved edges and easy waste fitting installation. (Food waste disposer cannot be fitted to hygienic waste outlet).



Flexible Fixing System

All laser-cut edge profile sinks have a rail system on the underside of the sink to slide clips into the correct location that the installer needs them to ensure a secure fit.



Laser-Edge Profile

The laser-edge profile is a slim profile for inset sinks at the benchtop, providing easy cleaning and a flushmount appearance.



Integrated Sealing Strip

Franke sinks with integrated sealing strip ensure sinks are water sealed with a factory-applied, inert polyurethane sealant on the underside of the rim edge.



Flushmount Fit

Flushmount sinks feature a single thickness edge allow a slim-fit to the benchtop which can also be recessed resulting in a flush fit with the surface.




Products New Products Expertise Support About Franke



Welcome to Franke Australia

Franke Kitchen Systems is the world's leading provider of intelligent systems for domestic kitchens, trusted by more users in more kitchens worldwide than any other manufacturer. Drawing on our long history of reliability and expertise, we build rewarding and enduring partnerships. We help our partners enhance their businesses and ease their customers' lives by making work in the kitchen a pleasure. By adopting a policy of investment in innovation and technology, Franke has established their position as the largest stainless steel kitchen sink manufacturer in the world and a leading name in kitchen taps, waste disposers and other kitchen solutions.



Franke at the LivingKitchen 2015

Follow the Franke blog to get daily updates from the LivingKitchen exhibition in Cologne, Germany.

Visit Franke Blog

QuickLinks

- Cut out templates
- Product News
- View Brochures
- Redemption Forms

Contact

Reseller Locator

Find a reseller close to you with our reseller locator.

Click here

As our policy is one of continual improvement, the manufacturers reserve the right to vary specifications or delete models from their range without prior notification. Always use the physical product measurements for cut-outs as the manufacturer's template is a guide only and may differ from the actual product dimensions over time. The manufacturers take no responsibility for printing errors.



AN INTRODUCTION TO FRANKE

































Franke Kitchen Systems is the world's leading provider of intelligent systems for domestic kitchens, trusted by more users in more kitchens worldwide than any other manufacturer. Drawing on our long history of reliability and expertise, we build rewarding and enduring partnerships.

We help our partners enhance their businesses and ease their customer's lives by making work in the kitchen a pleasure.





By adopting a policy of investment in innovation and technology, Franke has established their position as the largest stainless steel kitchen sink manufacturer in the world and a leading name in kitchen taps, waste disposers and other kitchen solutions.

CONTENTS

SINKS

MODEL	RANGE	PG	FINISH	INSET	FLUSHMOUNT	UNDERMOUNT
ANX	Aton	12-13	Stainless Steel			
PFX	Aurora	14-15	Stainless Steel			
BFG	Basis	16-17	Granite			
BOX	Bolero	18-19	Stainless Steel			
CEX	Centinox	20-21	Stainless Steel			
CMX	Centinox Minimalist	22-23	Stainless Steel			
CMX	Centinox Minimalist	24-25	Stainless Steel			
DRX	Drina	26-27	Stainless Steel			
EOX	Epos	28-29	Stainless Steel			
KTX	Karst	30-31	Stainless Steel			
KBX	Kubus	32-33	Stainless Steel			
KBG	Kubus Fragranite	34-37	Granite			
LAX	Largo	38-39	Stainless Steel			
MTF	Mythos Fusion	40-41	Granite			
NEX	Neptune	42-43	Stainless Steel			
PFX P	Pacific Plus	44-45	Stainless Steel			
PKX	Peak	46-47	Stainless Steel			
LUX	Rambla	48-49	Stainless Steel			
SNX	Sinos	50-51	Stainless Steel			
SOX	Steel Queen	52-53	Stainless Steel			
SOX	Steel Queen	54-55	Stainless Steel			

LAUNDRY TUBS


































MODEL	RANGE	PG	FINISH	INSET	FLUSHMOUNT	UNDERMOUNT
AEX	Acquario Line	57	Stainless Steel			
DLT	Deluxe	57	Stainless Steel			
KBG	Kubus Fragranite	57	Granite			
SOX	Steel Queen	57	Stainless Steel			

SOAP DISPENSERS

MODEL	RANGE	PG	FINISH
SD 55	Classic	59	Chrome
SD 23	Lowline	59	Chrome
SDS 371	Poco	59	Stainless Steel
SD 519	Sinos	59	Chrome
SD 319	Standard	59	Chrome
SDS 246	Tower	59	Stainless Steel

CONTENTS

TAPS

MODEL	RANGE	PG	FINISH	SWIVEL	PULL-OUT	FLEX
TA 7011	Active	61	Chrome			
TA 7010	Active	61	Chrome			
TA 6811	Angolo	61	Chrome			
TA 7811	Azimut	61	Chrome			
TA 7001	Artis	61	Chrome			
TA 7000	Artis	61	Chrome			
TA 6211	Caprice	61	Chrome			
TA 5120	Centinox	61	Stainless Steel			
TA 9500	Eos	63	Stainless Steel			
TA 9501	Eos	63	Stainless Steel			
TA 6800	Kubus	63	Chrome			
TA 6801	Kubus	63	Chrome			
TA 6201	Maxxis	63	Chrome			
TA 631	Mythos Inox	63	Stainless Steel			
TA 621B	Mythos Black	63	Chrome			
TA 621W	Mythos White	63	Chrome			
TA 780S	Niagra	65	Chrome			
TA 6200	Planario Tower	65	Chrome			
TA 7181	Professional	65	Chrome			
TA 9101	Professional Reach	65	Stainless Steel			
TA 6300	Sinos	65	Chrome			
TA 6301	Sinos	65	Chrome			
TA 6300B	Sinos Black	65	Chrome			
TA 6301B	Sinos Black	65	Chrome			
TA 6300W	Sinos White	67	Chrome			
TA 6301W	Sinos White	67	Chrome			
TA 9510	Taros	67	Stainless Steel			
TA 9511	Taros	67	Stainless Steel			
TA 7300	Verona	67	Chrome			
TA 7311	Verona	67	Chrome			
TA 7301	Verona	67	Chrome			
TA 6831	Pyra	68	Chrome			
TA 6841	Pyra Light	68	Chrome			
PRTRS0005	Protronic	69	Chrome			
TAP SUPPORT		71				
PLUMBING KITS		71				
CLEANING & CARE		71				
SORTER SYSTEMS		73				
BIN IN BENCH		73				
HELPFUL INFORMATION		74				
WARRANTY		74				
SUPPORT		74				
WEB RESOURCES		75				

1911

Hermann Franke establishes a sheet metal business in Rorschach, Switzerland.

1914 ▶ 24

During the First World War it is difficult to obtain materials for production. The post-war period and economic crisis delay development of the business.

1925 ▶ 30

Recovery of industrial and construction sectors. Addition of a sanitary installations department. Manufacture of hobs, skylights and dormer windows.

1931 ▶ 34

General slump. First sinks produced in nickeline, monel metal and later stainless steel.

1935 ▶ 36

Construction of a new factory, offices and residential building in Aarburg. 10 employees.

1937 ▶ 38

Economic upswing boosts sales. Beginning of series production and launch of first fully welded, flush mounted sink.

1946 ▶ 49

Expansion of manufacturing facilities and production of complete kitchens (Movenpick). First exports to neighbouring countries. Workforce increases to 250.



HUMBLE BEGINNINGS

Founded in 1911, Franke was built on a foundation of precision engineering, combined with traditional craftsmanship.

Over 100 years later, those principles endure, while a focus on the changing needs and lifestyles of our customers has helped us become the world's largest manufacturer of kitchen sinks.





SWISS PRECISION ENGINEERING

Many things have changed in the past century, but what is always the same is a set of values, characterised by respect, trust and openness. The values of innovation, entrepreneurship, quality and stylish design were in the heart of Hermann Franke and continue to be at the heart of the business, as we enter a second century of smart design and stunning beauty.

A CENTURY WITHOUT COMPROMISE

The Franke story began as a small sheet-metal business in Rorschach, Switzerland, established by Hermann Franke in 1911. Since then, we've established efficient and economic manufacturing facilities all around the world.



1962 ▶ 74

Marked expansion of the Franke group. 13 new subsidiaries and two license companies established in Europe. In 1972, Franke builds and installs the first kitchen for McDonald's in Munich.

1975 ▶ 88

Walter Franke's friend and business partner Willi Pieper takes over ownership of Franke. Franke is structured into divisions in 1988.

1989

Michael Pieper (Willi Pieper's son) becomes CEO, and owner of the Franke Group in 1990. Under his leadership, rapid and systematic expansion of the core businesses worldwide takes place.

2002

Franke repositions its strategy and structure. The divisions are given more autonomy and responsibility. Two further core businesses are identified and organised to secure and build on the success of Franke:

Franke Water Systems and
Franke Coffee Systems

FRANKE TODAY

Many things have changed for Franke as a business over the last century. What has never changed in 100 years is the unwavering belief in product quality.

Although the product itself transformed into a single household article to a lifestyle addition in a unique range of kitchen systems, the outstanding quality has been a constant.




FRANKE'S NEW APPEARANCE

Welcome to the wonderful world of Franke. With our new branding, we want to put a smile on the face of everyone who comes into contact with our people, products and services. Our aim is not only to have a brand, we also want to live it.

Our new appearance is all about the enhancement of our strategy "One Franke, One Strategy, One Brand". We have developed an emotional brand campaign that brings more humour, creativity and inspiration to our rather unemotional industrial environment. Hand-drawn illustrations show imaginatively staged everyday moments relating to our products. They show in a playful manner our new Make It Wonderful brand promise.

WHY MAKE IT WONDERFUL?

Franke stands for traditional, top-quality and down-to earth products that accompany us in our daily lives. They are subject to wear and tear, and therefore need to be durable and reliable. We want to make these everyday objects, which we produce and that are in everyday use, a little less ordinary by making them more beautiful and better. That's what Make It Wonderful stands for. That's our brand promise and it means in summary that, whether you are a business partner or an end user, we make your everyday life a little less ordinary.




TOP ILLUSTRATORS FOR MAKE IT WONDERFUL



Illustrators from all around the world have been commissioned for the brand campaign. Franke consciously opted for eight internationally renowned artists to depict the world of Franke with hand-drawn inspiring illustrations and an emotional, natural style.


Depending on the style, the artists were assigned to the various divisions within the Franke Group. With sample sketches, the artists were shown what statements and ideas need to be presented with Make It Wonderful.

The artists were then granted any freedom they wanted. There was only one requirement: Make It Wonderful! In addition to the stylistic diversity of the doodles, it was important to us to convey emotions and stories around our products. The illustrations visualise in a very creative, playful way ideas or musings of all the things that can be done with our products. Franke aims to make everyday life a little less ordinary and provide our customers with perfect support in your everyday lives with our products.




**Franke aims to
make everyday
life a little less
ordinary...**






CHOOSE YOUR
MATERIAL



CHOOSE YOUR
INSTALLATION



CHOOSE YOUR
CONFIGURATION



CHOOSE YOUR
ACCESSORY

CHOOSING YOUR PERFECT SINK

As the kitchen sink is seen as the heart of the kitchen, it's the perfect starting point for creating your dream kitchen. Let your imagination run free with a range of fabulous options to help you maximise space and accentuate the look of the entire room.

There are however certain functional considerations to take into account and the following information will help to ensure that your ideal sink is the perfect fit for your ideal kitchen.

BOWL & DRAINER CONFIGURATION

The type and position of your bowl depends on how you intend to use your sink.


If you like room to clean large items like grill pans, a larger single bowl may be best for you, or for a multi-functional purpose, you may prefer the versatility of two separate working bowls. For multi-bowl undermount sinks, it is important to decide which side you require the smaller bowl.

The drainer location is also an important consideration. For many sinks you will need to choose the specific version you prefer - with drainer on the left or right hand side. Whereas other sinks are reversible which indicates the drainer can be positioned on either side.


Single Bowl



1½ Bowl



Double Bowl




This brochure demonstrates the huge breadth of styles available but in some ranges there are several configurations to choose from in the same style.



SINKS


INSTALLATION TYPES

Sinks can be installed in 3 ways depending on your kitchen worktop and your preference:




INSET SINKS

Inset sinks are installed from above into a pre-prepared hole in your worktop. It gives you the widest range of sink shapes, sizes and styles to choose from.



UNDERMOUNT SINKS

Undermount sinks are installed underneath the worksurface and therefore require a solid surface worktop such as granite or wood, they are not compatible with laminate worksurfaces.



FLUSHMOUNT SINKS

Flushmount sinks feature a single thickness edge allow a slimfit to the benchtop which can also be recessed resulting in a flush fit with the surface

MATERIAL TYPES



STAINLESS STEEL

Franke stainless steel sinks are made from premium quality chrome nickel steel, which looks stunningly beautiful, is highly resistant to staining, rust and corrosion - plus it won't chip, craze, flake or break.

It's the most popular material - and for good reason: Stainless steel has a timeless quality that sits beautifully in a traditional or contemporary style kitchen, offering stunning good looks and a durability that helps keep it looking at its best for years.



FRAGRANITE

Fragranite is an exceptionally tough material which is highly resistant to burns, dents chips and stains. It was pioneered by Franke and contains 80% granite to form a unique material with a subtle sheen that is warm to the touch.

Kitchens can be a critical location for spreading bacteria and demand special attention to hygiene. On unprotected material, bacteria can multiply every 20 minutes making surfaces unhygienic. The integrated Sanitized® hygiene function in Fragranite sinks helps to keep this area clean and provides the sink with lasting protection.


FRAGRANITE COLOUR OPTIONS



ONYX



POLAR WHITE



The silver phosphate glass locates the bacteria via the moisture and deactivates it.



European Image Pictured

ACCESSORIES

1



RM 42
Rollamat

2



CB 104
Chopping Board

3



SB 112
Strainer Bowl

4



DB 448
Drainer Basket

5



CR 113
Champagne Flute Rack

ACCESSORY VALUE PACK : AVP-ANX

6



+



+



CB 104
Chopping Board

SB 112
Strainer Bowl

CR 113
Champagne Flute Rack

ANX 211



REMOTE WASTE



ANX 220



REMOTE WASTE



ANX 251



REMOTE WASTE



ANX 221



REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
ANX 211 LHD ANX 211 RHD	1004 x 514mm	480 x 400 x 190mm/36L	Inset: 995 x 506mm, cr=20 Flushmount: utilise DXF file	1 2 3 4 5 6
ANX 220	864 x 514mm	340 x 400 x 190mm/25L (x2)	Inset: 855 x 506mm, cr=20 Flushmount: utilise DXF file	1 2 3 4 5 6
ANX 251 LHD ANX 251 RHD	1004 x 514mm	340 x 400 x 190mm/25L 165 x 306 x 130mm/6L	Inset: 995 x 506mm, cr=20 Flushmount: utilise DXF file	1 2 3 4 5 6
ANX 221 LHD ANX 221 RHD	1164 x 514mm	340 x 400 x 190mm/25L (x2)	Inset: 1155 x 506mm, cr=20 Flushmount: utilise DXF file	1 2 3 4 5 6

Bowl Radius 36mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS





ACCESSORIES

1



DB 425
Drainer Basket

2



DT 206
Extension Drainer

3



SB 177
Strainer Bowl

4



CB 173
Chopping Board

5



CB 523
Chopping Board

6



RM 44
Rollamat

PFX 620B



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
PFX 620B	860 x 500mm	380 x 420 x 180mm	845 x 485mm, cr=20	<div>123456</div>

Bowl Radius 115mm

1 ACCESSORIES AVAILABLE1 ACCESSORIES INCLUDED

FEATURES & BENEFITS

FPC

Food Preparation Centre

18/10

Stainless Steel

Waste to Rear of Main Bowl

Sound Deadening Pads

Laser-Edge Profile



European Image Pictured

ACCESSORIES

1



CB 600
Chopping Board

2



DB 784
Drainer Basket

3



RM 44
Rollamat

BFG 651 ONYX REV



REMOTE WASTE



BFG 621 ONYX REV



REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
BFG 651 ONYX REV	970 x 500mm	340 x 420 x 200mm/28L 150 x 290 x 100mm/4L	954 x 484mm	<div>1</div> <div>2</div> <div>3</div>
BFG 621 ONYX REV	1160 x 500mm	337 x 420 x 200mm/28L (x2)	1144 x 484mm	<div>1</div> <div>2</div> <div>3</div>

Bowl Radius 15mm

1

ACCESSORIES AVAILABLE

1

ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food Preparation Centre



Franke Granite




Remote-Operated Waste



ACCESSORIES

1



DT 360
Extension Drainer

2



RM 44
Rollamat

3



DB 664
Drainer Basket

4



SB 452
Strainer Bowl

5



CB 964
Chopping Board

BOX 210-36



BOX 210-50



BOX 220



BOX 210-68



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
BOX 210-36	400 x 450mm	360 x 410 x 200mm/28L	Template	1 2 3 4 5
BOX 210-50	540 x 450mm	500 x 410 x 200/41L	Template	1 2 3 4 5
BOX 220	782 x 450mm	360 x 410 x 200mm/28L (x2)	Template	1 2 3 4 5
BOX 210-68	725 x 450mm	680 x 410 x 200mm/56L	Template	1 2 3 4 5

Bowl Radius 12mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food Preparation Centre



Stainless Steel



Waste to Rear of Main Bowl



Sound Deadening Pads



Franke Bowl Insulation



Flushmount Fit



Fast Fix Installation System



Franke Hidden Overflow



ACCESSORIES

1



RM 43
Rollamat

2



SB 452
Strainer Bowl

3



TR 453
Tray

4



CB 062
Chopping Board

5



DT 587
Extension Drainer

6



DB 664
Drainer Basket

CEX 210-50/HW



REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
CEX 210-50/HW	555 x 465mm	500 x 410 x 200mm/37L	Inset: 536 x 446mm, cr=30 Flushmount: utilise DXF file	<div>1</div> <div>2</div> <div>3</div> <div>4</div> <div>5</div> <div>6</div>

Bowl Radius 12mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

FPC

Food Preparation Centre

18/10

Stainless Steel

Remote-Operated Waste

Waste to Rear of Main Bowl

Franke Hidden Overflow

Sound Deadening Pads

Hygienic Integrated Waste

Flushmount Fit

NOTE : Food waste disposers cannot be installed with the Franke Centinox series which features a hygienic integrated waste



European Image Pictured

ACCESSORIES

1



RM 44
Rollamat

2



SB 452
Strainer Bowl

3




TR 453
Tray

4



CB 964
Chopping Board

5



DT 360
Extension Drainer


6



DB 664
Drainer Basket

ACCESSORY VALUE PACK : AVP-CMX

7




DT 360
Extension Drainer



CB 964
Chopping Board


CMX 210-34

450



CMX 210-50

600





CMX 220-50/34

1000





TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
CMX 210-34	370 x 440mm	340 x 410 x 175mm/24L	Inset: 357 x 427mm, cr=0-20 Flushmount: utilise DXF file	<div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div></div>
CMX 210-50	530 x 440mm	500 x 410 x 200mm/41L	Inset: 517 x 427mm, cr=0-20 Flushmount: utilise DXF file	<div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div></div>
CMX 220-50/34	887 x 432mm	500 x 410 x 200mm/41L 340 x 410 x 175mm/24L	Inset: 876 x 421mm, cr=18 Flushmount: utilise DXF file	<div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div></div>

Bowl Radius 12mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

FPC

Food Preparation Centre

18/10

Stainless Steel



Waste to Rear of Main Bowl



Franke Hidden Overflow



Sound Deadening Pads



Flushmount Fit



European Image Pictured

ACCESSORIES

1



RM 44
Rollamat

2



SB 452
Strainer Bowl

3




TR 453
Tray

4



CB 964
Chopping Board

5



DT 360
Extension Drainer


6



DB 664
Drainer Basket

ACCESSORY VALUE PACK : AVP-CMX

7



DT 360
Extension Drainer



CB 964
Chopping Board

CMX 110-34

450

CMX 110-50

600



CMX 120-34-34

1000



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
CMX 110-34	370 x 440mm	340 x 410 x 175mm/24L	Template	<div>1234567</div>
CMX 110-50	530 x 440mm	500 x 410 x 175mm	Template	<div>1234567</div>
CMX 120-34-34	735 x 440mm	340 x 410 x 175mm/24L	Template	<div>1234567</div>

Bowl Radius 12mm

1 ACCESSORIES AVAILABLE1 ACCESSORIES INCLUDED

FEATURES & BENEFITS

- FPC

Food Preparation Centre
- 18/10

Stainless Steel
- Waste to Rear of Main Bowl
- Franke Hidden Overflow
- Sound Deadening Pads



European Image Pictured

ACCESSORIES

1



CB 523
Chopping Board

2



DB 425
Drainer Basket

3




SB 736
Strainer Bowl

4




RM 44
Rollamat

DRX 651



DRX 621



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
DRX 651 LHD DRX 651 RHD	1030 x 500mm	360 x 420 x 180mm/27L 170 x 320 x 130mm/7L	1014 x 484mm, cr=20	1 2 3 4
DRX 621 LHD DRX 621 RHD	1200 x 500mm	360 x 420 x 180mm/27L 350 x 340 x 170mm/20L	1184 x 484mm, cr=20	1 2 4

Bowl Radius 60mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS





European Image Pictured

ACCESSORIES

1



CB 124
Chopping Board

2



SB 491
Strainer Bowl

3




CB 501
Chopping Board

4



DB 448
Drainer Basket

5



RM 41
Rollamat

6



SB 015
Strainer Bowl - Foldable

ACCESSORY VALUE PACK : AVP-EOX

7



CB 124
Chopping Board



SB 491
Strainer Bowl

EOX 220/HW



REMOTE WASTE



EOX 251/HW



REMOTE WASTE



EOX 221/HW



REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
EOX 220/HW	860 x 510mm	360 x 390 x 175mm/24L (x2)	Inset: 849 x 499mm, cr=10 Flushmount: utilise DXF file	1 2 3 4 5 7
EOX 251/HW LHD EOX 251/HW RHD	1000 x 510mm	360 x 390 x 175mm/24L 160 x 390 x 120mm/7L	Inset: 989 x 499mm, cr=10 Flushmount: utilise DXF file	1 2 3 4 5 7
EOX 221/HW LHD EOX 221/HW RHD	1160 x 510mm	360 x 390 x 175mm/24L 320 x 390 x 175mm/21L	Inset: 1149 x 499mm, cr=10 Flushmount: utilise DXF file	1 2 3 4 5 6 7

Bowl Radius 50mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food Preparation Centre



Stainless Steel



Remote-Operated Waste



Waste to Rear of Main Bowl



Franke Hidden Overflow



Sound Deadening Pads



Hygienic Integrated Waste



Flexible Fixing System



Flushmount Fit

NOTE : Food waste disposers cannot be installed with the Franke Epos series which feature a hygienic integrated waste.



European Image Pictured

ACCESSORIES

1



RM 37
Rollamat

2



CB 503
Chopping Board

3



ST 506
Strainer Tray

4



DB 426
Drainer Basket

5



CB 124
Chopping Board

KTX 220



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KTX 220	855 x 480mm	450 x 400 x 200mm/32L 300 x 330 x 155mm/14L	Inset : 835 x 460mm, cr=10 Flush/Undermount : Template	<div>1</div> <div>2</div> <div>3</div> <div>4</div> <div>5</div>

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

FPC

Food Preparation Centre

18/10

Stainless Steel

Waste to Rear of Main Bowl

Franke Hidden Overflow

Sound Deadening Pads

Flushmount Fit



European Image Pictured

ACCESSORIES

1



SB 122
Strainer Bowl

2



ST 123
Strainer Tray

3



DR 121
Drainer Rack

4



CB 124
Chopping Board

5



RM 42
Rollamat

6



DB 448
Drainer Basket

7



DT 651
Extension Drainer


KBX 110-20/HW



KBX 110-34/HW



KBX 110-45/HW



KBX 110-55/HW



KBX 110-70/OF



KBX 120-34/OF



NOTE : Template supplied is for installation with reveal leaving a step to the sink for some accessories to recess into the benchtop

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KBX 110-20/HW	230 x 430mm	200 x 400 x 150mm/10L	Template	2 5
KBX 110-34/HW	370 x 430mm	340 x 400 x 175mm/23L	Template	1 2 3 4 5 6 7
KBX 110-45/HW	480 x 430mm	450 x 400 x 180mm/32L	Template	2 3 4 5 6 7
KBX 110-55/HW	580 x 430mm	550 x 400 x 190mm/40L	Template	2 3 4 5 6 7
KBX 110-70/OF	730 x 430mm	700 x 400 x 230mm/63L	Template	2 3 4 5 6 7
KBX 120-34/OF	770 x 455mm	340 x 400 x 200mm/23L (x2)	Template	1 2 3 4 5 6 7

Bowl Radius **25mm**

1 ACCESSORIES AVAILABLE 1 ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food
Preparation
Centre



Stainless
Steel



Waste to
Rear of
Main Bowl



Franke
Hidden
Overflow



Sound
Deadening
Pads



Hygienic
Integrated
Waste

NOTE : Food waste disposer units cannot be installed with the Franke Kubus /HW series which features a Franke hygienic integrated waste. If required, a special order can be placed as /OF on the end of model number that will allow for waste disposer installation.



European Image Pictured

ACCESSORIES

1



SB 122
Strainer Bowl

2



ST 123
Strainer Tray

3



DR 121
Drainer Rack

4



CB 124
Chopping Board

5



RM 41
Rollamat

6



RM 42
Rollamat

7




DB 448
Drainer Basket

8



DT 651
Extension Drainer

9



DT 360
Extension Drainer

10



CB 176
Chopping Board

KBG 110-34 ONYX



KBG 110-34 PW



KBG 110-50 ONYX



KBG 110-50 PW



KBG 110-74 ONYX



NOTE : Sink has stepped down ledge all around the bowl for correct fitting of some accessories

KBG 110-74 PW



NOTE : Sink has stepped down ledge all around the bowl for correct fitting of some accessories

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KBG 110-34	380 x 460mm	340 x 400 x 200mm/27L	Template	<div>1234678</div>
KBG 110-50	540 x 440mm	500 x 400 x 200mm/40L	Template	<div>234678</div>
KBG 110-74	802 x 460mm	742 x 410 x 200mm/60L	742 x 410mm, cr=8mm	<div>57910</div>

Bowl Radius 25mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

- FPC

Food Preparation Centre
- F

Franke Granite
- Waste to Rear of Main Bowl
- Franke Hidden Overflow



ACCESSORIES

1



SB 122
Strainer Bowl

2



ST 123
Strainer Tray

3



DR 121
Drainer Rack

4



CB 124
Chopping Board

5



RM 41
Rollamat

6



RM 42
Rollamat

7




DB 448
Drainer Basket

8



DT 651
Extension Drainer

9



DT 360
Extension Drainer

10



CB 176
Chopping Board


KBG 160 ONYX



KBG 160 PW



KBG 120 ONYX



NOTE : Sink has stepped down ledge all around the bowl for correct fitting of some accessories. Please note no overflow KBG 120 ONYX.

KBG 120 PW



NOTE : Sink has stepped down ledge all around the bowl for correct fitting of some accessories. Please note no overflow KBG 120 Polar White.

TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
KBG 160	558 x 460mm	340 x 400 x 200mm/27L 160 x 400 x 150mm/9L	Template	2 3 4 6 7 8
KBG 120	802 x 460mm	345 x 390 x 205mm/27L (x2)	742 x 410mm, cr=8mm	5 7 9 10

Bowl Radius 25mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food Preparation Centre



Franke Granite



Waste to Rear of Main Bowl



Franke Hidden Overflow



ACCESSORIES

1



SB 491
Strainer Bowl

2



CB 501
Chopping Board

3



DB 448
Drainer Basket

4



DT 587
Extension Drainer

5



DT 653
Extension Drainer

6



DT 651
Extension Drainer

7



RM 42
Rollamat

8



RM 44
Rollamat

LAX 110-36/39



LAX 110-36/45



LAX 110-39/45



LAX 110-50/41



LAX 120-36



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
LAX 110-36/39	384 x 414mm	360 x 390 x 175mm/24L	Template	<div>1</div> <div>2</div> <div>3</div> <div>5</div> <div>7</div>
LAX 110-36/45	385 x 470mm	360 x 445 x 200mm/30L	Template	<div>4</div> <div>8</div>
LAX 110-39/45	415 x 470mm	390 x 445 x 175mm/35L	Template	<div>1</div> <div>2</div> <div>4</div> <div>8</div>
LAX 110-50/41	530 x 440mm	500 x 410 x 175mm/35L	Template	<div>6</div> <div>8</div>
LAX 120-36	795 x 440mm	360 x 390 x 175mm/24L (x2)	Template	<div>1</div> <div>2</div> <div>3</div> <div>6</div> <div>7</div>

Bowl Radius 50mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

- FPC

Food Preparation Centre
- 18/10

Stainless Steel
- Waste to Rear of Main Bowl
- Franke Hidden Overflow
- Sound Deadening Pads



European Image Pictured

ACCESSORIES

1



RM 40
Rollamat

2



ST 787
Strainer Tray

3



CB 900
Chopping Board

4



DB 650
Drainer Basket

5



DT 651
Extension Drainer


MTF 611 ONYX



REMOTE WASTE




MTF 611 PW




REMOTE WASTE




MTG 620 ONYX




REMOTE WASTE



MTG 620 PW



REMOTE WASTE




MTF 651 ONYX




REMOTE WASTE



MTF 651 PW



REMOTE WASTE



TECHNICAL INFORMATION				
MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
MTF 611 LHD MTF 611 RHD	1000 x 515mm	500 x 390 x 200mm/38L	984 x 494mm, cr=10	<div>12345</div>
MTG 620	910 x 515mm	460 x 390 x 200mm/34L 340 x 390 x 200mm/25L	894 x 494mm, cr=10	<div>12345</div>
MTF 651 LHD MTF 651 RHD	1000 x 515mm	360 x 390 x 200mm/27L 160 x 390 x 140mm/8L	984 x 494mm, cr=10	<div>12345</div>

Bowl Radius 25mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

Food Preparation Centre

Franke Granite

Remote-Operation Waste

Waste to Rear of Main Bowl

Franke Hidden Overflow



European Image Pictured

ACCESSORIES

1



CB 601
Chopping Board

2



SB 603
Strainer Bowl

3



ST 602
Strainer Tray

4



DB 664
Drainer Basket

5



RM 44
Rollamat

ACCESSORY VALUE PACK : AVP-NEX

6




CB 601
Chopping Board



DB 664
Drainer Basket

NEX 611



NEX 651



NEX 621



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
NEX 611 LHD NEX 611 RHD	860 x 510mm	360 x 420 x 200mm/27L	844 x 494mm, cr=20	1 2 3 4 5 6
NEX 651 LHD NEX 651 RHD	1000 x 510mm	360 x 420 x 200mm/27L 167 x 306 x 152mm/7L	984 x 494mm, cr=20	1 2 3 4 5 6
NEX 621 LHD NEX 621 RHD	1160 x 510mm	360 x 420 x 200mm/27L (x2)	1144 x 494mm, cr=20	1 2 3 4 5 6

Bowl Radius 50mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS

FPC Food Preparation Centre

18/10 Stainless Steel

Waste to Rear of Main Bowl

Sound Deadening Pads

Integrated Sealing Strip



ACCESSORIES

1



CB 523
Chopping Board

2




DB 425
Drainer Basket

3



SB 736
Strainer Bowl


PFX P 611



PFX P 651



PFX P 621



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
PFX P 611 LHD PFX P 611 RHD	940 x 510mm	360 x 420 x 180mm/27L	925 x 494mm, cr=20	<div>1</div> <div>2</div>
PFX P 651 LHD PFX P 651 RHD	1030 x 510mm	360 x 420 x 180mm/27L 170 x 320 x 130mm/7L	1015 x 494mm,cr=20	<div>1</div> <div>2</div> <div>3</div>
PFX P 621 LHD PFX P 621 RHD	1200 x 510mm	360 x 420 x 180mm/27L 350 x 340 x 170mm/20L	1185 x 494mm, cr=20	<div>1</div> <div>2</div>

Bowl Radius 60mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

FPC

Food Preparation Centre

18/10

Stainless Steel

Waste to Rear of Main Bowl

Sound Deadening Pads

Flexible Fixing System


Laser-Edge Profile



European Image Pictured

ACCESSORIES

1



DT 360
Extension Drainer

2



SB 060
Strainer Bowl

3



CB 600
Chopping Board

4



RM 44
Rollamat

5



DB 664
Drainer Basket

PKX 110-34



REMOTE WASTE



PKX 110-50



REMOTE WASTE



PKX 110-70



REMOTE WASTE



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
PKX 110-34	370 x 450mm	340 x 420 x 180mm/24L	Template	1 2 3 4 5
PKX 110-50	530 x 450mm	500 x 420 x 180mm/37L	Template	1 2 3 4 5
PKX 110-70	730 x 450mm	700 x 420 x 180mm/52L	Template	1 2 3 4 5

Bowl Radius 5mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food Preparation Centre



Stainless Steel



Remote-Operated Waste



Waste to Rear of Main Bowl



Franke Hidden Overflow



Sound Deadening Pads



Franke Bowl Insulation



European Image Pictured

ACCESSORIES

1



RM 44
Rollamat

LUX 610



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
LUX 610	Ø 440mm	Ø 380 x 180mm	Inset : Ø 425mm Undermount : Ø 380mm	<div>1</div>

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food
Preparation
Centre



Stainless
Steel



Sound
Deadening
Pads



reddot design award
winner 2013



ACCESSORIES

1



CB 966
Chopping Board

2



SB 491
Strainer Bowl

3



DB 448
Drainer Basket

4



RM 41
Rollamat

5



SB 015
Strainer Bowl - Foldable

ACCESSORY VALUE PACK : AVP-SNX

6



CB 966
Chopping Board



SB 491
Strainer Bowl

SNX 211/HW



REMOTE WASTE




SNX 220/HW



REMOTE WASTE



SNX 251/HW



REMOTE WASTE



SNX 221/HW



REMOTE WASTE




TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
SNX 211/HW LHD SNX 211/HW RHD	780 x 510mm	360 x 390 x 175mm/24L	Inset: 767 x 497mm, cr=64 Flushmount: utilise DXF file	1 2 3 4 6
SNX 220/HW	780 x 510mm	360 x 390 x 175mm/24L 320 x 390 x 175mm/21L	Inset: 767 x 497mm, cr=64 Flushmount: utilise DXF file	1 2 3 4 5 6
SNX 251/HW LHD SNX 251/HW RHD	965 x 510mm	360 x 390 x 175mm/24L 160 x 390 x 120mm/7L	Inset: 952 x 497mm, cr=64 Flushmount: utilise DXF file	1 2 3 4 6
SNX 221/HW LHD SNX 221/HW RHD	1120 x 510mm	360 x 390 x 175mm/24L 320 x 390 x 175mm/21L	Inset: 1107 x 497mm, cr=64 Flushmount: utilise DXF file	1 2 3 4 5 6

Bowl Radius 50mm

[1](#) ACCESSORIES AVAILABLE [1](#) ACCESSORIES INCLUDED

FEATURES & BENEFITS



NOTE : Food waste disposers cannot be installed with the Franke Sinos series which features a hygienic integrated waste.



ACCESSORIES

1



CB 176
Chopping Board

2



DT 651
Extension Drainer

3



DB 448
Drainer Basket

4



SB 209
Strainer Bowl

5



DT 605
Drainer Tray

6



RM 44
Rollamat

SQX 610-36-2



SQX 620 D/T



SQX 620 B-R/T



SQX 620 C-R/T



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
SQX 610-36-2	410 x 460mm	356 x 406 x 200mm/27L	Template	<div>12356</div>
SQX 620 D/T	794 x 521mm	356 x 406 x 200mm/27L (x2)	Template	<div>12356</div>
SQX 620 B-R/T	794 x 521mm	457 x 406 x 200mm/36L 254 x 406 x 180mm/17L	Template	<div>123456</div>
SQX 620 C-R/T	692 x 522mm	356 x 406 x 200mm/27L 254 x 406 x 180mm/17L	Template	<div>123456</div>

Bowl Radius 50mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS

FPC

Food Preparation Centre

18/10

Stainless Steel

Waste to Rear of Main Bowl

Franke Bowl Insulation



European Image Pictured

ACCESSORIES

1



CB 176
Chopping Board

2



DT 651
Extension Drainer

3



DB 448
Drainer Basket

4



SB 209
Strainer Bowl

5



DT 605
Drainer Tray

6



RM 44
Rollamat

SQX 110-36-2



SQX 120 D-2



SQX 120 C-L-2



SQX 120 C-R-2



TECHNICAL INFORMATION

MODEL	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	ACCESSORIES
SQX 110-36-2	400 x 451mm	356 x 406 x 200mm/27L	Template	<div>12356</div>
SQX 120 D-2	784 x 451mm	356 x 406 x 200mm/27L (x2)	Template	<div>12356</div>
SQX 120 C-L-2	683 x 451mm	254 x 406 x 180mm/17L 356 x 406 x 200mm/27L	Template	<div>123456</div>
SQX 120 C-R-2	683 x 451mm	356 x 406 x 200mm/27L 254 x 406 x 180mm/17L	Template	<div>123456</div>

Bowl Radius 50mm

1

 ACCESSORIES AVAILABLE

1

 ACCESSORIES INCLUDED

FEATURES & BENEFITS



Food Preparation Centre



Stainless Steel



Waste to Rear of Main Bowl



Franke Bowl Insulation



European Image Pictured

LAUNDRY TUBS

AEX 610 ACQUARIO LINE



DLT 610 DELUXE



BYPASS PLUMBING KIT



KBG 110-50 ONYX



KBG 110-50 PW



KBG 110-74 ONYX



KBG 110-74 PW



SQX 610 STEEL QUEEN



SQX 610-60 STEEL QUEEN



TECHNICAL INFORMATION

MODEL	RANGE	OVERALL SIZE	BOWL SIZE	CUT-OUT SIZE	FINISH
AEX 610	Acquario Line	860 x 510mm	740 x 375 x 220mm/96L	490 x 840mm, cr=10	Stainless Steel
DLT 610	Deluxe	600 x 500mm	525 x 425 x 260mm/45L	588 x 488mm, cr=50	Stainless Steel
KBG 110-50	Kubus Fraganite	540 x 440mm	500 x 400 x 200mm/40L	Template	Fragranite
KBG 110-74	Kubus Fraganite	802 x 460mm	742 x 410 x 200mm/60L	742 x 410mm	Fragranite
SQX 610	Steel Queen	510 x 460mm	460 x 410 x 250mm/41L	Template	Stainless Steel
SQX 610-60	Steel Queen	650 x 500mm	600 x 440 x 300mm/70L	Template	Stainless Steel

THE PERFECT MATCH

The Franke soap dispenser provides a fast and easy to operate hand pump for all liquid soaps. It fits neatly and unobtrusively alongside sinks in the worktop, can be filled from above and its design is carefully chosen to complement the Franke tap range.



SOAP DISPENSERS

SD 55 CLASSIC



SD 23 LOWLINE



SDS 371 POCO



SD 519 SINOS



SD 319 STANDARD



SDS 246 TOWER



TECHNICAL INFORMATION

MODEL	RANGE	CUT-OUT	OVERALL SIZE	INCLUDES	FINISH
SD 55	Classic	Ø 25mm	80 x 75mm	Soap Container (500ml)	Chrome
SD 23	Lowline	Ø 32mm	55 x 100mm	Soap Container (500ml)	Chrome
SDS 371	Poco	Ø 25mm	61 x 101mm	Soap Container (330ml)	Stainless Steel
SD 519	Sinos	Ø 25mm	80 x 121mm	Soap Container (250ml)	Chrome
SD 319	Standard	Ø 25mm	45 x 100mm	Soap Container (500ml)	Chrome
SDS 246	Tower	Ø 25mm	122 x 80mm	Soap Container (330ml)	Stainless Steel

A CONSTANT FLOW OF CLEVER IDEAS

Franke taps are designed to complement our entire sink range. They are superb in design and are manufactured with exceptional quality.

This stunning range includes swivel mixers and pull-out taps in various sizes and designs to complement your kitchen appearance.



PLEASE NOTE

Large and heavy taps should ideally be mounted directly through the solid benchtop or fully supported from underneath. For all other swivel taps, we recommend the use of the Franke Tap Support Arm (see page 71) to provide additional support. Please ensure all Franke tapware is installed at a pressure of no greater than 500 kPa in accordance with AS/NZS3500 and insist that your plumber flushes all of the water supply lines before installing tapware. Failure to do so may void warranty.

TAPS

TA 7011 ACTIVE (PULL-OUT)



TA 7010 ACTIVE (SWIVEL)



TA 6811 ANGOLO (PULL-OUT)



TA 7811 AZIMUT (PULL-OUT SPRAY)



TA 7000 ARTIS (SWIVEL)



TA 7001 ARTIS (PULL-OUT SPRAY)



TA 6211 CAPRICE (PULL-OUT)



TA 5120 CENTINOX (FLEX)



TECHNICAL INFORMATION

MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 7011	Active	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Chrome
TA 7010	Active	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Chrome
TA 6811	Angolo	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Chrome
TA 7811	Azimut	Pull Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Chrome
TA 7000	Artis	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Chrome
TA 7001	Artis	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Chrome
TA 6211	Caprice	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 6 Lpm	Chrome
TA 5120	Centinox	Flex	ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 5 Lpm	Stainless Steel



PLEASE NOTE

Large and heavy taps should ideally be mounted directly through the solid benchtop or fully supported from underneath. For all other swivel taps, we recommend the use of the Franke Tap Support Arm (see page 71) to provide additional support. Please ensure all Franke tapware is installed at a pressure of no greater than 500 kPa in accordance with AS/NZS3500 and insist that your plumber flushes all of the water supply lines before installing tapware. Failure to do so may void warranty.

TAPS

TA 9500 EOS (SWIVEL)



TA 9501 EOS (PULL-OUT)



TA 6800 KUBUS (SWIVEL)



TA 6801 KUBUS (PULL -OUT)



TA 6201 MAXXIS (PULL-OUT SPRAY)



TA 631 MYTHOS INOX (PULL-OUT)



TA 621B MYTHOS BLACK (PULL-OUT)



TA 621W MYTHOS WHITE (PULL-OUT)



TECHNICAL INFORMATION

MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 9500	Eos	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Stainless Steel
TA 9501	Eos	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Stainless Steel
TA 6800	Kubus	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 5 Lpm	Chrome
TA 6801	Kubus	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Chrome
TA 6201	Maxxis	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 5 Lpm	Chrome
TA 631	Mythos Inox	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Satin
TA 621B	Mythos Black	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Black
TA 621W	Mythos White	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	White



PLEASE NOTE

Large and heavy taps should ideally be mounted directly through the solid benchtop or fully supported from underneath. For all other swivel taps, we recommend the use of the Franke Tap Support Arm (see page 71) to provide additional support. Please ensure all Franke tapware is installed at a pressure of no greater than 500 kPa in accordance with AS/NZS3500 and insist that your plumber flushes all of the water supply lines before installing tapware. Failure to do so may void warranty.

TAPS

TA 780S NIAGRA (SWIVEL)



TA 6200 PLANARIO TOWER (SWIVEL)



TA 7181 PROFESSIONAL (FLEX SPRAY)



TA 9101 PROFESSIONAL REACH (PULL-OUT SPRAY)



18/10 STAINLESS STEEL



TA 6300 SINOS (SWIVEL)



TA 6301 SINOS (PULL-OUT)



TA 6300B SINOS BLACK (SWIVEL)



TA 6301B SINOS BLACK (PULL-OUT)



TECHNICAL INFORMATION

MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 780S	Niagra	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Chrome
TA 6200	Planario Tower	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Chrome
TA 7181	Professional	Flex	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Chrome
TA 9101	Professional Reach	Pull out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Stainless Steel
TA 6300	Sinos	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm	Chrome
TA 6301	Sinos	Pull out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm	Chrome
TA 6300B	Sinos Black	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm	Black
TA 6301B	Sinos Black	Pull out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm	Black



PLEASE NOTE

Large and heavy taps should ideally be mounted directly through the solid benchtop or fully supported from underneath. For all other swivel taps, we recommend the use of the Franke Tap Support Arm (see page 71) to provide additional support. Please ensure all Franke tapware is installed at a pressure of no greater than 500 kPa in accordance with AS/NZS3500 and insist that your plumber flushes all of the water supply lines before installing tapware. Failure to do so may void warranty.

TAPS

TA 6300W SINOS WHITE (SWIVEL)



TA 6301W SINOS WHITE (PULL-OUT)



TA 9510 TAROS (SWIVEL)



TA 9511 TAROS (PULL-OUT)



TA 7300 VERONA (SWIVEL)



TA 7311 VERONA (PULL-OUT SPRAY)



TA 7301 VERONA (FLEX SPRAY)



TECHNICAL INFORMATION

MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 6300W	Sinos White	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm	White
TA 6301W	Sinos White	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm	White
TA 9510	Taros	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Stainless Steel
TA 9511	Taros	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7.5 Lpm	Stainless Steel
TA 7300	Verona	Swivel	ø 35mm	7.25	72.5	50 kPa	500 kPa	4 star / 7 Lpm	Chrome
TA 7311	Verona	Pull-Out	ø 35mm	7.25	72.5	50 kPa	500 kPa	5 star / 6 Lpm	Chrome
TA 7301	Verona	Flex	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Chrome

PYRA

SEE THE TEMPERATURE

Tap into a design you love. Design and innovation is the core of the Franke tap collection. The amazing Pyra Light TA 6841 shows you the temperature of the water from hot to cold as it flows from a single tap head.

There are no electrical wires as the light is powered by the water flow, a truly ingenious design.



TA 6831 (PULL OUT) 

WITHOUT LIGHT



TA 6841 (PULL OUT) 

WITH LIGHT



- No electrical connection required.
- Light is powered by built-in water turbine.
- Light colour is **BLUE** for cold and gradually changes to **RED** for hot water.



TECHNICAL INFORMATION

MODEL	RANGE	STYLE	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
TA 6831	Pyra	Pull out	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Chrome
TA 6841	Pyra Light	Pull out	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 4.5 Lpm	Chrome

PROTRONIC SENSOR TAP

The innovative Franke Protronic sensor tap reduces the consumption of water and energy by up to 50%. Thanks to the fully automatic mode of operation, water flows only when it is actually needed.

The non-touch technique ensures absolutely hygienic hand washing with no need to touch the tap. Users simply place their hands in the vicinity of the clearly visible sensor field.



PRTRS0005 PROTRONIC



- Hands free, sensor operation.
- Serviceability from top of the bench.
- Greater wash zone.
- Temperature adjustability.
- Warranty - 2 years electronics / 5 years product.



TECHNICAL INFORMATION

MODEL	CUT-OUT	MIN. (PSI)	MAX. (PSI)	MIN. (kPa)	MAX. (kPa)	WELS	FINISH
PRTRS0005	ø 35mm	7.25	72.5	50 kPa	500 kPa	6 star / 5.5 Lpm	Chrome

BRING YOUR SINK BACK TO LIFE

Franke Twisters are designed to clean and enhance the appearance of your sink by removing minor scratches and stubborn water marks.

Use the Franke Twister special sponge and clean the sink surface, then rinse thoroughly and polish with a moist rag or the softer Franke Inox Creme.



TAP SUPPORT

TS 896 TAP SUPPORT ARM



TS 655 TAP SUPPORT BRACE



PLUMBING KITS

PK 945 SPAZIO PLUMBING KIT



PK 205 ECO PLUMBING KIT



CLEANING / CARE

INOX CREME



INOX TWISTER



TECHNICAL INFORMATION

MODEL	SIZE	DESCRIPTION
TS 896	100 x 70mm	Plastic.
TS 655	N/A	Metal.
PK 945	N/A	The solution to installing two and three bowls sinks into one flush-fitted outlet located at the rear of your cabinet, maximising space. Includes connection for dishwasher outlet.
PK 205	N/A	Space-saving and levelling kit designed for installing two bowls into one flush-fitted outlet located at the rear of your cabinet, maximising space.
INOX CREME	PVC 250g tube	Highly effective stainless steel cleaner.
INOX TWISTER	300g tub	Highly effective stainless steel cleaner in a ready to use applicator.

SORTING WASTE FOR RECYCLING HAS NEVER BEEN EASIER.

Franke has developed a series of clever waste separation products which help you to take care of our environment.

Separation of the different sorts of wastes has been thought out in detail. The sorter systems glide back into the kitchen cabinet, keeping your kitchen environment clean & fresh.



SORTER SYSTEMS

SORTER 300-45 DUO SORTER



SORTER 300-60 DUO SORTER



BIN IN BENCH

Installation is made easier with the Franke Spazio Plumbing Kit (see page 68)
Trio bins can be purchased separately.

WB 1000 WASTE BIN



TECHNICAL INFORMATION		
MODEL	SIZE	DESCRIPTION
SORTER 300-45 DUO	412 x 454 x 383mm	Waste sorter system - 21L bins (x2)
SORTER 300-60 SORTER	562 x 454 x 383mm	Waste sorter systems 21l bins (x2)
WB 1000	ø 306 x 335mm	Cut-out size : ø 280mm Drops in counter at 306mm diameter

HELPFUL INFORMATION

WARRANTY

50 YEAR WARRANTY

STAINLESS STEEL SINKS

*Terms & Conditions Apply

25 YEAR WARRANTY

FRAGRANITE SINKS

*Terms & Conditions Apply

15 YEAR WARRANTY

KITCHEN MIXERS

*Terms & Conditions Apply

12 MONTHS WARRANTY

WASTE MANAGEMENT

PLUMBING KITS

SINK ACCESSORIES

*Terms & Conditions Apply



European Image Pictured

SUPPORT

SPARE PARTS & SERVICING

Email: service@prks.com.au

SALES & PRODUCT ENQUIRIES

Email : sales@prks.com.au

MARKETING

Email : marketing@prks.com.au

CONTACT DETAILS

Phone : (03) 9700 9100

Fax : (03) 9700 9191

