


KWC LUNA-E

The slim design of this tap range will take the character of your kitchen to a whole new level. With its amazing variety of functions, KWC LUNA-E is simply the obvious choice.

NEW



KWC Features & Benefits



Swivel

With a range of up to 160°, the smooth movement of the swivel allows you to direct the water to wherever it needs to be, and to alter your sink to fit your needs.




Pull-Out Spray

Enjoy the freedom and ease of pull-out spray. Connected to a hose, the spray extends up to 700mm through a hose, allowing you to direct the spray wherever your need it.




Neoperl® Cascade

Neoperl® Cascade aerators are built to last and extend the life of your tap, ensuring a beautiful stream quality every time. It also filters dirt and sediment from your water.




Spray Clean

With a special faceplate and fastening mechanism, Spray Clean prevents limescale buildup. Any deposits are sprayed away automatically when the water is running. The special fastening mechanism helps with more stubborn lime deposits: simply turn, clean, and the job is done.




Power Clean

Power Clean makes it exceedingly easy to switch the flow of water on the spray head– from a standard spray to a fine needle spray.




Touch Protect

An insulated hot water guidance system with a “double skin” principle means the body of the tap or the pull-out spray can become warm but never hot. In this way, Touch Protect intelligently prevents scalding.



Twist Protect

Making it effortless to work around the sink, Twist Protect prevents the hose from twisting or knotting.



Easy Lock

A spray that is easy to use and automatically snaps into place, Easy Lock is equipped with special positioning pins that ensure that the pull-out spray is always in the right position.

KWC **LUNA-E**

10.441.023.000 (Chrome)



10.441.023.700 (Stainless Steel)



Swivel



Neoperl® Cascade

WELS Rating: 4 star/ 7.5Lpm **Flow Rate (Min):** 50kPa **Flow Rate (Max):** 500kPa

10.441.033.000 (Chrome)



10.441.113.700 (Stainless Steel)



Pull-Out Spray



Spray Clean



Power Clean



Touch Protect



Twist Protect



Easy Lock

WELS Rating: 4 star/ 7.5Lpm **Flow Rate (Min):** 50kPa **Flow Rate (Max):** 500kPa



www.kwcswiss.com.au/nz



@ KWCTapware



@kwctapware



Swiss Water Experience

Australia

83 Bangholme Rd, Dandenong South VIC 3175

Tel: 03 9700 9100

www.kwcswiss.com.au

New Zealand

P.O Box 53171, Auckland Airport, Auckland 2150

Tel: 09 964 0400

www.kwcswiss.co.nz