

83 Bangholme Rd, Dandenong South VIC 3175 Tel: 03 9700 9100 www.kwcswiss.com.au

PR Kitchen & Washroom Systems NZ Ltd

P.O Box 53171, Auckland Airport, Auckland 2150 Tel: 09 964 0400 www.kwcswiss.co.nz

Website: www.kwcswiss.com.au

Printed August 2019



KWC FEATURES



Swivel Spout



Pull-Out Spray



Easy Lock (Available with Pull-Out Spray)



Twist Protect (Available with Pull-Out Spray)



Spray Clean



Power Clean



Spray Lock



Touch Protect



Auto Shut Off



LED Shine



Child Safety



Intelligent Control



Laminar Aerator



Highflex

KWC FEATURES



Allows you to move your non pull-out spray tap around the sink and ranges from 150 $^\circ$ to 360 $^\circ$



A nozzle that pulls out of the tap for greater flexibility to move around the sink.



Ensures the pull out spray hose is always in the right position and snaps back into place.



Prevents your pull-out spray hose from knotting or twisting.



Removes limescale deposits while water is running.



From standard spray to needle spray, easily control the flow of water from the spray head.



Keep the water flow exactly how you like it with Spray Lock.



Double skin technology prevents scalding by allowing the tap to become warm but not hot.



Automatically shuts off your running tap after a set amount of time to save you water and prevent flood damage to your kitchen



Not only does LED Shine show up the tiniest speck of dirt, it also creates an alluring work atmosphere.



Protects your children from scalding water with the cold water flow lever positioned to the front.



Replacing the traditional tap mixer, Intelligent Control reacts to the tap of your finger



Creates a beautiful Laminar water flow and minimises splashing.



Move the tap in any direction with assurance it will remain stable when not in use.

Precise.
Pure.
Elegant.

WHY KWC?

Achieving excellence in anything is a journey, a constant pursuit of perfection. For KWC, this journey has led to our company being recognised as one of the finest makers of taps globally.



Precise

We respond to our customers high expectations with precise solutions which encapsulate 140 years of experience in working with water. This promise applies both to the proven quality of our production processes and our commitment to Switzerland as a production location. It is also reflected in our well-established cooperation with employees, partners and customers, in our reliable attention to detail and in our strong service philosophy.



Pure

KWC taps offer our customers extra value when it comes to comfort, care and investment security. Our solutions are developed in Switzerland and aim to fulfil the highest technological standards with intuitive and resource-friendly functions. This is because we share a long-term responsibility with our customers to use water, Earth's key resource, in a respectful way.



Elegant

The shape and variety of KWC's taps symbolises the Swiss Alps and their refreshing pure water, which goes straight from the source to the consumer. Our designs have won several awards from international expert juries for their unique aesthetics and user-friendly ergonomics. The aesthetic appearance of our taps, for example, boosts our customers' trust in the KWC brand.




Blanks for fittings



View of the foundry in Unterkulm in 1880.



In 1978, KWC developed the first low-pressure, die casting machine in the world.




Each part is machined to meet the highest standards.



Pure brass is used to make the fittings.



Basic shape of the fitting in brass



Using low pressure die casting, the brass is melted and then poured into sand moulds



CONTENTS

KWC Features	pg 8
KWC Range	pg 11
Era	pg 12
Zoe TLP	pg 20
Zoe	pg 24
Eve	pg 28
Luna-E	pg 32
Inox	pg 36
Ava	pg 40
Ono	pg 44
Technical Drawings	pg 50
Warranty	pg 58

FOLLOW KWC ON SOCIAL MEDIA






KWC On Facebook

KWC On Instagram

KWC FEATURES




Swivel Spout

Ranging from 150° to 360°, a swivel spout allows you to direct the water flow anywhere in the sink without a pull-out spray.



Pull Out Spray

A nozzle that pulls out of the tap. This gives you greater flexibility to move around the sink.



Easy Lock

Easy Lock is equipped with positioning pins to ensure the pull-out spray hose is always in the right position and snaps back into place.


*Available with Pull-Out Spray



Twist Protect


Prevents your pull-out spray hose from twisting or knotting.

*Available with Pull-Out Spray



Spray Clean

Removing limescale is a breeze, as any deposits are sprayed away while water is running. A fastening mechanism helps with more stubborn deposits.



Power Clean


From standard spray to needle spray, easily control the flow of water from the spray head.



Spray Lock


Keep the water flow of your tap exactly how you like it with Spray Lock.

*Available in the Inox range only



Touch Protect

Safe to touch, Touch Protect's double skin technology prevents scalding by allowing the tap to become warm but not hot.



Auto Shut Off

Automatically shuts off your running tap after a set amount of time to save you water and prevent flood damage to your kitchen



LED Shine


Light up your sink like never before with tap lighting. Not only does it show up the tiniest speck of dirt, it also creates an alluring work atmosphere.



Child Safety

Protects your children from scalding water with the cold water flow lever positioned to the front

*Available in the Zoe range only



Intelligent Control

Replacing the traditional tap mixer, Intelligent Control reacts to the tap of your finger.

*Available on Zoe TLP models only



Laminar Aerator

An aerator that creates a beautiful, solid laminar water flow from your tap with minimal splashing.

*Available on Era models only



Highflex

Move the tap in any direction, with assurance it will remain stable when not in use.


*Available in the Ono range only





KWC RANGE


























INTRODUCING ERA

E

TAPS

An entirely unique design that is truly KWC in every aspect.



Laminar Aerator

Bring the beauty of the laminar flow into your kitchen with Era's laminar aerator. Replacing the conventional mesh aerator, the laminar aerator produces a clear, solid water stream with minimal splashing.



Ample Space

Never sacrifice space in your sink again. A tall spout design allows for ample space between the sink and the tap, making the Era perfect for filling up pots of all different sizes.




Extremely Quiet

At a volume of 20db while running, the Era tap flow makes the same amount of noise as a ticking rolex.


SINKS

Clean, flawless and timeless design for tomorrow's kitchens.



Elegant and Simple

Era's slim 4mm rim demonstrates pure, minimalistic design. Blending seamlessly into the benchtop, an Era sink is the perfect addition to any kitchen.



Bonus Accessories

Every Era sink comes with bonus chopping board, rollamat and strainer bowl accessories perfectly customised to fit the sink and turn your sink into a food preparation station.




Push Button Waste

Empty your sink with the simple touch of a button and keep your hands from touching dirty dishwater with the revolutionary push button waste.

ERA

Available Features



- 2 Pull-Out Spray
- 3 Spray Clean
- 4 Power Clean
- 5 Touch Protect



TAP



NEW <

Stainless Steel 10.392.023.700

WELS Reg: T33192



WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 1



= FEATURE INCLUDED



TAP



Stainless Steel 10.392.024.700

WELS Reg: T33191











Spout Reach 230mm

Tech Drawing

2



= FEATURE INCLUDED



LEARN MORE ABOUT ERA





TAP



NEW <

Stainless Steel 10.392.022.700

WELS Reg: T33193





WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 3

= FEATURE INCLUDED



= FEATURE NOT INCLUDED

TAP



Stainless Steel 10.392.323.700

WELS Reg: T33194







WELS Rating 5 star/ 6 Lpm

Spout Reach 230mm

Tech Drawing

4

= FEATURE INCLUDED



Sink Features

Flushmount Finish

4mm Rim

Push Button Waste

SINK



Stainless Steel

ERA 810-34

Drawing

1 2 3 Accessories **Overall Size** 340 x 400mm Cabinet Size 400mm Installation Flushmount Tech 21

*Available as a special order only





= ACCESSORY AVAILABLE

Stainless Steel

ERA 810-40

Accessories	1 2 3
Dimensions	400 x 400mm
Cabinet Size	450mm
Installation	Flushmount
Tech Drawing	22

SINK







NEW

Stainless Steel

LIVA 010-54	
Accessories	1 2 3
Dimensions	540 x 400mm
Cabinet Size	650mm
Installation	Flushmount
Tech Drawing	23

NEW

Stainless Steel

ERA 810-72

Accessories	720 x 400mm
Cabinet Size	800mm
Installation	Flushmount
Features	1 2 3
Tech Drawing	24

LEARN MORE ABOUT ERA





Youtube Vid

AVAILABLE SINK ACCESSORIES




SOAP DISPENSER



NEW Stainless Steel Z.538.038.700

Capacity300mlMount Sizeø26mmTech Drawing25



ZOE TLP

Zoe Touch Light Pro is a tap controlled using smart technology. It responds intuitively to a gentle touch and is extremely easy to program to suit your personal habits and needs.



Touch and refresh – 1 x tapCold water = blue. For drinking a quick glass of water, washing fruit or preparing salad.



Touch and clean – 2 × tapWarm water = orange. For quickly washing your hands, rinsing off a plate or filling small pans.



Touch and prepare – 3 x tapHot water = red. For filling pasta pans and kettles or washing up roasting tins and baking trays.

ZOE TLP

Available Features

- 1 Pull-Out Spray
- 2 Spray Clean
- 3 Power Clean
- 4 Touch Protect
- 30 Minute Auto Shut Off

- 6 LED Shine
- 7 Intelligent Control

TAP



NEW < **Matte Black** 10.201.242.176



Stainless Steel 10.201.242.127

WELS Reg: T26838



Chrome 10.201.242.000 WELS Reg: T26837



WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 5





SOAP DISPENSER



Matte Black Z. 536.586.176



Stainless Steel Z.536.586.127



Chrome Z.536.586.000

Capacity

300ml

Mount Size

ø26mm

Tech Drawing 25

LEARN MORE ABOUT ZOE TLP













ZOE

Zoe brings a whole new level of luxury to your kitchen.
All of the latest trends in architecture and interior design have been incorporated into the development of the Zoe.

ZOE

Available Features

- 1 Pull-Out Spray
- 2 Spray Clean
- 3 Power Clean
- 4 Touch Protect
- 5 Child Safe

6 LED Shine

TAP



NEW < **Matte Black** 10.201.122.176 WELS Reg: T25606



Black Chrome 10.201.122.106 WELS Reg: T25607



Stainless Steel 10.201.122.127 WELS Reg: T25608



Chrome 10.201.122.000 WELS Reg: T25606



Glacier White 10.201.122.150 WELS Reg: T25609



WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 6

= FEATURE INCLUDED

= FEATURE NOT INCLUDED

TAP WITHOUT LIGHT



Matte Black 10.201.102.176



Stainless Steel 10.201.102.127 WELS Reg: T25603



Chrome 10.201.102.000 WELS Reg: T25601

Features 1 2 3 4 5 6

WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 6

= FEATURE INCLUDED

LEARN MORE ABOUT ZOE







SOAP DISPENSER



NEW < **Matte Black** Z. 536.586.176



Black Chrome Z. 536.586.106



Stainless Steel Z.536.586.127



Chrome Z.536.586.000



Glacier White Z.536.586.150

Capacity 300ml

Mount Size

ø26mm

Tech Drawing 26






EVE


Designed to appeal to your sense of elegance. The integrated LEDs illuminate the jet of water to create an enchanting sculpture of light. Eve is a shining example of sustainable innovation.




EVE


Available Features











WITH LIGHT TAP



Features 1 2 3 4

WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 7



= FEATURE INCLUDED



LEARN MORE ABOUT EVE



SOAP DISPENSER







Stainless Steel Z.536.063.700



Chrome Z.536.063.000



Glacier White Z.536.063.150

Capacity

300ml


Mount Size

ø26mm

Tech Drawing 27







LUNA-E

Available Features



2 Pull-Out Spray

3 Spray Clean

4 Power Clean

5 Touch Protect

TAP



Stainless Steel 10.441.023.700 WELS Reg: T31573 Chrome 10.441.023.000 WELS Reg: T31572



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 225mm

Tech Drawing 8

= FEATURE INCLUDED

= FEATURE NOT INCLUDED

TAPS



Stainless Steel 10.441.113.700 WELS Reg: T31571

Features 1 2 3 4 5





WELS Rating 4 star/ 7.5 Lpm

Spout Reach 225mm

Tech Drawing 9

= FEATURE INCLUDED



LEARN MORE ABOUT LUNA-E



TAP



Chrome 10.441.033.000 WELS Reg: T31570

Features 1 2 3 4 5


WELS Rating 4 star/ 7.5 Lpm

Spout Reach 220mm

Tech Drawing 10

= FEATURE INCLUDED





INOX

Available Features

- Swivel Spout
- 2 Pull-Out Spray
- 3 Power Clean
- 4 Spray Clean
- 5 Spray Lock

6 Touch Protect

TAP



Stainless Steel 10.271.023.700 WELS Reg: T16055



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 225mm

Tech Drawing 11

= FEATURE INCLUDED

= FEATURE NOT INCLUDED

TAP



Stainless Steel 10.271.033.700 WELS Reg: T16054



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 235mm

Tech Drawing 12

= FEATURE INCLUDED



= FEATURE NOT INCLUDED

LEARN MORE ABOUT INOX



SOAP DISPENSER



Stainless Steel Z.536.062.700

Capacity 300ml

Mount Size

ø26mm

Tech Drawing 28






Ava will satisfy both your fine sense of style and your requirement for reliable Swiss quality and state-of-the-art technology.
Simply beautiful. Simply water.



Available Features





3 Spray Clean

4 Power Clean

5 Touch Protect

TAP



Chrome 10.191.023.000 WELS Reg: T05456




WELS Rating 5 star/ 6 Lpm

Spout Reach 210mm

Tech Drawing 13

= FEATURE INCLUDED



TAP



Chrome 10.191.033.000 WELS Reg: T16254



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 210mm

Tech Drawing 14

= FEATURE INCLUDED



= FEATURE NOT INCLUDED

LEARN MORE ABOUT AVA



Ava Tap Information


SOAP DISPENSER



Chrome Z.536.159.000

Capacity 300ml Mount Size ø26mm Tech Drawing 29






ONO

Available Features







4 Power Clean

5 Touch Protect

6 High Flex

TAP





Stainless Steel 10.151.023.700 WELS Reg: T16251

Chrome 10.151.023.000 WELS Reg: T05456



WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 15

= FEATURE INCLUDED



TAP





Stainless Steel 10.151.033.700 WELS Reg: T16252

Chrome 10.151.033.000 WELS Reg: T16254



WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 16

= FEATURE INCLUDED



LEARN MORE ABOUT ONO







Stainless Steel 10.151.102.700 WELS Reg: T16253



Chrome 10.151.102.000

WELS Reg: T16251





WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 17

= FEATURE INCLUDED



TAP



Chrome 10.151.003.000 WELS Reg: T17914

Features 1 2 3 4 5 6

WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm


Tech Drawing 18

= FEATURE INCLUDED



ONO

Available Features



- 2 Pull-Out Spray
- 3 Spray Clean
- 4 Power Clean
- 5 Touch Protect



TAP



Chrome 10.151.423.000 WELS Reg: T04881



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 220mm

Tech Drawing 19

= FEATURE INCLUDED

= FEATURE NOT INCLUDED

SOAP DISPENSER







Chrome Z.536.060.000

Capacity

300ml

Mount Size

ø26mm

Tech Drawing 30









TECHNICAL DRAWINGS - TAP


1 ERA – pg. 16




3 ERA – pg. 17




5 ZOE TLP - pg. 22




2 ERA – pg. 16




4 ERA – pg. 17




6 ZOE – pg. 26




7 EVE – pg. 30




LUNA-E – pg. 34




9 LUNA-E – pg. 34




LUNA-E – pg. 35




INOX – pg. 38




INOX - pg. 38




AVA – pg. 42




AVA - pg. 42




ONO – pg. 46




ONO – pg. 46




ONO – pg. 47



ONO – pg. 47




ONO – pg. 48




TECHNICAL DRAWINGS - ERA SINKS


20 ERA 810-34 – pg. 18




ERA 810-40 – pg. 18




ERA 810-54 – pg. 18




ERA 810-72 – pg. 18




ERA – pg. 19




ZOE TLP – pg. 22




ZOE – pg. 27




EVE – pg. 31




INOX – pg. 39



AVA – pg. 43









Each and every KWC tap is covered with a 15 year warranty*

SCAN THIS CODE FOR TERMS AND CONDITIONS

FOLLOW KWC ON SOCIAL MEDIA



KWC On Facebook



KWC On Instagram