

MAKE  
*it*  
Wonderful

PR Kitchen & Washroom Systems  
83 Bangholme Road  
Dandenong South  
VIC 3175  
Australia  
Phone +61 3 9700 9100  
Fax +61 3 9700 9191  
info@prks.com.au  
www.franke.com

Printed March 2018

**FRANKE**

 [www.franke.com](http://www.franke.com)

 [facebook.com/FrankeAUS](https://facebook.com/FrankeAUS)

 [instagram.com/frankeaus](https://instagram.com/frankeaus)

SALES CATALOGUE 2018

WATER SYSTEMS

**FRANKE**




# SALES CATALOGUE AUSTRALIA



MAKE IT WONDERFUL

**FRANKE**

Franke Water Systems	4
Sanitary accessories EXOS.	14
Sanitary accessories STRATOS	30
Sanitary accessories RODAN	48
General ACCESSORIES	66
HOTEL AND RESIDENTIAL accessories	80



## FRANKE SINKS

Turn your kitchen into a wonderful work station with a Franke Food Preparation Centre designed to maximise the space you're working in. Preparation, presentation and cleaning up is easy when you prepare with the right tools.

Whether it be chopping boards, strainer bowls, drainer baskets and more, each piece is designed to be in harmony with your cooking style and needs. Make your kitchen a place of wonder with Franke sinks and accessories.



MAKE IT WONDERFUL

Mobility aids CONTINA

**96**



Wash places MIRANIT / VARIUS

**106**



WASHBASINS Stainless Steel

**130**



WATERMANAGEMENT

**136**



SANITARYWARE / HEAVY DUTY

**144**



GENERAL PURPOSE Sinks

**156**



Terms and Conditions of Sale

**162**

Type Index

**164**





# COMPLETE SOLUTIONS

## Smart hygiene solutions

Franke Water Systems offers a wide range of products for different areas of use. From washbasins, fittings, shower trays and toilets, to urinals and all kinds of fixtures. Planned and produced by experienced Franke experts who incorporate their technical know-how working in collaboration with architects, planners and other partners to turn individual smart hygiene solutions into a reality.

	Fixtures Mobility aids	Washing troughs Washbasins Drinking fountains	Urinals Toilets Shower trays Partitions	Sinks Utility sinks Commercial sinks	Washbasin taps Flush valves Shower valves Installation elements	Water management system	Customised solutions
Industry Trade	STRATOS RODAN	SATURN ANIMA	CAMPUS	SIRIUS MAXIMA	AQUAFIX FITTINGS	AQUA3000 open	      
Office Administration	EXOS. STRATOS RODAN CONTINA	EXOS. ANIMA MIRANIT RONDO	CAMPUS	SIRIUS	AQUAFIX FITTINGS	AQUA3000 open	
Sport Culture Leisure Exhibition	EXOS. STRATOS RODAN CONTINA	EXOS. MIRANIT RONDO	CAMPUS	SIRIUS	AQUAFIX FITTINGS	AQUA3000 open	
Police Military Prison	HEAVY-DUTY	HEAVY-DUTY	HEAVY-DUTY	MAXIMA	AQUAFIX FITTINGS	AQUA3000 open	
Hotel Station Campsite Airport Restaurant	EXOS. STRATOS RODAN HEAVY-DUTY CONTINA	EXOS. MIRANIT ANIMA RONDO HEAVY-DUTY	CAMPUS HEAVY-DUTY	SIRIUS MAXIMA	AQUAFIX FITTINGS	AQUA3000 open	
Education Care Health	EXOS. STRATOS RODAN CONTINA	EXOS. SATURN RONDO MIRANIT	CAMPUS	SIRIUS MAXIMA	AQUAFIX FITTINGS	AQUA3000 open	
Train Ship Aeroplane	EXOS. RODAN HEAVY-DUTY CONTINA	EXOS. ANIMA	CAMPUS HEAVY-DUTY	No application	AQUAFIX FITTINGS	No application	


We're happy to advise you!

# COMPLETE SOLUTIONS

6—7

## One system – one partner

Franke Water Systems provides the option of individually combining ultra-modern fittings technology and timelessly elegant fixture elements made of stainless steel and mineral granite. The resulting solutions redefine how sanitary facilities are designed and how they are operated too.




### Lavatory

Paper towel dispenser / waste bin, sensor flush valves, soap dispensers, self-closing taps, three-person recessed washbasin




### Toilet cubicles / urinal room

Urinals, urinal partition, urinal flush valves, clothes hooks, toilet roll holders, toilet brush and brush holder, toilet with seat, toilet flush valves, pictogram



### Barrier-free room

Paper towel dispenser, waste bin, swing mirror, handrails, single washbasin, sensor fitting, soap dispenser, toilet adapted to the needs of the disabled with seat, fold-up grab bar with flush actuator



## **STAINLESS STEEL**

### High-quality material

The use of chromium nickel steel as the material of first choice for fixtures in public and semi-public sanitary facilities has become today's standard for good reason. The material is robust, easy-care and therefore particularly cost-effective. Sanitary fixtures that inhibit vandalism and are easy to clean help operators to keep maintenance and servicing costs to a minimum.

Chromium nickel steel isn't just resistant to moisture and most acids; it also stands out due to its hardness, durability, high tolerance to heat and cold, and its hygienic properties. Dirt and grease can be easily washed from the smooth, pore-free surface. Scratches and nicks on covers soon lose their hard-edged contours and blend into the surface.

"Stainless steels contain at least 10.5% chromium (Cr) and no more than 1.2% carbon (C). They form a self-regenerating surface layer ("passive layer") that gives the material its high level of corrosion resistance, thereby ensuring significantly improved material properties compared to unalloyed steels. Franke uses steels with a higher chromium content and nickel (Ni) as an additional alloy component for its sanitary fixtures. This combination further increases corrosion resistance."

Source: Yasar Renkci, dipl. engineer metallurgy TU, Franke.

# SURFACES

## at a glance

8 — 9

Material number 1.4307 (AISI 304L) is used in accordance with DIN EN 10088. The formula 18/8 stands for 18% chromium and 8% nickel. This composition gives the material its particular properties.



**Stainless steel polished to a high gloss**  
Surface that meets high quality standards



**Stainless steel with a satin finish**  
Unpolished, robust material finish



**InoxPlus**  
by Franke

**InoxPlus surface finish**  
Makes fingerprints almost invisible

# STAINLESS STEEL

## Material description

Material	Material no.	DIN desig.	AISI	Composition	Properties
Chromium steel	1.4016	X 8 Cr 17	430	17 Cr	<ul style="list-style-type: none"> <li>- Corrosion resistance good</li> <li>- Magnetic</li> <li>- Smooth, fine surface is easy to clean</li> <li>- Very hard; good for load-bearing elements</li> </ul>
Chromium / nickel V2A	1.4307	X 2 CrNi 18-9	304L	18 Cr / 8 Ni	<ul style="list-style-type: none"> <li>- Corrosion resistance very good</li> <li>- 8% to 10% nickel additives increase corrosion resistance</li> <li>- Non-magnetic</li> </ul>
Chromium / nickel / molybdenum V4A	1.4435	X 2 CrNi-Mo	316L	18 Cr / 12 Ni / 2 Mo	<ul style="list-style-type: none"> <li>- Corrosion resistance very good</li> <li>- 8% to 10% nickel additives increase corrosion resistance</li> <li>- Non-magnetic</li> </ul>



# STAINLESS STEEL


## Cleaning and care

Practical experience has shown that the use of high-quality, contamination-resistant materials contributes towards maintaining heavily used sanitary facilities.

Wash stations and accessories provide a hygienic atmosphere. Thanks to its good cleaning and hygienic properties, chromium nickel steel guarantees clean and safe fixtures in public washrooms.

Brushes with natural or synthetic bristles, textiles made of chemical or natural fibres, microfibre cloths, non-woven plastic textiles, natural leather, sponge cloths, sponges, high-pressure cleaners, steam cleaners, toothpaste, household cleaners, window cleaners and natural cleaning agents such as vinegar water (20% vinegar / 80% water) are well suited to removing heavier stains.

It is not recommended to use steel wool, scouring powder, grinding powder, polishing powder and sandpaper. These products can cause scratches and damage the material.



# STAINLESS STEEL

## Tried, tested and approved

Franke has 100 years of experience in processing stainless steel. The first metal goods factory was opened in Switzerland in 1911. Ongoing investments in innovations and technological developments enable the company to offer exclusive material properties and customised solutions.

### **InoxPlus surface finish:**

The front surfaces of XINOX and STRATOS products are finished with proven InoxPlus technology. In this process, nanoparticles interlock with the metal surface's molecules and nestle closely against microscopic imperfections. The resulting extremely fine structure makes fingerprints almost invisible. As a result, the sanitary facilities stay clean for longer and cleaning is made a great deal easier.

# STAINLESS STEEL

## Benefits at a glance

- Stainless: Rust only appears as a result of external influences
- Acid-resistant: Largely resistant to all commonly available acids used in the home
- Hygienic: Outstanding disinfection capabilities against bacteria and viruses
- Easy-care: Easy to clean even when extremely dirty
- Neutral in colour: Timelessly beautiful – with limitless combinations
- Impact-resistant and tear-proof: Resistant to mechanical stress
- Heat and fire-proof: Cigarettes or hot objects do not cause burn marks
- Easy to repair: In the event of damage
- Can be completely recycled: New stainless steel is made from at least 65% recycled stainless steel

# CLEANING AND CARING

## for stainless steel



The following cleaning agents can be purchased through Franke. Ask your specialized dealer:

Type/version	Item number
Twister: 125 ml tin, incl. sponge, ideal for stainless steel, non-irritant	2000090040
Multiclean: cleansing liquid, 500 ml, non-irritant	2000057679
INOX cream: 250 g tube, non-irritant	2000057675



Recertified in 2012, having held the prestigious accreditation since 2008, ISO9001 is a rigorous set of standards recognised globally. It provides our customers with the peace of mind that Franke has demonstrated the highest quality control of activities to ensure that the needs and expectations of our customers are met.



Most of our products are CE marked which demonstrates that they are suitable to be sold in the European union as they conform with the essential requirements of the applicable EC directives.



Franke manufacture, distribute, commission and service a comprehensive range of water efficient washroom products including low flush, ultra low flush and waterless WCs and urinals. These help to significantly reduce the amount of water used in washrooms and can assist specifiers in achieving BREEAM points for specific projects.



The Enhanced Capital Allowance (ECA) scheme enables businesses to claim up to 100% first year capital allowances on investments in technologies and products that encourage sustainable water use. The Water Technology List (WTL) provides details of products that qualify for this. Look for the logo on applicable products.




Estidama, as established thru Abu Dhabi's Plan 2030, symbolizes a clear vision driven by the tenets of contemporary and sustainable living in the Middle East. It aims to assure that sustainability is continually addressed through four pre-defined angles: environmental, economic, social and cultural.

BS EN 997 - This British standard outlines the requirements for WCs from the perspective of construction and performance, emphasising functional criteria. All the WC's are manufactured at our subsidiary Franke Sissons in United Kingdom and have met the performance criteria for 4, 5 and 6 litre flushing.

## Paper + soap recommendation

Type/version	Item number
<b>SO1L</b> liquid soap, 1 litre bottle (minimum order quantity: 6 bottles)	2000057162
<b>SO10L</b> Liquid Soap, 10 litre can	2000057168
<b>EXINX616 FOAM</b> Cartridge with 650 ml foam soap for XINX616, STRX616, RODX616	2000100946
<b>HBD191B</b> Hygiene bag suitable for HBD191/RODX191	2000100016
<b>HB140</b> Paper hygiene bags suitable for HBD190, STRX615 and XINX615 hygiene bag dispensers	2000100017
<b>FH68</b> Folded paper towels	2000100015



## Wall mounting

EXOS. accessories by Franke – functionality and performance. Interchangeable fronts made of high quality materials, such as stainless steel and glass, are beautifully designed and can be incorporated individually in any architectural setting. Clear-cut lines. Sophisticated shapes. The timeless design makes for harmonious proportions.




EXOS. accessories by Franke.  
Features and design in harmony.

### Features of the range:

- Clear-cut design, modular systems and high quality materials.
- By the use of interchangeable fronts in different sorts of materials, such as stainless steel and glass, different room ambiances can be created.
- InoxPlus surface refinement to reduce fingerprints
- Easy to clean
- Aesthetics and function
- S/S Material thickness 1.2mm
- Safety lock with Franke standard key
- Installation accessories included
- Exceptional flexibility can also be found in the soap dispenser product group.  
Here the inner operation can be easily changed from electronic to manual, from liquid soap to foam soap. This is possible at any time, even retrospectively.

# EXOS. ACCESSORIES

## Wall mounting



### EXOS. ELECTRONIC SOAP DISPENSER

EXOS625X, Touch free soap dispenser for wall mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, inspection window on side, infrared sensor activity for non-touch operation, LED display shows battery status, requires 4 pieces 1.5V AA batteries, suitable for liquid soap and lotions, includes 800 ml refill tank, dispenses 0.6 - 1.1 ml depending on soap, includes mounting materials.

Dimensions 120 x 326 x 120 mm (W x H x D)

**EXOS625X**  2030022942

Front with black safety glass panel

**EXOS625B**  2030022943

Front with white safety glass panel

**EXOS625W**  2030025231

### EXOS. SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, inspection window on side, suitable for liquid soap and lotions, 800 ml refill tank, with stainless steel push lever, easy to refill with soap tank on front panel, includes mounting materials.

Dimensions 120 x 326 x 120 mm (W x H x D)

**EXOS618X**  2030022939

Front with black safety glass panel

**EXOS618B**  2030022940

Front with white safety glass panel

**EXOS618W**  2030025230

### EXOS. FOAM SOAP DISPENSER

Foam soap dispenser for wall mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, inspection window on side, with stainless steel pull lever, suitable for Franke foam soap, includes mounting materials and 650 ml Franke foam soap.

Dimensions 120 x 326 x 120 mm (W x H x D)


**EXOS616X**  2030022945

Front with black safety glass panel

**EXOS616B**  2030022946

Front with white safety glass panel


**EXOS616W**  2030025232



### EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS616 / EXOS618 / EXOS625 soap dispensers, includes mounting materials.


<b>ZEXOS616</b>	2030022947
Front with black safety glass panel	
<b>ZEXOS616B</b>	2030022948
Front with white safety glass panel	
<b>ZEXOS616W</b>	2030025238



### EXOS. CONVERSION KIT FOR ELECTRONIC SOAP DISPENSER

Conversion kit for touch free soap dispenser, including automatic unit, refill tank, assembly plate and mounting material. For liquid soap dispenser EXOS618 and foam soap dispenser EXOS616.

<b>ZEXOS625K</b>	2030022954
Conversion kit for liquid soap dispenser EXOS625 and EXOS616	
<b>ZEXOS618K</b>	2030022956
Conversion kit for foam soap dispenser EXOS625 and EXOS618	
<b>ZEXOS616K</b>	2030022955




### EXOS. ELECTRONIC HAND DRYER

Hand dryer for wall mounting, stainless steel with satin-finish and InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, with contactless opto-electronic sensor for touch-free operation, adjustable hot air temperature, sensor range adjustable from 10 to 25 cm, protection from continuous operation with automatic switch-off after 60 seconds, air speed adjustable, cable and plug not included.

Connection voltage 230 V, 50-60 Hz  
 Total power 1000 W  
 Heater 500 W  
 Motor 500 W  
 Air volume 80 m<sup>3</sup>/h  
 Air velocity 95-115 m/s  
 Dimensions 200 x 325 x 120 mm (W x H x D)

<b>EXOS220X</b>	2030027981
Front with black safety glass panel	
<b>EXOS220B</b>	2030034622
Front with white safety glass panel	
<b>EXOS220W</b>	2030034660




### EXOS. FRONT COVER, CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS220 hand dryer, includes mounting materials.

<b>ZEXOS220</b>	2030035358
Front with black safety glass panel	
<b>ZEXOS220B</b>	2030035359
Front with white safety glass panel	
<b>ZEXOS220W</b>	2030035360

# EXOS. ACCESSORIES

## Wall mounting




### EXOS. PAPER TOWEL DISPENSER

Manual paper towel dispenser for wall mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, maximum roll width 205 mm, maximum roll diameter 200 mm, paper perforation length 260 mm, adjustable paper roll holder for optimised paper dispensing, includes mounting materials.

Dimensions 300 x 425 x 210 mm (W x H x D)


<b>EXOS637X</b>	2030022950
Front with black safety glass panel	
<b>EXOS637B</b>	2030022951
Front with white safety glass panel	
<b>EXOS637W</b>	2030025233



### EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS637 paper towel dispenser, includes mounting materials.

<b>ZEXOS637</b>	2030022952
Front with black safety glass panel	
<b>ZEXOS637B</b>	2030022953
Front with white safety glass panel	
<b>ZEXOS637W</b>	2030025239




## EXOS. PAPER TOWEL DISPENSER

Paper towel dispenser for wall mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, inspection window on side, capacity 300 - 400 pieces of Z-folded paper, includes mounting materials.

Dimensions 300 x 325 x 120 mm (W x H x D)

<b>EXOS600X</b>	2030022933
Front with black safety glass panel	
<b>EXOS600B</b>	2030022934
Front with white safety glass panel	
<b>EXOS600W</b>	2030025229




## EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS600 paper towel dispenser, includes mounting materials.

<b>ZEXOS600</b>	2030022936
Front with black safety glass panel	
<b>ZEXOS600B</b>	2030022937
Front with white safety glass panel	
<b>ZEXOS600W</b>	2030025236

# EXOS. ACCESSORIES

## Wall mounting



### EXOS. WASTE BIN

Waste bin for wall mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, capacity approximate 30 litres, integrated bag holder, includes mounting bracket and mounting materials.

Dimensions 300 x 573 x 250 mm (W x H x D)

**EXOS605X**  2030022928

Front with black safety glass panel

**EXOS605B**  2030022929

Front with white safety glass panel

**EXOS605W**  2030025228



### EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for waste bin EXOS605, EXOS605E and combination unit EXO602E, includes mounting materials.



**ZEXOS605** 2030022930

Front with black safety glass panel

**ZEXOS605B** 2030022931

Front with white safety glass panel

**ZEXOS605W** 2030025234






### EXOS. TOILET ROLL HOLDER

Toilet roll holder for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.5 mm, for rolls with a maximum diameter of 120 mm, stainless steel spindle with integrated roll stop function, includes mounting materials.

Dimensions 123 x 62 x 129 mm (W x H x D)

**EXOS675X**  2030031170



## EXOS. DOUBLE TOILET ROLL HOLDER

Double toilet roll holder with spindle system for wall mounting, stainless steel with satin finish and InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, closed casing, for two rolls with a maximum diameter of 120 mm, when the first roll is used up, the hidden spare roll is released by sliding the bottom cover on the opposite side, includes mounting materials.

Dimensions 280 x 193 x 147 mm (W x H x D)

<b>EXOS676X</b>	2030033180
Front with black safety glass panel	
<b>EXOS676B</b>	2030034645
Front with white safety glass panel	
<b>EXOS676W</b>	2030034670

## EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS676 wc roll holder, includes mounting materials.

<b>ZEXOS676</b>	2030034655
Front with black safety glass panel	
<b>ZEXOS676B</b>	2030034656
Front with white safety glass panel	
<b>ZEXOS676W</b>	2030034711

## EXOS. JUMBO TOILET ROLL HOLDER

Jumbo toilet roll holder for wall mounting, chromium nickel steel, with satin-finish and InoxPlus surface refinement for the reduction of finger marks making it easier to clean. Material thickness 1.2 mm, closed casing with inspection windows on the side, paper dispensed over two serrated tear-off edges, cylinder lock with Franke standard key, for one jumbo roll with a maximum diameter of 280 mm and a tube measuring 40 mm, includes mounting materials.

Dimensions 325 x 364 x 130 mm (W x H x D)

<b>EXOS670X</b>	2030028245
Optional accessories	
Conversion kit for toilet roll holder to incorporate four toilet rolls; consisting of carousel, roll stopper, mounting material	
<b>ZEXOS670K</b>	2030035972

# EXOS. ACCESSORIES

## Wall mounting



### EXOS. HYGIENE WASTE BIN

Hygiene waste bin for wall mounting, stainless steel with satin finish and Inox-Plus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, capacity approx. 3.7 litres, hinged self-closing front, integrated plastic container for waste removal, includes mounting materials.

Dimensions 230 x 346 x 125 mm (W x H x D)


**EXOS611X** ..... 2030028001

Front with black safety glass panel

**EXOS611B** ..... 2030030108

Front with white safety glass panel

**EXOS611W** ..... 2030030111



### EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS611 and EXOS611E hygiene bin, includes mounting materials.


**ZEXOS611** ..... 2030034649

Front with black safety glass panel

**ZEXOS611B** ..... 2030034650

Front with white safety glass panel

**ZEXOS611W** ..... 2030034707




### EXOS. TOILET BRUSH HOLDER

Toilet brush holder for wall mounting, stainless steel with satin finish and Inox-Plus surface refinement, material thickness 1.5 mm, closed casing to the front, brush withdrawal at the right, brush with stainless steel handle and black nylon brush head, removable plastic drip tray, includes mounting materials.

Dimensions 110 x 298 x 97 mm (W x H x D)


**EXOS687X** ..... 2030027995





# EXOS. ACCESSORIES

## Recessed mounting



### EXOS. ELECTRONIC SOAP DISPENSER


Touch free soap dispenser for recessed mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to lean), material thickness 1.2 mm, infrared sensor activity for non-ouch operation, LED display shows battery status, requires 4 pieces 1.5V AA batteries, suitable for liquid soap and lotions, includes 800 ml refill tank, dispenses 0.6 - 1.1 ml depending on soap, includes mounting materials.

Dimensions 124 x 500 x 120 mm (W x H x D)

**EXOS625EX**  2030034639

Front with black safety glass panel  2030034641

Front with white safety glass panel  2030034668



### EXOS. SOAP DISPENSER


Soap dispenser for recessed mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, suitable for liquid soap and lotions, 800 ml refill tank, with stainless steel push lever, easy to refill with soap tank on front panel, includes mounting materials.

Dimensions 124 x 500 x 120 mm (W x H x D)

**EXOS618EX**  2030034637

Front with black safety glass panel  2030034638

Front with white safety glass panel  2030034667



### EXOS. FOAM SOAP DISPENSER


Foam soap dispenser for recessed mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, with stainless steel pull lever, suitable for Franke foam soap, includes mounting materials and 650 ml Franke foam soap.

Dimensions 124 x 500 x 120 mm (W x H x D)

**EXOS616EX**  2030034634

Front with black safety glass panel  2030034636

Front with white safety glass panel  2030034666



## EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS616E / EXOS618E / EXOS625E soap dispensers-recessed, includes mounting materials.


**ZEXOS616E S/S** ..... 2030034653

Front with black safety glass panel

**ZEXOS616EB** ..... 2030034654

Front with white safety glass panel

**ZEXOS616EW** ..... 2030034710



## EXOS. CONVERSION KIT FOR ELECTRONIC SOAP DISPENSER

Conversion kit for touch free soap dispenser, including automatic unit, refill tank, assembly plate and mounting material. For liquid soap dispenser EXOS618 and foam soap dispenser EXOS616.

**ZEXOS625K** ..... 2030022954

Conversion kit for liquid soap dispenser EXOS625 and EXOS616


**ZEXOS618K** ..... 2030022956

Conversion kit for foam soap dispenser EXOS625 and EXOS618

**ZEXOS616K** ..... 2030022955

# EXOS. ACCESSORIES

## Recessed mounting



### EXOS. PAPER TOWEL DISPENSER

Paper towel dispenser for recessed mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, capacity 300 - 400 pieces of Z-folded paper, includes mounting materials.

Dimensions 304 x 500 x 120 mm (W x H x D)


**EXOS600EX**  2030034624

Front with black safety glass panel

**EXOS600EB**  2030034625

Front with white safety glass panel

**EXOS600EW**  2030034662



### EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS600E paper towel dispenser-recessed, includes mounting materials.

**ZEXOS600E S/S** 2030034647

Front with black safety glass panel

**ZEXOS600EB** 2030034648

Front with white safety glass panel

**ZEXOS600EW** 2030034672



## EXOS. WASTE BIN

Waste bin for recessed mounting, stainless steel with satin finish, front and casing with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, capacity approximate 30 litres, integrated bag holder, includes mounting materials.

Dimensions 304 x 790 x 251 mm (W x H x D)



**EXOS605EX**  2030034628

Front with black safety glass panel

**EXOS605EB**  2030034629

Front with white safety glass panel

**EXOS605EW**  2030034664



## EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for waste bin EXOS605, EXOS605E and combination unit EXO602E, includes mounting materials.

**ZEXOS605** 2030022930

Front with black safety glass panel

**ZEXOS605B** 2030022931

Front with white safety glass panel

**ZEXOS605W** 2030025234

# EXOS. ACCESSORIES

## Recessed mounting





### EXOS. PAPER TOWEL DISPENSER AND WASTE BIN COMBINATION

Paper towel dispenser and waste bin combination for recessed mounting, stainless steel with satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, capacity paper towel dispenser 300 - 400 pieces of Z-folded paper depending on convolution, waste bin with approx. 30 liter capacity, integrated bag holder, includes mounting bracket and mounting materials.

Dimensions 304 x 1166 x 251 mm (W x H x D)


<b>EXOS602EX</b>	2030034626
Front with black safety glass panel	
<b>EXOS602EB</b>	2030034627
Front with white safety glass panel	
<b>EXOS602EW</b>	2030034663



### EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for waste bin EXOS605, EXOS605E and combination unit EXO602E, includes mounting materials.


<b>ZEXOS605</b>	2030022930
Front with black safety glass panel	
<b>ZEXOS605B</b>	2030022931
Front with white safety glass panel	
<b>ZEXOS605W</b>	2030025234



### EXOS. FRONT CHROMIUM NICKEL STEEL

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS600E paper towel dispenser-recessed, includes mounting materials.

<b>ZEXOS600E S/S</b>	2030034647
Front with black safety glass panel	
<b>ZEXOS600EB</b>	2030034648
Front with white safety glass panel	
<b>ZEXOS600EW</b>	2030034672




**EXOS. DOUBLE TOILET ROLL HOLDER**

Double toilet roll holder with spindle system for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, closed casing, for two rolls with a maximum diameter of 120 mm, when the first roll is used up, the hidden spare roll is released by sliding the bottom cover on the opposite side, includes mounting materials.

Dimensions 284 x 350 x 147 mm (W x H x D)


<b>EXOS676EX</b>	2030034642
Front with black safety glass panel	
<b>EXOS676EB</b>	2030034644
Front with white safety glass panel	
<b>EXOS676EW</b>	2030034669



**EXOS. FRONT CHROMIUM NICKEL STEEL**

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS676E wc roll holder-recessed, includes mounting materials.

<b>ZEXOS676E S/S</b>	2030034657
Front with white safety glass panel	
<b>ZEXOS676EW</b>	2030034712
Front with black safety glass panel	
<b>ZEXOS676EB</b>	2030034658




**EXOS. HYGIENE WASTE BIN**

Hygiene waste bin for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, capacity approx. 3.7 litres, hinged self-closing front, integrated plastic container for waste removal, includes mounting materials.

Dimensions 234 x 332 x 125 mm (W x H x D)

<b>EXOS611EX</b>	2030034630
Front with black safety glass panel	
<b>EXOS611EB</b>	2030034631
Front with white safety glass panel	
<b>EXOS611EW</b>	2030034665



**EXOS. FRONT CHROMIUM NICKEL STEEL**

Stainless Steel front with InoxPlus surface refinement, suitable for EXOS611 and EXOS611E hygiene bin, includes mounting materials.

<b>ZEXOS611</b>	2030034649
Front with black safety glass panel	
<b>ZEXOS611B</b>	2030034650
Front with white safety glass panel	
<b>ZEXOS611W</b>	2030034707



## Wall mounting


The unique, arched front cover of the STRATOS products is being refined with the proven InoxPlus technology. In this process, nanoparticles interlock with the molecules of the metal surface and nestle closely against microscopic imperfections. The resulting tight structure makes fingerprints almost invisible. The washroom thus stays clean longer, and cleaning is significantly easier.

### **Features of the range:**

- Lively design
- Material thickness 1.2 mm/1.5 mm
- Surface brushed to a satin finish
- Front with InoxPlus surface refinement to reduce fingerprints
- Wall-mounted and flush-mounted models
- Safety lock with Franke standard key
- Embossed profile
- Special sizes
- Installation accessories included

# STRATOS ACCESSORIES

## Wall mounting




### STRATOS ELECTRONIC HAND DRYER

Touch free electronic warm air hand dryer for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5mm, curved front cover, infra-red sensor activity for non-touch operation, adjustable warm air temperature, sensor range adjustable from 10 to 25 cm, automatic power shut-off after 60 seconds, adjustable air velocity allows to shorten the drying time considerably, cable and plug not included.

Connection voltage 230-240 V, 50-60 Hz  
Total power 1000 W  
Heater 500 W  
Motor 500 W  
Air volume 80 m<sup>3</sup>/h  
Air velocity 95-115 m/s  
Dimensions 156 x 267 x 130 mm (W x H x D)

**STRX220**

 2030027296




### STRATOS FOAM SOAP DISPENSER

Foam soap dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection window on front, suitable for Franke foam soap, one bottle 650 ml foam soap included in first delivery, stainless steel pull lever, inclusive stainless steel screws and dowels.

Dimensions 112 x 305 x 134 mm (W x H x D)

**STRX616**

 2000100001




**STRATOS SOAP DISPENSER**

Soap dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection window on front, suitable for liquid soaps and lotions, 0.8 liter soap tank, with plastic pull lever, inclusive stainless steel screws and dowels.

Dimensions 100 x 304 x 134 mm (W x H x D)

**STRX618**

2000057379




**STRATOS SOAP DISPENSER**

Soap dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection window on front, suitable for liquid soaps and lotions, 1 liter soap tank, push button on front, inclusive stainless steel screws and dowels.

Dimensions 186 x 154 x 92 mm (W x H x D)

**STRX619**

2000057382



**STRATOS ELECTRONIC SOAP DISPENSER**

Touch free soap dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection window on front, infrared sensor activity for non-touch operation, red light shows battery status, incl. 6 pcs. 1.5 V Alkaline AA batteries, suitable for liquid soaps and lotions, 0.8 liter soap tank, depending on soap between 0.6 and 1.1 ml is dispensed, mounting height 300 mm above wash basin or table top, inclusive stainless steel screws and dowels.

Dimensions 120 x 303 x 126 mm (W x H x D)

**STRX625**

2000057388

Optional accessories

Hose with outlet valve for disinfectant

**EACCS057**

2000103334

# STRATOS ACCESSORIES

## Wall mounting




### STRATOS PAPER TOWEL/SOAP DISPENSER COMBINATION

Paper towel-, soap dispenser combination for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection windows on front, paper towel dispenser with loading capacity 300 - 400 pcs. of paper depending on convolution, suitable for liquid soaps and lotions, 0.8 liter soap tank, push lever, inclusive stainless steel screws and dowels.

Dimensions 396 x 304 x 134 mm (W x H x D)

**STRX601**

2000057209



### TABLE-TOP SOAP DISPENSER


Soap dispenser for table top mounting into worktops with max. 45 mm thickness, high polished chromated brass, requires 22 mm drilling hole, 1/2" thread, spout not movable, spout length 140 mm, suitable for liquid soaps and lotions, 1 liter soap tank with membrane for pressure balance, filled from above.

With standard body length (85 mm)

Dimensions 44 x 400 x 162 mm (W x H x D)

**SD80**

2000056721






### STRATOS PAPER TOWEL DISPENSER

Paper towel dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection window on front, loading capacity 300 - 400 pcs. of paper depending on convolution, inclusive. stainless steel screws and dowels.

Dimensions 300 x 305 x 134 mm (W x H x D)

**STRX600**

2000057205




### STRATOS ELECTRONIC PAPER TOWEL DISPENSER

Touch free paper towel dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, infrared sensor activity for non-touch operation, integrated tear-off edge, incl. 4 pcs. standard D 1.5 V batteries, maintenance free mechanic and easy paper roll change mechanism, for rolls with max. width 205 mm and max. diameter 200 mm, paper length adjustable to 200, 250 and 300 mm, inclusive stainless steel screws and dowels.

Dimensions 300 x 383 x 234 mm (W x H x D)

**STRX630**

 2000057390



# STRATOS ACCESSORIES

## Wall mounting




### STRATOS PAPER TOWEL DISPENSER

Manual paper towel dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front with inspection window, cylinder lock with Franke standard key, capacity 1 paper roll, paper comes automatically out to pull with hand, maintenance free mechanic, electrical connection or batteries are not required, easypaper roll change mechanism, for rolls with max. width 205 mm and max. diameter 200 mm, paper length is not adjustable - one length 260 mm, inclusive stainless steel screws and dowels.

Dimensions 294 x 385 x 227 mm (W x H x D)

**STRX637**

2000110533




### STRATOS PAPER TOWEL DISPENSER

Centerfeed paper roll box for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, for paper rolls with max.  $\varnothing$  190 mm and max. height of 250 mm, only for centerfeed paper rolls, integrated w/ stainless steel tear-off edge and strain relief avoiding paper tear-off within casing, inclusive stainless steel screws and dowels.

Dimensions 205 x 325 x 240 mm (W x H x D)

**STRX635B**

2030025051




**STRATOS WASTE BIN**

Waste bin for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, approx. 34 liter capacity, integrated bag holder, inclusive stainless steel screws and dowels.

Dimensions 300 x 520 x 270 mm (W x H x D)

**STRX605**

 2000057228


**STRATOS WASTE BIN**

Waste bin for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, approx. 45 liter capacity, integrated bag holder, inclusive stainless steel screws and dowels.

Dimensions 396 x 521 x 270 mm (W x H x D)

**STRX607**

 2000057230



# STRATOS ACCESSORIES

## Wall mounting




### STRATOS FOLDING SELF-CLOSING LID FOR WASTE BIN

Folding self-closing lid for waste bin STRX607, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, inclined front with selfclosing lid, cylinder lock with Franke standard key, inclusive stainless steel screws and dowels, without waste bin.

Dimensions 396 x 183 x 229 mm (W x H x D)

**STRX608**

2000057231




### STRATOS HYGIENE WASTE BIN



Sanitary towel and disposal bin for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, approx. 3.8 liter capacity, folding selfclosing lid with piano hinge, removable plastic container inside, inclusive stainless steel screws and dowels.

Dimensions 205 x 305 x 134 mm (W x H x D)

**STRX611**

2000057375





**STRATOS HYGIENE BAG DISPENSER**

Hygiene bag dispenser for wall mounting, stainless steel, surface satin finished, with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2/1.5 mm, with inspection window, inclusive stainless steel screws and dowels.


Dimensions 156 x 250 x 90 mm (W x H x D)

**STRX615** ..... 2000100014

Consumables

Paper hygiene bag (packaging unit: 100 pieces)

**HB140** ..... 2000100017



**HYGIENE BAG DISPENSER**


Hygiene bag dispenser for wall mounting, stainless steel, surface satin finished with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristic (easy to clean), material thickness 1.2 mm, edges not welded, inboard lug to hold package, withdrawal from front, incl. premounted double side self-adhesive tap and stainless steel screws and dowels, inclusive acetone rag to clean bonding surface.

Dimensions 92 x 150 x 22 mm (W x H x D)

**HBD191** ..... 2000057080

# STRATOS ACCESSORIES

## Wall mounting




### STRATOS TOILET ROLL HOLDER

Double toilet roll holder for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, without spindles, inclusive stainless steel screws and dowels.

Dimensions 156 x 305 x 141 mm (W x H x D)

**STRX671**

2000057395




### STRATOS TOILET ROLL HOLDER

Double toilet roll holder without spindle system for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, for 2 rolls with max. Ø 140 mm, second roll will be released after consumption of first roll, inclusive stainless steel screws and dowels.

Dimensions 170 x 343 x 166 mm (W x H x D)

**STRX671L**

2000057397



### STRATOS TOILET ROLL HOLDER

Double toilet roll holder with spindle system for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, with spindles, reserve roll not visible, inclusive stainless steel screws and dowels.

Dimensions 156 x 303 x 141 mm (W x H x D)

**STRX672**

2000057399




#### STRATOS JUMBO TOILET ROLL HOLDER

Jumbo roll holder for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, closed casing with curved front, paper withdrawal over two tear-off edges, cylinder lock with Franke standard key, for 1 roll with max. Ø 295 mm, inclusive stainless steel screws and dowels.

Dimensions 304 x 355 x 170 mm (W x H x D)


**STRX670**

2000057394



# STRATOS ACCESSORIES

## Wall mounting



### STRATOS CLOTHES HOOK

Hook for wall mounting, stainless steel, surface satin finished, 17 mm pipe diameter, drilled hole on bottom for fixation, includes stainless steel screws and dowels.

Dimensions 18 x 38 x 60 mm (W x H x D)

**STRX692**

 2000057979





### STRATOS CLOTHES HOOK

Double hook for wall mounting, stainless steel, surface satin finished, 18 mm pipe diameter, drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Dimensions 69 x 18 x 60 mm (W x H x D)

**STRX694**

 2000057985



### STRATOS TOILET SEAT COVER DISPENSER

Toilet seat paper dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover with oval aperture, cylinder lock with Franke standard key, for Franke seat paper or others, inclusive stainless steel screws and dowels.

Dimensions 393 x 263 x 54 mm (W x H x D)

**STRX680**


2000057401


Consumables

Toilet seat paper (box of 250 sheets)

**E-STRX680**

2000100018





## STRATOS TOILET BRUSH HOLDER



Toilet brush holder for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, white nylon brush with flushing rim cleaner, withdrawal opening either left or right, depending on mounting, removable plastic drop tray, inclusive stainless steel screws and dowels.

Dimensions 110 x 230 x 110 mm (W x H x D)

**STRX687** ..... 2000057403

Toilet brush for toilet brush set RODX687, STRX687, black nylon, stainless steel handle

**E-STRX687** ..... 2000100020



## STRATOS SHELF

Shelf for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 2 mm, rounded edges, protection edge at front, inclusive stainless steel screws and dowels.

Dimensions 600 x 45 x 110 mm (W x H x D)

**STRX624** ..... 2000102701

# STRATOS ACCESSORIES

## Recessed mounting




### STRATOS SOAP DISPENSER

Soap dispenser for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), curved front cover with inspection window, cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 1 liter soap tank, push button on front, inclusive stainless steel screws and dowels.

Dimensions 211 x 181 x 101 mm (W x H x D)

**STRX619E**

 2000057385




### STRATOS PAPER TOWEL/SOAP DISPENSER COMBINATION


Paper towel-, soap dispenser combination for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection windows on front, paper towel dispenser with loading capacity 300 - 400 pcs. of paper depending on convolution, suitable for liquid soaps and lotions, 0.8 liter soap tank, push lever, includes stainless steel screws and dowels.

Dimensions 424 x 632 x 147 mm (W x H x D)

**STRX601E**

2000057226






**STRATOS PAPER TOWEL DISPENSER**

Paper towel dispenser for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection window on front, loading capacity 300 - 400 pcs. of paper depending on convolution, inclusive stainless steel screws and dowels.

Dimensions 327 x 632 x 147 mm (W x H x D)

**STRX600E**

 2000057207



**STRATOS PAPER TOWEL/WASTE BIN COMBINATION**

Paper towel dispenser, waste bin combination for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection windows on front, loading capacity 300 - 400 pcs. of paper depending on convolution, waste bin with approx. 22 liter capacity, integrated bag holder, inclusive stainless steel screws and dowels.


Dimensions 328 x 1162 x 203 mm (W x H x D)

**STRX602E**

 2000057227

# STRATOS ACCESSORIES

## Recessed mounting




### STRATOS WASTE BIN

Waste bin for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, approx. 22 liter capacity, integrated bag holder, inclusive stainless steel screws and dowels.

Dimensions 327 x 862 x 202 mm (W x H x D)

**STRX605E**

 2000057229




### STRATOS HYGIENE WASTE BIN

Sanitary towel and disposal bin for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, approx. 3.8 liter capacity, folding selfclosing lid with piano hinge, removable plastic container inside, inclusive stainless steel screws and dowels.

Dimensions 232 x 331 x 141 mm (W x H x D)

**STRX611E**

2000057376




### STRATOS TOILET ROLL HOLDER

Double toilet roll holder for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover with inspection window, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, without spindles, inclusive stainless steel screws and dowels.

Dimensions 183 x 331 x 142 mm (W x H x D)

**STRX671E**

2000057396




### STRATOS TOILET ROLL HOLDER

Double toilet roll holder with spindle system for recessed mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover with inspection window, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, reserve roll not visible, inclusive stainless steel screws and dowels.

Dimensions 183 x 331 x 142 mm (W x H x D)

**STRX672E**

2000057400



### STRATOS TOILET ROLL HOLDER

Toilet roll holder for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, curved folding cover, for 1 roll with max. width 130 mm, inclusive stainless steel screws and dowels.

Dimensions 153 x 153 x 129 mm (W x H x D)

**STRX673E**

 2000057422



## Wall mounting


The timeless design of RODAN stainless steel fixtures with their angular side profiles lends itself to the contemporary decor of heavily frequented washrooms and restrooms. These accessories open to planners and operators the possibility of economical, esthetic design of customized washroom design.

### **Features of the range:**

- Soap dispenser
- Paper towel dispenser
- Waste bin, toilet roll holder
- Paper towel combinations, waste bin combinations
- Wall-mounted and flush-mounted models
- Material thickness 0.8 mm
- Installation accessories included

# RODAN ACCESSORIES

## Wall mounting




### RODAN ELECTRONIC HAND DRYER

Touch free electronic warm air hand dryer for wall mounting, stainless steel, surface satin finished, material thickness 1.2 mm, infrared sensor activity for non-touch operation, sensor range adjustable from 10 to 30 cm, cable and plug not included.

Connection voltage 230 V, 50 Hz  
 Total power 2200 W  
 Heater 2100 W  
 Motor 100 W  
 Motor min 2850 U/min  
 Air volume 274 m<sup>3</sup>/h  
 Air velocity 15.5 m/s  
 Dimensions 314 x 215 x 163 mm (W x H x D)

#### RODX310

2000090055




### RODAN HAND DRYER

Touch free electronic warm air hand dryer for wall mounting, stainless steel, surface satin finished, front material thickness is 1.2mm, infrared sensor activity for non-touch operation, sensor range adjustable from 10 to 30 cm, automatic power shut-off after 60 s, cable and plug not included.

Connection voltage 230V, 50Hz  
 Total power 1800W  
 Heater 1720 W  
 Motor 80W with 2850 rpm  
 Air volume 255 m<sup>3</sup>/h  
 Air velocity 14.5 m/s

#### RODX320

2000101043




### RODAN SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 0.8 liter soap tank, lever to pull, inclusive stainless steel screws and dowels.

Dimensions 116 x 321 x 143 mm (W x H x D)

#### RODX618

2000090067



### RODAN FOAM SOAP DISPENSER

Foam soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key, inspection windows on sides, suitable for Franke foam soap (not included in scope of delivery), stainless steel pull lever, inclusive stainless steel screws and dowels.

Dimensions 116 x 326 x 135 mm (W x H x D)

**RODX616**

 2000101222



### RODAN SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 1 liter soap tank, push button on front, inclusive stainless steel screws and dowels.

Dimensions 200 x 140 x 132 mm (W x H x D)



**RODX619**

 2000090068

Soap dispenser for wall mounting, Stainless steel 316 material

**RODX619HN**

 2030018364



### RODAN ELECTRONIC SOAP DISPENSER

Touch free soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, infrared sensor activity for non-touch operation, LED-display shows battery status, needs 6 pcs. 1.5 V Alkaline AA batteries, suitable for liquid soaps and lotions, 800 ml soap tank, depending on soap between 0.6 and 1.1 ml is dispensed, mounting height > 300 mm above wash basin or table top, inclusive stainless steel screws and dowels.

Dimensions 120 x 296 x 107 mm (W x H x D)

**RODX625**

 2000090070

Optional accessories


Hose with outlet valve for disinfectant

**EACCS055**

2000103333

# RODAN ACCESSORIES

## Wall mounting



### RODAN PAPER TOWEL DISPENSER

Paper towel dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, inspection windows on sides, loading capacity 300 - 400 pcs. of paper depending on convolution, inclusive stainless steel screws and dowels.

Dimensions 275 x 355 x 112 mm (W x H x D)


#### RODX600

2000090056

Paper towel dispenser, stainless steel 316 material

#### RODX600HN

2030018373




### RODAN PAPER TOWEL/SOAP DISPENSER COMBINATION

Paper towel, soap dispenser combination for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key, inspection windows on sides, paper towel dispenser with loading capacity 300 - 400 pcs. of paper depending on convolution, suitable for liquid soaps and lotions, 0.8 liter soap tank, pull lever, inclusive stainless steel screws and dowels.

Dimensions 358 x 325 x 134 mm (W x H x D)

#### RODX601

2000101221




### RODAN PAPER TOWEL DISPENSER, WM

Manual paper towel dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key, capacity 1 paper roll, paper comes out to pull with hand, maintenance free mechanic, electrical connection or batteries are not required, easypaper roll change mechanism, for rolls with maximum width 205 mm and maximum diameter 200 mm, paper length is not adjustable - one length 260 mm, inclusive stainless steel screws and dowels.

#### RODX637

2030016336




**RODAN PAPER TOWEL DISPENSER**

Paper towel dispenser for installation from the front or from the top, stainless steel, surfaces satin finished, material strength 1 mm, capacity for 600 pieces of C-folded single-layer paper towels. Can be filled from the top.

Dimensions 330 x 445 x 180 mm (W x H x D)

**RODX600TT**

2000102672




**RODAN ELECTRONIC PAPER TOWEL DISPENSER**

Touch free paper towel dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded cover with cylinder lock and standard Franke key, infrared sensor activity for non-touch operation, integrated tear-off edge, needs 4 pcs. standard D 1.5 V batteries, maintenance free mechanic and easy paper roll change mechanism, for rolls with max. width 205 mm and max. diameter 200 mm, paper length adjustable to 200, 250 and 300 mm, inclusive stainless steel screws and dowels.

Dimensions 290 x 390 x 224 mm (W x H x D)

**RODX630**

 2000090071




**FACE TOWEL DISPENSER, WM**

Face towel dispenser for wall mounting is made of stainless steel sheet Grade EN 1.4301 (304), surfaces satin finished, material thickness 0.8 mm, oval aperture for withdrawal of common used face towels, includes surface mounting hardwares (stainless steel screws and plastic dowels).

**FRK10204**

2000106559



**RODAN HYGIENE WASTE BIN**

Sanitary towel and disposal bin for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, approx. 3.7 liter capacity, removable plastic container inside, inclusive stainless steel screws and dowels.


Dimensions 200 x 295 x 165 mm (W x H x D)

**RODX611**

2000090063

# RODAN ACCESSORIES

## Wall mounting




### RODAN HYGIENE WASTE BIN

Sanitary towel and disposal bin for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, approx. 6 liter capacity, with integrated bag holder, self closing lid, with integrated storage for paper hygiene bags, can be combined with RODX191 hygiene bag dispenser for plastic bags, cylinder lock with Franke standard key, inclusive stainless steel screws and dowels.

Dimensions 350 x 469 x 130 mm (W x H x D)

**RODX612**

2000101358



### RODAN WASTE BIN

Waste bin for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, rounded edges, mounting either with mounting bracket or directly onto the wall, inclusive stainless steel screws and dowels.

Capacity approx. 18 liter

Dimensions 275 x 460 x 177 mm (W x H x D)

**RODX605S**

 2000101236

Capacity approx. 23 liter, dimensions 355 x 460 x 168 mm (W x H x D)


**RODX605**

 2000090061

Capacity approx. 60 liter, dimensions 480 x 620 x 210 mm (W x H x D)

**RODX607**

 2000101351




### RODAN WASTE BIN

Waste bin for wall mounting or floor standing, made of stainless steel, surface satin finished, material thickness 0.8 mm, self closing lid, folding bag holder, cylinder lock with Franke standard key, approx. 30 liter capacity, inclusive stainless steel screws and dowels.

Dimensions 280 x 610 x 210 mm (W x H x D)

**RODX605SL**

2000103806



### WASTE BIN, 50L FREE STANDING

Waste bin, 50 liter free standing is made of 1.0mm thick stainless steel material, satin surface finished. Equipped with 6.0mmØ stainless steel rod swing-up bag holder.

**FRK10235**

2030015827




### RODAN WASTE DISPOSAL FLAP

Waste disposal flap for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, self-closing disposal flap, without waste container.

Dimensions 330 x 53 x 195 mm (W x H x D)


**RODX605TT**

2000101211



# RODAN ACCESSORIES

## Wall mounting




### RODAN WASTE DISPOSAL CHUTE

Waste chute for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, without waste container.

Dimensions 175 x 121 x 175 mm (W x H x D)

**RODX607TT**

2000101212




### RODAN HYGIENE BAG DISPENSER

Hygiene bag dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, edges not welded, inboard lug to hold package, withdrawal from front, incl. premounted double side self-adhesive tape and stainless steel screws and dowels, inclusive cleaning rag to clean bonding surface.

Dimensions 91 x 150 x 21 mm (W x H x D)

**RODX191**

2000101218



### RODAN WASTE BIN

Waste bin for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folding self closing lid, with integrated bag holder, cylinder lock with Franke standard key, inclusive. stainless steel screws and dowels.

Capacity approx. 13 liters

Dimensions 355 x 540 x 110 mm (W x H x D)


**RODX604**

2000101345

Capacity approx. 45 liter, dimensions 495 x 710 x 153 mm (W x H x D)

**RODX606**

2000101346




### RODAN TOILET ROLL HOLDER

Double toilet roll holder with spindle system for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, with spindles, reserve roll not visible, inclusive stainless steel screws and dowels.

Dimensions 144 x 301 x 138 mm (W x H x D)

**RODX672**

2000090072



### RODAN TOILET ROLL HOLDER


Toilet roll holder for 4 rolls for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, with spindle system, cylinder lock with Franke standard key, inclusive stainless steel screws and dowels.

Manual release of refilling paper

Dimensions 144 x 610 x 168 mm (W x H x D)

**RODX674B**

2030002104




### JUMBO ROLL HOLDER, SQUARE

Square jumbo roll holder for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, with inspection window, paper withdrawal over two tear-off edges, designed for 1 roll 350 mm Ø max, cylinder lock with Franke standard key, includes stainless steel screws and dowels.

**FRK10151**

2000106560



### RODAN TOILET BRUSH HOLDER

Toilet brush holder for wall mounting, stainless steel, surface satin finished, material thickness 1.2 mm, folded front, closed cover to the front, with white nylon brush with flushing rim cleaner, withdrawal opening either left or right, depending on mounting, removable plastic drip tray, inclusive stainless steel screws and dowels.


Dimensions 107 x 230 x 97 mm (W x H x D)

**RODX687**

2000100000

# RODAN ACCESSORIES

## Wall mounting




### RODAN TOILET SEAT PAPER DISPENSER

Toilet seat paper dispenser for wall mounting is made of stainless steel sheet Grade EN 1.4301 (304), surface satin finished, material thickness 0.8 mm, flat front cover construction with oval aperture, cylindrical lock with Franke standard key. Includes surface mounting hardware (stainless steel screws and plastic dowels).

**RODX680**

2000106561




### RODAN PAPER TOWEL DISPENSER, WASTE BIN COMBINATION

Paper towel dispenser, waste bin combination for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity approx. 350 pcs. of paper depending on convolution, waste bin with approx. 9 liter capacity, incl. stainless steel screws and dowels.

**RODX602S**

 2000101041



### RODAN PAPER TOWEL/WASTE BIN COMBINATION

Paper towel dispenser, waste bin combination for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity 500 - 800 pcs. of paper depending on convolution, waste bin with approx. 23 liter capacity, inclusive stainless steel screws and dowels.

Dimensions 411 x 1148 x 171 mm (W x H x D)

**RODX602**


 2000090059

Optional accessories

Bag holder for waste bin RODX605 and RODX605E, for screw mounting

**E-RODX605N**

2030022424




**RODAN PAPER TOWEL DISPENSER, TOUCH-FREE WARM AIR HAND DRYER**

Paper towel dispenser, touch-free warm air hand dryer, waste bin combination for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, 2 cylinder locks with Franke standard key, loading capacity 500 - 800 pcs. of paper depending on convolution, touch free warm air hand dryer, infrared sensor for non-touch operation, sensor range adjustable from 10 to 30 cm, cable and plug not included, waste bin with approx. 16 liter capacity, incl. stainless steel screws and dowels.

Electrical data 220-240V, 50-60Hz  
 Total output 1800W  
 Heating 1720W  
 Motor 80W motor with 2850rpm  
 Blower output 255 m<sup>3</sup>/h  
 Air velocity 14,5 m/s  
 Noise level 55 +/- db(A)

**RODX603**

2000101051



**RODAN PAPER TOWEL/SOAP DISPENSER/WASTE BIN COMBINATION**

Waste bin, paper towel-, soap dispenser combination for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key, paper towel dispenser with loading capacity 300 - 400 pcs. of paper depending on convolution, suitable for liquid soaps and lotions, 0.8 liter soap tank, push lever, waste bin with approx. 23 liter capacity, inclusive stainless steel screws and dowels.

Dimensions 413 x 1148 x 173 mm (W x H x D)


**RODX617**

2000101219

Optional accessories

Bag holder for waste bin RODX605 and RODX605E, for screw mounting  
**E-RODX605N** 2030022424

# RODAN ACCESSORIES




## RODAN SOAP DISPENSER

Soap dispenser for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 0.8 liter soap tank, lever to pull, inclusive stainless steel screws and dowels.

Dimensions 154 x 463 x 143 mm (W x H x D)

**RODX618E**

2000090066




## RODAN FOAM SOAP DISPENSER

Foam soap dispenser for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key, suitable for Franke foam soap (not included in scope of delivery), stainless steel pull lever, incl. stainless steel screws and dowels.

**RODX616E**

2000101224




## RODAN SOAP DISPENSER

Soap dispenser for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 1 liter soap tank, push button on front, inclusive stainless steel screws and dowels.

Dimensions 241 x 243 x 132 mm (W x H x D)

**RODX619E**

2000090069




## RODAN PAPER TOWEL DISPENSER

Paper towel dispenser for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity 300 - 400 pcs. of paper depending on convolution, inclusive stainless steel screws and dowels.

Dimensions 324 x 513 x 112 mm (W x H x D)

**RODX600E**

 2000090057




## RODAN ELECTRONIC PAPER TOWEL DISPENSER

Touch free paper towel dispenser for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded cover with cylinder lock and standard Franke key, infrared sensor activity for non-touch operation, integrated tear-off edge, needs 4 pcs. standard D 1.5 V batteries, maintenance free mechanic and easy paper roll change mechanism, for rolls with max. width 205 mm and max. diameter 200 mm, paper length adjustable to 200, 250 and 300 mm, incl. stainless steel screws and dowels.

**RODX630E**

 2000101040



## RODAN PAPER TOWEL DISPENSER

Paper towel dispenser for hidden mounting behind wall and mirror, stainless steel, surface satin finished, material thickness 0.8 mm, for 600 - 800 paper towels, depending on convolution, filling from bottom, inclusive stainless steel screws and dowels.

Dimensions 342 x 464 x 113 mm (W x H x D)


**RODX600ME**

 2000090058

RODX600MED Paper towel dispenser

**RODX600MED**

 2000106372



## RODAN HYGIENE WASTE BIN


Sanitary towel and disposal bin for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, approx. 6 liter capacity, with integrated bag holder, self closing lid, with integrated storage for paper hygiene bags, can be combined with RODX191 hygiene bag dispenser for plastic bags, cylinder lock with Franke standard key, inclusive stainless steel screws and dowels.

Dimensions 401 x 659 x 130 mm (W x H x D)

**RODX612E**

2000101359

# RODAN ACCESSORIES



## RODAN WASTE BIN

Waste bin for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, rounded edges, cylinder lock with Franke standard key, mounting with in-wall frame, includes stainless steel screws and dowels.

Approx. 23 liter capacity, full recessed version  
Dimensions 410 x 690 x 171 mm (W x H x D)


### RODX605EE

2000101344

Capacity approx. 23 liter  
Dimensions 408 x 690 x 169 mm (W x H x D)

### RODX605E

2000090062



## RODAN WASTE BIN, 41 LITERS, RECESSED MOUNTING

Waste bin for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, rounded edges, cylinder lock with Franke standard key, mounting with in-wall frame, incl. stainless steel screws and dowels.

Capacity approx. 41 liter


### RODX605EB

2000106588

Dimensions 408 x 690 x 169 mm (W x H x D)

### RODX605E

2000090062




## RODAN Sanitary Towel and Disposal Bin

Sanitary towel and disposal bin for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, approx. 3.7 liter capacity, removable plastic container inside, incl. stainless steel screws and dowels.

241x336x164 (WxHxD)

### RODX611E

2030036220



### RODAN WASTE BIN


Waste bin for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folding self closing lid, with integrated bag holder, cylinder lock with Franke standard key, incl. stainless steel screws and dowels.

Capacity approx. 13 liters  
Dimensions 395 x 580 x 110 mm (W x H x D)

**RODX604E** ..... 2000101347

Capacity approx. 45 liter, dimensions 535 x 750 x 153 mm (W x H x D)

**RODX606E** ..... 2000101348



### RODAN WASTE BIN


Waste bin for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folding self closing lid, with integrated bag holder, cylinder lock with Franke standard key, inclusive stainless steel screws and dowels.

Capacity approx. 45 liters  
Dimensions 535 x 750 x 153 mm (W x H x D)

**RODX606E** ..... 2000101348

Capacity approx. 16 liter, dimensions 396 x 581 x 109 mm (W x H x D)

**RODX604E** ..... 2000101347




### RODAN TOILET ROLL HOLDER

Double toilet roll holder with spindle system for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, reserve roll not visible, inclusive stainless steel screws and dowels.

Dimensions 184 x 341 x 138 mm (W x H x D)

**RODX672E** ..... 2000090073




### RODAN TOILET SEAT PAPER DISPENSER, RECESSED MOUNTING

Toilet seat paper dispenser for recessed mounting is made of stainless steel sheet Garde EN 1.4301 (304), surface satin finished, material thickness 0.8 mm, flat front cover construction with oval aperture, cylindrical lock with Franke standard key, provided with recessed frame. Includes surface mounting hardware (stainless steel screws and plastic dowels).

**RODX680E** ..... 2000106562

# RODAN ACCESSORIES




## Hygiene Bin - WC Roll Combination

Hygiene Bin & WC Roll Dispenser combination for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, hygiene bin with approx. 3.7 liter capacity, removable plastic container inside, wc roll holder for 2 rolls with max. Ø120mm incl. stainless steel screws and dowels.

416x486x120 (WxHxD)

FRK601007E

2030036971




## RODAN PAPER TOWEL DISPENSER - WASTE BIN COMBINATION FOR RECESSED MOUNTING

Paper towel dispenser - waste bin combination for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity approx. 350 pcs. of paper depending on convolution, waste bin with approx. 7 liter capacity, includes stainless steel screws and dowels.

RODX602SE

 2000101042




## RODAN PAPER TOWEL/WASTE BIN COMBINATION

Paper towel dispenser - waste bin combination for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity 500 - 800 pcs. of paper depending on convolution, waste bin with approx. 23 liter capacity, includes stainless steel screws and dowels.

Dimensions 408 x 1145 x 169 mm (W x H x D)

RODX602E

 2000090060




### COMBI UNIT 2 IN 1 - PAPER TOWEL DISPENSER AND WASTE BIN

Combi Unit 2 in 1 - Paper towel dispenser and waste bin for recessed mounting is made of stainless steel sheet Grade EN 1.4301 (304), surface satin finish, material thickness 0.8mm, double skin swing-out door equipped with cylinder lock with Franke Standard key, loading capacity 250 pcs of paper depending on convolution, waste bin with approximately 7 liter capacity, includes stainless steel screws and plastic dowels.

**FRK602EA**

 2000106591



### PAPER TOWEL DISPENSER, TOUCH-FREE WARM AIR HAND DRYER, WASTE BIN COMBINATION

Paper towel dispenser, touch-free warm air hand dryer, waste bin combination for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, 2 cylinder locks with Franke standard key, loading capacity 500 - 800 pcs. of paper depending on convolution, touch free warm air hand dryer, infrared sensor for non-touch operation, sensor range adjustable from 10 to 30 cm, cable and plug not included, waste bin with approx. 16 liter capacity, inclusive. stainless steel screws and dowels.

Electrical data 220-240V, 50-60Hz

Total output 1800W

Heating 1720W

Motor 80W motor with 2850rpm


Blower output 255 m<sup>3</sup>/h

Air vvelocity 14,5 m/s

Noise level 55 +/- db(A)

**RODX603E**

 2000101052



### RODAN PAPER TOWEL/SOAP DISPENSER/WASTE BIN COMBINATION

Paper towel-, soap dispenser and waste bin combination for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key, paper towel dispenser with loading capacity 300 - 400 pcs. of paper depending on convolution, suitable for liquid soaps and lotions, 0.8 liter soap tank, push lever, waste bin with approx. 23 liter capacity, includes stainless steel screws and dowels.


Dimensions 408 x 1145 x 169 mm (W x H x D)

**RODX617E**

 2000101220

# ACCESSORIES

## General



### EXOS. ELECTRONIC HAND DRYER

Hand dryer for wall mounting, stainless steel with satin-finish and InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.2 mm, with contactless opto-electronic sensor for touch-free operation, adjustable hot air temperature, sensor range adjustable from 10 to 25 cm, protection from continuous operation with automatic switch-off after 60 seconds, air speed adjustable, cable and plug not included.

Connection voltage 230 V, 50-60 Hz, Total power 1000 W, Heater 500 W, Motor 500 W, Air volume 80 m<sup>3</sup>/h, Air velocity 95-115 m/s  
Dimensions 200 x 325 x 120 mm (W x H x D)


**EXOS220X**  2030027981

Front with black safety glass panel

**EXOS220B**  2030034622

Front with white safety glass panel

**EXOS220W**  2030034660




### TOUCH FREE ELECTRONIC HAND DRYER

Touch free electronic warm air hand dryer for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5mm, curved front cover, infra-red sensor activity for non-touch operation, adjustable warm air temperature, sensor range adjustable from 10 to 25 cm, automatic power shut-off after 60 seconds, adjustable air velocity allows to shorten the drying time considerably, cable and plug not included.

Connection voltage 230 V, 50-60 Hz, Total power 1000 W, Heater 500 W, Motor 500 W, Air volume 80 m<sup>3</sup>/h, Air velocity 95-115 m/s

**DRYX220**  2030028804




### STRATOS ELECTRONIC HAND DRYER

Touch free electronic warm air hand dryer for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5mm, curved front cover, infra-red sensor activity for non-touch operation, adjustable warm air temperature, sensor range adjustable from 10 to 25 cm, automatic power shut-off after 60 seconds, adjustable air velocity allows to shorten the drying time considerably, cable and plug not included.

Connection voltage 230-240 V, 50-60 Hz, Total power 1000 W, Heater 500 W, Motor 500 W, Air volume 80 m<sup>3</sup>/h, Air velocity 95-115 m/s  
Dimensions 156 x 267 x 130 mm (W x H x D)

**STRX220**  2030027296




### HANDS-IN DRYER

High Speed "Hands-in" hand dryer for wall mounting, antibacterial ABS plastic, colour silver, drying time 7-10 seconds, hygienic thanks to non-contact opto-electronically controlled release and integrated HEPA filter, adjustable air speed, optionally warm or cold air, auto shutdown after 25 seconds, water tank and discharge can be cleaned separately, protection class IPX4. Cable and plug not included in scope of delivery.

Supply voltage 220-240 V, 50-60 Hz, Performance overall 1250-1650 W, Heating 550 W, Noise 65-69 dB @ 1m, Air speed 75-100 m/s  
Water tank capacity 800 ml  
Dimensions 300 x 699 x 230 mm (W x H x D)

**DRYX500N**  2030044751




**RODAN ELECTRONIC HAND DRYER**

Touch free electronic warm air hand dryer for wall mounting, stainless steel, surface satin finished, material thickness 1.2 mm, infrared sensor activity for non-touch operation, sensor range adjustable from 10 to 30 cm, cable and plug not included.

Connection voltage 230 V, 50 Hz  
 Total power 2200 W  
 Heater 2100 W  
 Motor 100 W  
 Motor min 2850 U/min  
 Air volume 274 m<sup>3</sup>/h  
 Air velocity 15.5 m/s  
 Dimensions 314 x 215 x 163 mm (W x H x D)

**RODX310**

2000090055



**RODAN HAND DRYER**


Touch free electronic warm air hand dryer for wall mounting, stainless steel, surface satin finished, front material thickness is 1.2mm, infrared sensor activity for non-touch operation, sensor range adjustable from 10 to 30 cm, automatic power shut-off after 60 s, cable and plug not included.

Connection voltage 230V, 50Hz  
 Total power 1800W  
 Heater 1720 W  
 Motor 80W with 2850 rpm  
 Air volume 255 m<sup>3</sup>/h  
 Air velocity 14.5 m/s

**RODX320**

2000101043

Also available in Stainless Steel grade **316L**




**DRYERS ELECTRONIC HAND DRYER**

Touch free electronic warm air hand dryer for wall mounting, material thickness 3 mm, infrared sensor activity for non-touch operation, sensor range adjustable from 10 to 30 cm, automatic power shut-off after 60 s, cable and plug not included.

Dimensions 268 x 230 x 177 mm (W x H x D)  
 Connection voltage 230 V, 50 Hz  
 Total power 1800 W  
 Heater 1720 W  
 Motor 80 W motor with 2850 rpm  
 Air volume 255 m<sup>3</sup>/h  
 Air velocity 14.5 m/s"

**ARTW410**

2000056770



**HAND DRYER, SEMI-RECESSED**

Touch free electronic warm air hand dryer for semi-recessed wall mounting, stainless steel, surface satin finished, material thickness 1.0 mm, infrared sensor activity for non-touch operation, sensor range adjustable from 5 to 33 cm, automatic power shut-off after 60 seconds, due to the extreme high, adjustable air velocity the drying time is shortened strongly, cable and plug not included.

Connection voltage 230 V, 50 Hz  
 Total power 1500 W  
 Heater 800 W  
 Motor 700 W  
 Air volume 120 m<sup>3</sup>/h  
 Air velocity 75-110 m/s


**FRK209002**

2030015658

Also available in Stainless Steel grade **316L**

# ACCESSORIES

## General




### DRYERS ELECTRONIC HAIR DRYER

Hair dryer Progress ARTH210, with infrared sensor for touch-free operation. Housing made of powder coated sheet steel, drying area made of Makrolon.

Colour engine silver (RAL 9022) and pearl-gentian (RAL 5025)  
 Air volume 210 m<sup>3</sup>/h = 58 l/s  
 Total power 1300 W  
 Connection voltage 230 V, 50 Hz  
 Dimensions 255 x 380 x 260 mm (W x H x D)  
 With opto sensor for touch free operation

**ARTH210** ..... 2000090042




### HEIGHT ADJUSTMENT

Height adjustment ARTH101 for hair dryer PROGRESS, continuous adjustment range of 600 mm, guide rail made of anodized special aluminum, with 4 mm thick crystal mirror and concealed, vandal-proof cable routing, colour engine silver / perl-gentian.

Dimensions 250 x 1200 x 140 mm (W x H x D)


**ARTH101** ..... 2000090041



### ELECTRONIC SOAP DISPENSER

Wall mounted electronic soap dispenser for concealed backwall installations, opto-electronically controlled, to be connected to an either on-wall or backwall mounted intended unit. The unit consists of a tank for liquid soap, a power supply and a pump unit, including 4 adjustable volumes per sensor operation. Sensor located inside all-metal housing, polished chromium-plated brass. Mains plug-in power supply unit 230 V AC including optional backup battery or external battery operation 6V DC only (4 x AA, batteries not included).


**SD99-009** .....  2030039032



### ELECTRONIC SOAP DISPENSER

Deck mounted electronic soap dispenser, opto-electronically controlled, to be connected to an on-wall mounted intended unit. The unit consists of a tank for liquid soap, a power supply and a pump unit, including 4 adjustable volumes per sensor operation. Sensor located inside all-metal housing, polished chromium-plated brass. Mains plug-in power supply unit 230 V AC including optional backup battery or external battery operation 6 V DC only (4 x AA, batteries not included).

**SD99-010** .....  2030039038



**TABLE-TOP SOAP DISPENSER**

Soap dispenser for table top mounting into worktops with max. 45 mm thickness, high polished chromated brass, requires 22 mm drilling hole, 1/2" thread, spout not movable, spout length 140 mm, suitable for liquid soaps and lotions, 1 liter soap tank with membrane for pressure balance, filled from above.

With standard body length (85 mm)  
Dimensions 44 x 400 x 162 mm (W x H x D)

**SD80** ..... 2000056721


Consumables

Liquid soap, 1 litre (minimum order quantity: 6 pieces)

**SO1L** ..... 2000057162

Liquid soap, in 10 litre canister

**SO10L** ..... 2000057168




**TABLE TOP SOAP DISPENSER**

Soap dispenser for table top mounting into worktops with max. 45 mm thickness, stainless steel, requires 22 mm drilling hole, 1/2" thread, spout not movable, spout length 95.5 mm suitable for liquid soaps and lotions, 400 ml soap tank with membrane for pressure balance, filled from above. Surface satin finish.

**FRKSD0102S** ..... 2000106592

Surface high polish finish


**FRKSD0102P** ..... 2000106593



**SOAP DISPENSER**

Soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 0.80mm, with lock/key, suitable for PH neutral liquid soaps, capacity up to 1.2 liter liquid soap, push button on front with black valve, incl. stainless steel screws and dowels.

**SDA605** .....  2030029923




**SOAP DISPENSER**

Soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 22 gauge, with lock/key, suitable for PH neutral liquid soaps, capacity up to 2 liter liquid soap, push button on front with black valve, incl. stainless steel screws and dowels.

**SDA600** .....  2030029886

# ACCESSORIES

## General




### SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 1.00mm, with lock/key, suitable for PHneutral liquid soaps, capacity up to 1.0 liter liquid soap, push button on front with black valve, includes stainless steel screws and dowels.

**FRK502001**

2030034274




### SOAP DISPENSER BEHIND THE MIRROR

Soap dispenser for behind the mirror mounting, equipped with Swiss made precision pump with integrated reservoir and refill compartment for liquid soaps, shower gel, hand cream, etc., complete with stainless steel 304 mounting plate, includes stainless steel screws.

Dimensions 77 x 275 x 94 mm (W x H x D)

**FRK10284ME**

2030013877




### SOAP DISPENSER (SPECIAL NEEDS)

Soap dispenser for special needs, stainless steel, surface satin finished, equipped with a small front handle, recessed-mounting.

**SDA238**

2030033737




### PAPER TOWEL DISPENSER FOR BEHIND THE MIRROR MOUNTING

Paper towel dispenser for behind the mirror mounting, stainless steel, surface satin finished, material thickness 1.0 mm, loading capacity 700 pcs. of folded paper towels depending on convolution, incl. stainless steel screws and dowels.

Dimensions 275 x 298 x 120mm (W x H x D)

**FRK201011ME**

2030014949




### PARTITION MOUNTED WC ROLL HOLDER

Partition - Mounted WC roll holder with spindle system for partition mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, for 4 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, reserve roll not visible, incl. stainless steel screws.

**FRK203018**

2030025070




### TOILET ROLL HOLDER

Toilet roll holder for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, folding cover, for 1 roll with max. Ø 130 mm, includes stainless steel screws and dowels.

Dimensions 145 x 130 x 25 mm (W x H x D)

**BS677**

 2000057045




### TOILET ROLL HOLDER

Toilet roll holder for wall mounting, stainless steel, surface satin finished, material thickness 3 mm, cylinder lock with Franke standard key, for 1 roll with max. Ø 140 mm, thief protected spindle, controlled paper consumption due to spindle stop mechanism, includes stainless steel screws and dowels.

Dimensions 150 x 100 x 130 mm (W x H x D)

**CHR675**

 2000057143



### TOILET ROLL HOLDER


Double toilet roll holder for wall mounting, stainless steel, surface satin finished, material thickness 2 mm, cylinder lock with Franke standard key, for 2 rolls with max. Ø 140 mm, thief protected spindles, controlled paper consumption due to spindle stop mechanism, includes stainless steel screws and dowels.

**CHR676N**

2030028851

# ACCESSORIES

## General




### WC 1-ROLL HOLDER FOR WALL MOUNTING

Single toilet roll holder for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, round cover, for 1 roll with max. Ø 120 mm, includes stainless steel screws and dowels.

**FRK203010**

 2030037193




### SINGLE TOILET ROLL HOLDER FOR RECESSED MOUNTING

Single toilet roll holder for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, round cover, for 1 roll with max. Ø 120 mm, includes stainless steel screws and dowels.

**FRK203010E**

 2030037206




### DOUBLE TOILET ROLL HOLDER - HORIZONTAL FOR WALL MOUNTING

Double toilet roll holder - horizontal for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, round cover, for 2 rolls with max. Ø 120 mm, includes stainless steel screws and dowels.

**FRK203007**

2030037172




### DOUBLE TOILET ROLL HOLDER

Double toilet roll holder - horizontal for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, round cover, for 2 rolls with max. Ø 120 mm, incl. stainless steel screws and dowels.

**FRK203007E**

2030038933




### DOUBLE TOILET ROLL HOLDER

Double toilet roll holder - vertical for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, round cover, for 2 rolls with max. Ø 120 mm, includes stainless steel screws and dowels.

**FRK203008**

2030037173




### DOUBLE TOILET ROLL HOLDER

Double toilet roll holder - vertical for recessed mounting, stainless steel, surface satin finished, material thickness 0.8 mm, round cover, for 2 rolls with max. Ø 120 mm, includes stainless steel screws and dowels.

**FRK203008E**

2030038934

Also available in Stainless Steel grade **316L**




### JUMBO TOILET ROLL HOLDER

Jumbo roll holder for wall mounting, stainless steel, surface satin finished, material thickness 0.9 mm, closed round casing with inspection window, paper withdrawal over two tear-off edges, locked with hexagonal allen screw, for 1 roll with max. Ø 350 mm, includes stainless steel screws, dowels and hexagonal allen key.

Dimensions 369 x 369 x 108 mm (W x H x D)

**CHRX670**

2000057141



### JUMBO TOILET ROLL HOLDER

Jumbo roll holder for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key, closed round casing with inspection window, paper withdrawal over two tear-off edges, for 1 roll with max. Ø 260 mm, includes stainless steel screws and dowels.


Dimensions 269 x 269 x 116 mm (W x H x D)

**CHRX669**

2000060983

# ACCESSORIES

## General




### SOAP TRAY

Tray/shelf for wall mounting, stainless steel, surface satin finished, material thickness 0.8 mm, drilling holes for water drain, includes stainless steel screws and dowels.

Dimensions 195 x 77 x 96 mm (W x H x D)

**BS648**

2000057041



### SOAP TRAY


Soap tray for wall mounting, stainless steel, surface satin finished, material thickness 1.0 mm, deep drawn soap dish, includes stainless steel screws and dowels.

Dimensions 125 x 22 x 90 mm (W x H x D)

Soap dish with drainage

**BS646**

2000056910




### WASTE DISPOSAL CHUTE

Waste disposal barrel for table top mounting, stainless steel, visible surfaces satin finished, with raised edge, opening with 127 mm inner diameter, without waste container.

Dimensions 150 x 120 mm (D x H)

**E-BS602E**

2000101106




### SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, suitable for PH neutral liquid soaps, capacity up to 400 mL, includes fixing screws.

**SDA613HP**

2030030522




### SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, surface satin finished, suitable for PH neutral liquid soaps, capacity up to 250mL liquid soap, push button on front with black valve, includes stainless steel screws and dowels.

Dimensions 64 x 200 x 88 mm (W x H x D)

**FRK502002**

2030034306



### CLOTHES HOOK

Double cloth hook for wall mounting, stainless steel, surface satin finished, two drilled holes for fixation, includes stainless steel screws and dowels.


**CHR690**

2000057150

Also available in Stainless Steel grade **316L**

# ACCESSORIES

## General



### STRATOS CLOTHES HOOK

Hook for wall mounting, stainless steel, surface satin finished, 17 mm pipe diameter, drilled hole on bottom for fixation, includes stainless steel screws and dowels.

Dimensions 18 x 38 x 60 mm (W x H x D)


**STRX692**

2000057979

CLOTHES HOOK HOOK WITH DOOR STOPPER

**FRK10233**

2030016320




### STRATOS CLOTHES HOOK

Double hook for wall mounting, stainless steel, surface satin finished, 18 mm pipe diameter, drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Dimensions 69 x 18 x 60 mm (W x H x D)

**STRX694**

2000057985




### COAT HOOK WITH DOOR STOPPER

Single coat hook with door stopper, for wall mounting, stainless steel, surface satin finished, rubber door stopper at front end and steel plate at rear end, drilled hole on bottom for fixation, includes stainless steel screws and dowels.

**FRK10233**

2030016320



### ROBE HANGER - 3 HOOKS

Robe hanger, 3 Hooks (vandal resistant) is made of stainless steel sheet Grade EN 1.4301 (304), material thickness is 1.2mm, surface satin finished. Includes SS security screws and brass dowels. Special key is also supplied by manufacturer.

**FRK10112**

2000106590

Also available in Stainless Steel grade **316L**




**UTILITY SHELF WITH MOP HOLDER**

Utility shelf with mop holder, 3x anti-slip mop holders (spring-loaded rubber cam) and 4x SS hooks, for wall mounting, stainless steel, surface satin-finished, 1.2mm material thickness for shelf, hooks and wall-mounted plate, shelf front edge is hemmed for safety, incl. stainless steel screws and dowels.

**FRK207008**

2030029994

Also available in Stainless Steel grade **316L**




**BABY CHANGING UNIT**

Constructed of polypropylene and a unibody steel chassis, this baby changing station supports 90kg / 200 lbs with minimal deflection. The steel-on-steel hinge has greater resistance to wear and improved durability and the gas spring mechanism ensures smooth open and close of the unit. Its sleek design and color palette matches modern restroom design and décor. The dual liner cavity with lock minimizes operator refills and discourages potential vandalism. The product includes child protection straps and bag hooks. ASTM and EN compliant. Meets ADA requirements when mounted properly. Bed surface exclusively contains Microban® antimicrobial, reducing odor causing bacteria. Liner dispenser features two liner cavities. Each cavity holds 25 liners, for a combined total of 50 liners per unit. Constructed with 16% recycled materials; contributes to LEED certified building requirements. Grey Color.



**FRKKB200-01**

2000106648



# ACCESSORIES

## General



### BABY CHANGING UNIT

Type 304 stainless steel veneer panel integrates with other satin-finish accessories in the washroom, constructed of polypropylene and a unibody steel chassis, this baby changing station supports 90kg / 200 lbs with minimal deflection. The steel-on-steel hinge has greater resistance to wear and improved durability and the gas spring mechanism ensures smooth open and close of the unit. Its sleek design and color palette matches modern restroom design and décor. The dual liner cavity with lock minimizes operator refills and discourages potential vandalism. The product includes child protection straps and bag hooks. ASTM and EN compliant. Meets ADA requirements when mounted properly. Bed surface exclusively contains Microban® antimicrobial, reducing odor causing bacteria. Liner dispenser features two liner cavities. Each cavity holds 25 liners, for a combined total of 50 liners per unit. Constructed with 16% recycled materials; contributes to LEED certified building requirements.

FRKKB200-SS-01

2000106649




### BABY CHANGING UNIT

Polyethylene surface mounted vertical baby changing station. Full length steel-on-steel hinges with 11 gauge steel mounting bracket eliminating plastic wear points and providing superior child protection and durability. Gas spring mechanism ensures smooth open and close. Built-in liner cavity and two bag hooks. Includes child safety straps. Bed surface exclusively contains Microban® antimicrobial, reducing odor causing bacteria. Constructed with 46% recycled materials; contributes to LEED certified building requirements.

FRKKB101-01

2000106650






**CHILD PROTECTION SEAT**

Koala polyethylene surface mounted vertical baby changing station. Full length steel-on-steel hinges with 11 gauge steel mounting bracket eliminating plastic wear points and providing superior child protection and durability. Gas spring mechanism ensures smooth open and close. Built-in liner cavity and two bag hooks. Includes child safety straps. Bed surface exclusively contains Microban® antimicrobial, reducing odor causing bacteria. Liner dispenser holds 20 liners. Constructed with 46% recycled materials; contributes to LEED certified building requirements. Grey color.

**FRKKB102-01**

2000106651




**BABY CHANGING, RECESSED**

Recess mounted, horizontal polyethylene baby changing station with stainless steel flange. Full length steel-on-steel hinges with 11 gauge steel mounting bracket eliminating plastic wear points and providing superior child protection and durability. Gas spring mechanism ensures smooth open and close. Built-in liner cavity and two bag hooks. Includes child safety straps. Bed surface exclusively contains Microban® antimicrobial, reducing odor causing bacteria. ASTM compliant. Meets ADA requirements when mounted properly. Liner dispensers holds 15 liners. Constructed with 48% recycled materials; contributes to LEED certified building requirements. Grey color.

**FRKKB100-ST-01**

2000106652





## Accessories



Franke's assortment of 304 Stainless Steel Accessories puts the finishing touches to a perfectly matching range of designs. Each range is created with different styles in mind, making it easy for a designer to integrate these accessories with almost any kind of design concept.

### **Features of the range:**

- Each accessory range has fashioned an exclusive range of taps and shower system
- All accessories are available in satin and high-polished finish.
- Installation accessories included

# HOTEL AND RESIDENTIAL

## MEDIUS Accessories



### MEDIUS INDIVIDUAL TOWEL RAIL


Single towel rail for wall mounting, 304 stainless steel, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 54 x 85 mm (W x H x D)

**MEDX001HP** ..... 2000106243

Surface satin finished

**MEDX001** ..... 2000106242



### MEDIUS DOUBLE TOWEL RAIL



Double towel rail for wall mounting, 304 stainless steel, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 54 x 125 mm (W x H x D)

**MEDX002HP** ..... 2000106245

Surface satin finished

**MEDX002** ..... 2000106244



### MEDIUS DOUBLE TOWEL RAIL RACK

Double towel rack in combination of towel shelf and rail for wall mounting, 304 stainless steel, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 120 x 220 mm (W x H x D)

**MEDX012HP** ..... 2000106257

Surface satin finished

**MEDX012** ..... 2000106256



### MEDIUS TOWEL ARM


Towel arm for wall mounting, 304 stainless steel, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 238 x 54 x 70 mm (W x H x D)

**MEDX004HP** ..... 2000106247

Surface satin finished

**MEDX004** ..... 2000106246

**MEDIUS TOWEL RING**


Towel ring for wall mounting, 304 stainless steel, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 177 x 198 x 65 mm (W x H x D)

**MEDX104HP** ..... 2000106385

Surface satin finished

**MEDX104** ..... 2000106384

**MEDIUS TUMBLER HOLDER**


Tumbler holder for wall mounting, 304 stainless steel, glass cup, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 70 x 100 x 105 mm (W x H x D)

**MEDX006HP** ..... 2000106251

Surface satin finished

**MEDX006** ..... 2000106250

**MEDIUS SOAP TRAY**


Soap dish for wall mounting, 304 stainless steel, glass dish, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 110 x 55 x 125 mm (W x H x D)

**MEDX007HP** ..... 2000106253

Surface satin finished

**MEDX007** ..... 2000106252

**MEDIUS ROBE HOOK**

Single robe hook for wall mounting, 304 stainless steel, round cover to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 54 x 54 x 55 mm (W x H x D)


**MEDX010HP** ..... 2000106255

Surface satin finished

**MEDX010** ..... 2000106254

# HOTEL AND RESIDENTIAL

## MEDIUS / FIRMUS Accessories



### MEDIUS DOUBLE ROBE HOOK


Double robe hook for wall mounting, 304 stainless steel, round cover to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 75 x 54 x 70 mm (W x H x D)

**MEDX0110HP** ..... 2000106261

Surface satin finished

**MEDX0110** ..... 2000106260



### MEDIUS TOILET ROLL HOLDER


Toilet roll holder for wall mounting, 304 stainless steel, for 1 roll with max. Ø 130mm, stainless steel folding cover, round cover to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 140 x 160 x 65 mm (W x H x D)

**MEDX111HP** ..... 2000106263

Surface satin finished

**MEDX111** ..... 2000106262



### MEDIUS TOILET BRUSH HOLDER


Toilet brush holder for wall mounting, 304 stainless steel handle with nylon brush, glass cup, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 115 x 340 x 140 mm (W x H x D)

**MEDX005HP** ..... 2000106249

Surface satin finished

**MEDX005** ..... 2000106248



#### FIRMUS INDIVIDUAL TOWEL RAIL


Single towel rail for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 60 x 80 mm (W x H x D)

**FIRX001HP** ..... 2000106265

Surface satin finished

**FIRX001** ..... 2000106264



#### FIRMUS DOUBLE TOWEL RAIL


Double towel rail for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 60 x 200 mm (W x H x D)

**FIRX002HP** ..... 2000106267

Surface satin finished

**FIRX002** ..... 2000106266



#### DOUBLE TOWEL RAIL RACK


Double towel rack in combination of towel shelf and rail for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 115 x 220 mm (W x H x D)

**FIRX012HP** ..... 2000106281

Surface satin finished

**FIRX012** ..... 2000106280



#### FIRMUS TOWEL ARM

Towel arm for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 260 x 60 x 65 mm (W x H x D)


**FIRX004HP** ..... 2000106271

Surface satin finished

**FIRX004** ..... 2000106270

# HOTEL AND RESIDENTIAL

## FIRMUS Accessories




### FIRMUS TOWEL RING

Towel ring for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 187 x 210 x 65 mm (W x H x D)

**FIRX104HP** ..... 2000106283

Surface satin finished  
**FIRX104** ..... 2000106282




### FIRMUS TUMBLER HOLDER

Tumbler holder for wall mounting, 304 stainless steel, glass cup, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 70 x 103 x 105 mm (W x H x D)

**FIRX006HP** ..... 2000106275

Surface satin finished  
**FIRX006** ..... 2000106274




### FIRMUS SOAP TRAY

Soap dish for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 140 x 60 x 125 mm (W x H x D)

**FIRX107HP** ..... 2000106285

Surface satin finished  
**FIRX107** ..... 2000106284




### FIRMUS ROBE HOOK

Single robe hook for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 60 x 60 x 54 mm (W x H x D)

**FIRX010HP** ..... 2000106279

Surface satin finished  
**FIRX010** ..... 2000106278

**FIRMUS DOUBLE ROBE HOOK**


Double robe hook for wall mounting, 304 stainless steel, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 75 x 60 x 69 mm (W x H x D)

**FIRM0110HP** ..... 2000106287

Surface satin finished

**FIRM0110** ..... 2000106286

**FIRMUS TOILET ROLL HOLDER**


Toilet roll holder for wall mounting, 304 stainless steel, for 1 roll with max. Ø 130mm, stainless steel folding cover, round covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 140 x 162 x 65 mm (W x H x D)

**FIRM111HP** ..... 2000106289

Surface satin finished

**FIRM111** ..... 2000106288

**FIRMUS TOILET BRUSH HOLDER**

Toilet brush holder for wall mounting, 304 stainless steel handle with nylon brush, glass cup, round covers to conceal the fixing of screws, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 115 x 340 x 140 mm (W x H x D)


**FIRM005HP** ..... 2000106273

Surface satin finish

**FIRM005** ..... 2000106272

# HOTEL AND RESIDENTIAL

## VENUS Accessories



### VENUS SINGLE TOWEL RAIL

VENX001HP Single towel rail for wall mounting, 304 stainless steel, drilled hole on bottom for fixation, incl. stainless steel screws and dowels.


Surface: high polished

Dimensions 610 x 30 x 78 mm (W x H x D)

**VENX001HP** ..... 2000106323

Surface satin finished

**VENX001** ..... 2000106322



### VENUS DOUBLE TOWEL RAIL

Double towel rail for wall mounting, 304 stainless steel, drilled hole on bottom for fixation, incl. stainless steel screws and dowels.


Surface: high polished

Dimensions 610 x 30 x 120 mm (W x H x D)

**VENX002HP** ..... 2000106325

Surface satin finished

**VENX002** ..... 2000106324



### VENUS TRIPLE TOWEL RACK

Triple towel rack for wall mounting, 304 stainless steel, drilled hole in bottom for fixation, incl. stainless steel screws and dowels.


Surface: high polished

Dimensions 610 x 30 x 210 mm (W x H x D)

**VENX312HP** ..... 2000106343

Surface satin finished

**VENX312** ..... 2000106342



### VENUS TOWEL ARM


Towel arm for wall mounting, 304 stainless steel, drilled hole on bottom for fixation, incl. stainless steel screws and dowels. Surface: high polished

Dimensions 270 x 30 x 70 mm (W x H x D)

**VENX004HP** ..... 2000106329

Surface satin finished

**VENX004** ..... 2000106328



**VENUS TUMBLER HOLDER**


Tumbler holder for wall mounting, 304 stainless steel, square glass cup, drilled holes on bottom for fixation, incl. stainless steel screws and dowels. Surface: high polished

Dimensions 68 x 85 x 98 mm (W x H x D)

**VENX006HP** ..... 2000106333

Surface satin finished

**VENX006** ..... 2000106332



**VENUS SOAP DISH**


Soap dish for wall mounting, 304 stainless steel, square glass dish, drilled holes on bottom for fixation, incl. stainless steel screws and dowels. Surface: high polished

Dimensions 98 x 47 x 113 mm (W x H x D)

**VENX007HP** ..... 2000106335

Surface satin finished

**VENX007** ..... 2000106334



**VENUS SINGLE ROBE HOOK**

VENX010HP Single robe hook for wall mounting, 304 stainless steel, drilled hole on bottom for fixation, incl. stainless steel screws and dowels.

Surface high polished

Dimensions 30 x 65 x 50 mm (W x H x D)


**VENX010HP** ..... 2000106337

Surface satin finished

**VENX010** ..... 2000106336

# HOTEL AND RESIDENTIAL

## CUBUS Accessories



### CUBUS INDIVIDUAL TOWEL RAIL


Single towel rail for wall mounting, 304 stainless steel, square covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 54 x 80 mm (W x H x D)

**CUBX001HP** ..... 2000106345

Surface satin finished

**CUBX001** ..... 2000106344



### CUBUS DOUBLE TOWEL RAIL


Double towel rail for wall mounting, 304 stainless steel, square covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 54 x 125 mm (W x H x D)

**CUBX002HP** ..... 2000106347

Surface satin finished

**CUBX002** ..... 2000106346



### CUBUS DOUBLE TOWEL RAIL


Double towel rack in combination of towel shelf and rail for wall mounting, 304 stainless steel, square covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 600 x 122 x 220 mm (W x H x D)

**CUBX012HP** ..... 2000106361

Surface satin finished

**CUBX012** ..... 2000106360



### CUBUS TOWEL ARM


Towel arm for wall mounting, 304 stainless steel, square covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 262 x 54 x 85 mm (W x H x D)

**CUBX004HP** ..... 2000106351

Surface satin finished

**CUBX004** ..... 2000106350




### CUBUS TUMBLER HOLDER

Tumbler holder for wall mounting, 304 stainless steel, square glass cup, square cup with drilled holes on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 127 x 85 x 115 mm (W x H x D)

**CUBX006HP** ..... 2000106355

Surface satin finished  
**CUBX006** ..... 2000106354




### CUBUS SOAP TRAY

Soap dish for wall mounting, 304 stainless steel, glass dish, square covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 147 x 54 x 135 mm (W x H x D)

**CUBX007HP** ..... 2000106357

Surface satin finished  
**CUBX007** ..... 2000106356




### CUBUS ROBE HOOK

Single robe hook for wall mounting, 304 stainless steel, square covers with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 54 x 54 x 60 mm (W x H x D)

**CUBX010HP** ..... 2000106359

Surface satin finished  
**CUBX010** ..... 2000106358



### CUBUS TOILET ROLL HOLDER


Toilet roll holder for wall mounting, 304 stainless steel, for 1 roll with max. Ø 130mm, stainless steel folding cover, square cover with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
Dimensions 165 x 54 x 179 mm (W x H x D)

**CUBX111HP** ..... 2000106363

Surface satin finished  
**CUBX111** ..... 2000106362

# HOTEL AND RESIDENTIAL





**CUBUS TOILET BRUSH HOLDER**

Toilet brush holder for wall mounting, 304 stainless steel handle with nylon brush, square glass cup, square cover with drilled hole on bottom for fixation, inclusive stainless steel screws and dowels.

Surface high polished  
 Dimensions 147 x 340 x 135 mm (W x H x D)

**CUBX005HP** ..... 2000106353

Surface satin finished  
**CUBX005** ..... 2000106352




**GRAB BAR**

Grab bar for wall mounting, 304 stainless steel, Ø 25mm pipe, easy grip surface, round covers to conceal the fixing of screws.

Surface high polished  
Dimensions 411 x 55 x 77 mm (W x H x D)

**MISX30014HP** ..... 2000106377





**ANGLE GRAB BAR**

135° angle grab bar for wall mounting, 304 stainless steel, Ø 25mm pipe, easy grip surface, round covers to conceal the fixing of screws.

Surface high polished  
Dimensions 512 x 55 x 77 mm (W x H x D)

**MISX30218HP** ..... 2000106379




**GRAB BAR**

Grab bar for wall mounting, 304 stainless steel, Ø 25mm pipe, easy grip surface, round covers to conceal the fixing of screws.

Surface high polished  
Dimensions 500 x 240 x 77 mm (W x H x D)

**MISX30118HP** ..... 2000106378



**CORNER BASKET**

Corner basket for wall mounting, 304 stainless steel, used for shower or bath, inclusive stainless steel screws and dowels.


Surface high polished  
Dimensions 205 x 50 x 205 mm (W x H x D)

**MISX2009HP** ..... 2000106380

Surface satin finished  
**MISX2009** ..... 2000106194

# HOTEL AND RESIDENTIAL

## Accessories



### SQUARE BASKET

Square basket for wall mounting, 304 stainless steel, used for shower or bath, incl. stainless steel screws and dowels. Surface: satin finished

Dimensions 150 x 50 x 95 mm (W x H x D)

**MISX0009** ..... 2000106193

Surface high polished


**MISX0009HP** ..... 2000106381



### SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, suitable for PH neutral liquid soaps, capacity up to 400 mL, includes fixing screws.

**SDA613HP** ..... 2030030522



### Pedal Bin

Pedal Waste Bin with Lid, Stainless Steel SUS 410, surface high-polished finish, material thickness 0.3mm, interior with plastic bucket.


**3L Pedal Bin** ..... 2030033150



**6L Pedal Bin** ..... 2030033151

**12L Pedal Bin** ..... 2030033152

**20L Pedal Bin** ..... 2030033153

**40L Pedal Bin** ..... 2030033154






### SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, surface satin finished, suitable for PH neutral liquid soaps, capacity up to 250mL liquid soap, push button on front with black valve, includes stainless steel screws and dowels.

Dimensions 64 x 200 x 88 mm (W x H x D)

**FRK502002**

2030034306




### CLOTHESLINE RETRACTABLE

Clothesline, Retractable, Stainless Steel SUS 304, surface high-polished finish.

**FRK510001**

2030035325



# CONTINA

## Mobility aids

96 — 97


### Features of the range:

- Stability you can rely on (TÜV / LGA inspection marks)
- With an ergonomically pleasant diameter of approx. 32 mm
- Cover rosettes in chromium nickel steel with concealed mounting
- Mounting plates attached in an easy-to-install way
- Long service life
- Ergonomic white seats
- Special designs and individual items with short delivery times

**Mounting only suitable for concrete masonry.**

# CONTINA

## Mobility aids




### CONTINA STRAIGHT GRAB RAIL

Grab rail for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, wall distance 82 mm, with two stainless steel covers for hidden mounting, includes stainless steel screws and dowels.

Type 300 mm

Dimensions 378 x 78 x 82 mm (W x H x D)

<b>CNTX300W</b>	2030033995
Type 350 mm	
<b>CNTX350W</b>	2030034492
Type 400 mm	
<b>CNTX400W</b>	2030034493
Type 450 mm	
<b>CNTX450W</b>	2030033978
Type 500 mm	
<b>CNTX500W</b>	2030034496
Type 550 mm	
<b>CNTX550W</b>	2030033999
Type 600 mm	
<b>CNTX600W</b>	2030032985
Type 650 mm	
<b>CNTX650W</b>	2030034497
Type 700 mm	
<b>CNTX700W</b>	2030034000
Type 750 mm	
<b>CNTX750W</b>	2030033997
Type 800 mm	
<b>CNTX800W</b>	2030034498
Type 850 mm	
<b>CNTX850W</b>	2030034499
Type 900 mm	
<b>CNTX900W</b>	2030033990
Type 950 mm	
<b>CNTX950W</b>	2030034500
Type 1065 mm	
<b>CNTX1065W</b>	2030033988
Type 1000 mm	
<b>CNTX1000W</b>	2030034501
1050 mm version	
<b>CNTX1050W</b>	2030034502
Type 1100 mm	
<b>CNTX1100W</b>	2030033994




### CONTINA 90° ANGLE GRAB RAIL, LEFT

90° angle grab rail for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, wall distance 82 mm, with three stainless steel covers for hidden mounting, includes stainless steel screws and dowels.

Type left

Dimensions 678 x 1328 x 82 mm (W x H x D)

<b>CNTX20WL</b>	2030038220
Type right	
<b>CNTX20WR</b>	2030038221
Type left	
<b>CNTX22WL</b>	2030038223
Type right	
<b>CNTX22WR</b>	2030038225



**CONTINA 90° ANGLE GRAB RAIL, RIGHT**

90° angle grab rail for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, wall distance 82 mm, with three stainless steel covers for hidden mounting, includes stainless steel screws and dowels.


Type right  
Dimensions 678 x 1328 x 82 mm (W x H x D)

**CNTX20WR** ..... 2030038221

Type right  
**CNTX20WL** ..... 2030038220

Type left  
**CNTX22WR** ..... 2030038225

Type left  
**CNTX22WL** ..... 2030038223




**CONTINA 90° ANGLE GRAB RAIL**

90° angle grab rail for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, wall distance 82 mm, with two stainless steel covers for hidden mounting, incl. stainless steel screws and dowels.

Dimensions 493 x 493 x 82 mm (W x H x D)

**CNTX21W** ..... 2030038226



**CONTINA 135° ANGLE GRAB RAIL**

Angle Grab Rail, 135° angle grab rail for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, wall distance 82 mm, with two stainless steel covers for hidden mounting, inclusive stainless steel screws and dowels.

Dimensions 696 x 334 x 82 mm (W x H x D)

**CNTX700WA** ..... 2030037502

# CONTINA

## Mobility aids




### CONTINA SIDE BAR, LEFT

Side Bar for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, with three stainless steel covers for hidden mounting, improved stability due to three fixing points, includes stainless steel screws and dowels.

Type left  
Dimensions 205 × 205 × 850 mm (W x H x D)

**GNTX40WL** 2030038229





### CONTINA SIDE BAR, LEFT

Side bar for wall and floor mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, with three stainless steel covers for hidden mounting, improved stability due to three fixing points, incl. stainless steel screws and dowels.

Type left  
Dimensions 205 × 839 × 839 mm (W x H x D)

**GNTX31WL** 2030038237





### CONTINA 90° ANGLE TWO WAY BAR, LEFT

90° angle two way bar for wall mounting, horizontal and vertical, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, wall distance 82 mm, with four stainless steel covers for hidden mounting, incl. stainless steel screws and dowels.

Type left

Dimensions 806 × 983 × 726 mm (W x H x D)


**CNTX50WL**

2030038227

Right-hand version

**CNTX50WR**

2030038228




### CONTINA HORIZONTAL CORNER BAR

Horizontal corner bar for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, wall distance 82 mm, with three stainless steel covers for hidden mounting, incl. stainless steel screws and dowels.

Dimensions 726 × 78 × 726 mm (W x H x D)

**CNTX52W**

2030036235



### CONTINA FOLDABLE GRAB RAIL

CNTX73A Foldable grab rail with toilet roll holder for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, integrated toilet roll holder, prevention against unmeant folding, gum rubber stop absorber, inspected and certified product, 4 mm thick mounting plate with three fixing holes, inclusive stainless steel screws and dowels.

Lenght 850 mm

Complying with Norm ÖNORM B 1600:2011 (when upfolded, bar shows max. 20cm towards room)


**CNTX73A**

 2000103669

Dimensions 100 × 249 × 700 mm (W x H x D)

**CNTX70C**

 2000057751



### CONTINA FOLDABLE GRAB RAIL

Foldable grab rail without toilet roll holder for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, prevention against unmeant folding, gum rubber stop absorber, inspected and certified product, 4 mm thick mounting plate with three fixing holes, inclusive stainless steel screws and dowels.

Lenght 850 mm

Complying with Norm ÖNORM B 1600:2011 (when upfolded, bar shows max. 20cm towards room)

**CNTX73B**

 2000103670

Dimensions 100 × 250 × 700 mm (W x H x D)

**CNTX70D**

 2000057752


Dimensions 100 × 250 × 600 mm (W x H x D)

**CNTX70E**

 2000057753

# CONTINA

## Mobility aids




### CONTINA FOLDABLE GRAB RAIL

Foldable grab rail with flushing button for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, integrated toilet roll holder, pneumatic flush button in front area, flush button optional on right or left side, prevention against unmeant folding, gum rubber stop absorber, inspected and certified product, 4 mm thick mounting plate with three fixing holes, included flushing mechanism contains 2 m pneumatic tube and set for assembling to Geberit cistern, inclusive stainless steel screws and dowels.

**CNTX70G**

 2030040945




### CONTINA BACK SUPPORT

Back support for wall mounting, stainless steel, surface satin finished, 32 mm pipe diameter, material thickness 1.2 mm, 150 mm dimension to wall, prefixed back support made of white polyethylene, plastic rubber stop absorber, with four stainless steel covers for hidden mounting, incl. stainless steel screws and dowels.

Dimensions 586 × 328 × 153 mm (W x H x D)

**CNTX400WE**

2030038260



### CONTINA FOLDABLE SHOWER SEAT

Foldable shower seat for wall mounting, stainless steel, surface satin finished, 32 mm pipe diameter, material thickness 1.2 mm, mounting through eight drilling holes, two prefixed white seat battens made of polyethylene, inclusive stainless steel screws and dowels.

**CNTX400A**

2000057738




### CONTINA FOLDABLE SHOWER SEAT WITH BACK

Foldable shower seat with back support for wall mounting, stainless steel, surface satin finished, 32 mm pipe diameter, material thickness 1.2 mm, two prefixed white seat battens and one back support made of polyethylene, with four stainless steel covers for hidden mounting, incl. stainless steel screws and dowels.

Dimensions 484 x 477 x 529 mm (W x H x D)

**CNTX400WF**

2030037145



### CONTINA SHOWER SEAT

Hanging shower seat manufactured from grade EN 1.4301 (304) stainless steel, no grab rail included. Anti theft device. Seating and back: white battens made from polyethylene.

**CNTX400WB**

2030041144



### CONTINA BACK SUPPORT


Hanging back support manufactured from grade EN 1.4301 (304) stainless steel, no grab rail included. Anti theft device. Back: white battens made from polyethylene.

**CNTX400WC**

2030041161

# CONTINA

## Mobility aids




### CONTINA SHOWER HEAD HOLDER

Showerhead holder to be mounted on grab rails with 32 mm diameter, chrome-plated ABS plastic, suitable for retrofit installation.

Dimensions 183 x 65 x 66 mm (W x H x D)

**CNTX268**

2030038268



### BACK REST (PHENOLIC)

Back support for wall mounting, stainless steel, surface satin finished, 32 mm pipe diameter, material thickness 1.2 mm, 247 mm dimension to wall, prefixed back support made of grey phenolic plate, with two stainless steel covers for hidden mounting, incl. stainless steel screws and dowels.

Dimensions 383 x 102 x 248 mm (W x H x D)

**FRK10203**

2030015795




### SOAP DISPENSER (SPECIAL NEEDS)

Soap dispenser for special needs, stainless steel, surface satin finished, equipped with a small front handle, recessed-mounting.

**SDA238**

2030033737





### Doc M Pack Basic

Set of Doc M Basic grab rails for wall mounting, stainless steel, surface satin finished, rough polishing for better surface feel, 32 mm pipe diameter, material thickness 1.2 mm, incl. stainless steel screws and dowels.

This Doc M Pack Basic contains:

- 1 pc CNTX73B Foldable grab rail
- 3 pcs CNTX600W Straight grab rail 600mmL
- 1 pc Backrest rail with cushion back rest

**FRK309001**


2030034006



### Phenolic Shower Seat

Foldable shower seat for wall mounting, stainless steel, surface satin finished, 32 mm pipe diameter, material thickness 1.2 mm, mounting through eight drilling holes, with prefixed seat batten made of white phenolic, incl. stainless steel screws and dowels.

484 x 93 x 526 mm (W x H x D)



**FRK307009**

2030015108

# MIRANIT

## Sturdy and elegant

Sanitary fixture products made of shatter-proof and synthetic resin-bonded mineral granite are excellently suited to the modern and – at the same time – aesthetically pleasing interior design of sanitary facilities. Literally created from a single cast, MIRANIT products made without any bond seams or joints cut an impressive figure due to properties such as high stability, an elegant appearance and – thanks to the smooth, pore-free, hygienic and easy-care gel coat surface – outstanding resistance.

MIRANIT stands for the stable compound consisting of approximately 80% natural minerals – such as marble powder, sandstone and quartz sand – and approximately 20% high-quality unsaturated polyester resin. Quartz is one of the hardest materials and makes up a large part of the Earth's crust. The final product is highly stable, yet is also extremely fluid when manufactured in conjunction with the unsaturated polyester resin.

This particular property means that the synthetic resin-bonded mineral material can also be used to create products of almost any shape with a minimal material thickness too. It can be used to create new, flat, delicate-looking yet shatter-proof washbasins and multiple washing facilities that can cope with the harshest conditions found in the sanitary facilities of public and commercial premises.



# Benefits compared with sanitary ceramics

106 — 107

Sanitary products manufactured under the brand name MIRANIT can be classed under the generic term “cast mineral products”. So, when compared with ceramic products, MIRANIT products inevitably have the following advantages:

- Higher stability in terms of impact resistance and being shatter-proof.
- Clear design language due to very even surfaces and small radii.
- Recessed washbasins measuring up to 3.60 m in total can be installed.
- Surface damage can be mended with special repair kits.



- ① High level of stability with thin material thickness
- ② Tub trough has outstanding shape retention
- ③ Minimal radii for new design approaches
- ④ Clearly contoured lip



- ① MIRANIT- shatter-proof composite material consisting of natural minerals and unsaturated polyester resin
- ② Hygienic surface; temperature-resistant up to 80°C
- ③ Smooth, pore-free gel coat layer polished to a high gloss
- ④ Length of recessed washbasins can be adapted at the customer's premises with an angle grinder

# MIRANIT

## Cleaning and care

Both the essential components used as well as the special strength they provide are father to the name given to our washbasins made of mineral granite composite.

MIRANIT products are enveloped by a high-gloss, pore-free, hygienic surface. This chromophoric polyester resin coating (the so-called "gel coat") has excellent properties against physical and chemical stress, such as high impact and abrasion strength, high colour stability and high resistance to water temperatures up to 65°C, plus it is resistant to weak acids and alkaline solutions.

Similarly, higher water temperatures, such as those encountered during thermal disinfection, have no detrimental effects on gel coat surfaces in the standard colour Alpine White. Tests confirm that it is resistant up to 80°C for an exposure period of 20 minutes.

The gel coat surface is dirt repellent and particularly easy to clean. In most cases, a damp cloth is all you need to clean the washbasins, multiple washing facilities and cleaning basins.

Tougher stains can be removed with mild, non-abrasive cleaning agents. This also applies to colour pencil traces, shoe polish, ink, iodine solution and lipstick. Stains that could result from cigarette ash, for example, can be removed with a polishing paste.

For a long-lasting shine, it is advisable to occasionally rub MIRANIT fixture products with commercially available car polish and then to immediately repolish the treated surfaces.



## Tried, tested and approved

Manufactured in Germany, MIRANIT products meet the stringent requirements set down in the ECPA guideline and guarantee a long service life for the user. ECPA is an association of leading cast mineral manufacturers in Europe with high quality standards that are regularly monitored by an independent institute.

### Material test results



Specific weight / density	1.7 g/cm <sup>3</sup>	Internal test
Bending strength	20 ± 5 N/mm <sup>2</sup>	Internal test based on DIN EN 1433
Pressure resistance	70 ± 5 N/mm <sup>2</sup>	Internal test based on DIN EN 1433
Resistance to dry heat	No visible changes at 70°C	EN 12722 LGA
Resistance to cigarette ash	Yellowish change in colour; can be removed by grinding and polishing	IAPMO based on Ansi Z 124.3.2005
Flame retardancy	Condition B2 met (normally flammable)	DIN 4102 Part 1
Global migration of dest. water (emission of harmful substances)	< 1.0 mg/dm <sup>2</sup> (limit value 3 mg / dm <sup>2</sup> )	DIN EN 1186-3/9
Colour migration	Colour fast	Recommendation made by the Federal stitute for Risk Assessment B II IX
Cold / hot water cycle test 15°C - 70°C 1000 cycles	No visible changes	Internal test based on DIN 14688
Maximum temperature resistance in the case of standard colours	80°C hot water	Internal test
Impact stress	35 N without visible damage	Based on DIN 438, Part 2, Point 11
Scratch stress	0.4 N	Based on DIN 68861 or DIN 438, Part 2, Point 14
Water absorption after 24h	<0.1%	DIN 52103
Disposal	Waste code no. 170107	Mixture of concrete, brick, tiles and ceramic (domestic waste)
Abrasion test at 500 cycles	Abrasion by weight 0.6 g Volumetric abrasion 0.47 cm <sup>3</sup>	DIN 53799 or DIN 53754
Ball drop test	No spalling, cracks or dents	IAPMO based on Ansi Z 124.3 - 2005
Resistance to stains / cleaning agents / chemicals / cosmetics	Tested and available as a separate list from the manufacturer	DIN EN 14688

Any damage to the surface can be mended so it is almost invisible with repair kits (see table).

Alpine White repair kit for manual repair	2000103853
Alpine White repair kit for disc sanders	2000103854

# WASH PLACES

## MIRANIT



### EXOS. SINGLE WASHBASIN

Exos single wash basin made of MIRANIT, resin-bonded mineral composite, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless molded bowl, no overflow and lowered faucet ledge with faucet hole 1 3/8 in. (35 mm) diameter. Mounting material and waste cover with InoxPlus coating included.

Wheelchair accessible: meets ADA (Americans with disabilities act guidelines), ANSI A117.1 (Accessible and usable buildings and facilities), and CSA B651-04 (Accessible design for the built environment). Check local codes to ensure compliance.

Required waste (sold separately) 125GWK-MOD

Colour: Alpine white

Wash basin dimensions (W x H x D)

23 5/8 x 4 15/16 x 19 11/16 in.

600 x 125 x 500 mm

Bowl dimensions (W x H x D)

14 15/16 x 3 9/16 x 13 3/8 in.

380 x 90 x 340 mm



#### ANMW0010



Dimensions 900 x 125 x 500 mm (W x H x D)

recess dimensions 500 x 90 x 340 mm (W x H x D)

#### ANMW0011



### EXOS. SINGLE WASHBASIN

Exos single wash basin made of MIRANIT, resin-bonded mineral composite, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless molded bowl, no overflow and lowered faucet ledge with faucet hole 1 3/8 in. (35 mm) diameter. Mounting material and waste cover with InoxPlus coating included.

Required waste fitting (sold separately) 125GWK-MOD

Wheelchair accessible: meets ADA (Americans with disabilities act guidelines), ANSI A117.1 (Accessible and usable buildings and facilities), and CSA B651-04 (Accessible design for the built environment). Check local codes to ensure compliance.

Colour: Alpine white

Wash basin dimensions (W x H x D)

35 7/16 x 4 15/16 x 19 11/16 in.

900 x 125 x 500 mm

Bowl dimensions (W x H x D)

19 11/16 x 3 9/16 x 13 3/8 in.

500 x 90 x 340 mm



#### ANMW0011



Dimensions 600 x 125 x 500 mm (W x H x D)

recess dimensions 380 x 90 x 340 mm (W x H x D)

#### ANMW0010



### EXOS. SINGLE WASHBASIN, BARRIER-FREE

Single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waster cover with InoxPlus coating included.

Colour Alpine white

Washbasin 600 x 125 x 500 mm (W x H x D)

Bowl 380 x 90 x 340 mm (W x H x D)

#### ANMW0001




Dimensions 900 x 125 x 500 mm (W x H x D)

recess dimensions 500 x 90 x 340 mm (W x H x D)

#### ANMW0002





## EXOS. SINGLE WASHBASIN, BARRIER-FREE

Single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included.

Colour Alpine white

Washbasin 900 x 125 x 500 mm (W x H x D)

Bowl 500 x 90 x 340 mm (W x H x D)

**ANMW0002**


2030020673

Dimensions 600 x 125 x 500 mm (W x H x D)

recess dimensions 380 x 90 x 340 mm (W x H x D)

**ANMW0001**

2030020667



## EXOS. HAND WASHBASIN, BARRIER-FREE

Hand washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material included.

Colour Alpine white

Washbasin 500 x 121 x 400 mm (W x H x D)

Bowl 280 x 90 x 274 mm (W x H x D)

**ANMW0003**

2030020676

Optional accessories

Strainer waste G 1 1/4 B

**ZANMW901**

2000100854


Dome waste valve G 1 1/4 B

**ZANMW900**

2000100861

# WASH PLACES

## MIRANIT



### EXOS. WASHBASIN SOLUTION - WHEELCHAIR ACCESSIBLE

Washbasin solution, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Individual washbasin length up to 3600 mm, with/without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.

Minimum dimensions: 780 x 125 x 500 mm (W x H x D) (bowl 380 mm)  
 Minimum dimensions: 900 x 125 x 500 mm (W x H x D) (bowl 500 mm)

#### Bowl:

- 380 x 90 x 340 mm
- 500 x 90 x 340 mm

#### Manufacturing dimension:

Washbasin length: ..... mm (max. 3600 mm)

#### Splash back:

Rear splash back: ..... mm (min. 10 mm / max. 100 mm)

#### Holes: for

- Soap dispenser
- Stainless steel waste disposal barrel
- Waste disposal flap
- Waste disposal with Gelcoat
- Paper towel dispenser

Detailed specifications regarding type of installation will be clarified when the order is received using manufacturing specifications (available on request from Franke).





## EXOS. MULTIPLE WASHBASIN / WASHBASIN SOLUTION - STANDARD

Multiple washbasin made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. The unit has up to 5 seamless moulded bowls, no overflow and lowered tap ledge with tap hole. Variable gaps between bowls, available with/without apron or gel-coated edges. Individual washbasin length up to 3600 mm, with or without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.

Minimum dimensions: 600 x 125 x 500 mm (W x H x D) (bowl 380 mm)  
 Minimum dimensions: 700 x 125 x 500 mm (W x H x D) (bowl 500 mm)

### Bowl:

- 380 x 90 x 340 mm
- 500 x 90 x 340 mm

Number of bowls: ..... (min. 1 unit, max. 5 units)

### Manufacturing dimension:

Washbasin length: ..... mm (max. 3600 mm)

Distance between bowls: ..... mm  
 (min. 600 mm with 380 mm bowl / min. 700 mm with 500 mm bowl)

### Splash back:

Rear splash back: ..... mm (min. 10 mm / max. 100 mm)

### Apron:







- Right
- Left
- Front
- Without apron (Edges with Gelcoat)

Apron height: ..... mm (max. 150 mm)

Detailed specifications regarding type of installation and distance between bowls will be clarified when the order is received using manufacturing specifications (available on request from Franke).

# WASH PLACES

## MIRANIT



### QUADRO SINGLE WASHBASIN

QUADRO single washbasin made of MIRANIT resin-bonded mineral material, with smooth, pore-free surface (temperature-resistant up to 80°C). With seamless, rectangular bowl without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Three-sided apron. Without tap hole. Mounting material included (hanger bolts and dowels).

Colour Alpine white  
 Width of washbasin in mm 600  
 Depth of washbasin in mm 530  
 Bowl dimensions in mm 520 x 40/90 x 375 (W x H x D)

**ANMW410** ..... 2000090010

With tap hole

**ANMW411** ..... 2000090011

### QUADRO SINGLE WASHBASIN

QUADRO single washbasin made of MIRANIT resin-bonded mineral material, with smooth, pore-free surface (temperature-resistant up to 80°C). With seamless, rectangular bowl without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Three-sided apron. Mounting material included (hanger bolts and dowels).

Alpine white colour  
 Washbasin dimensions 1000 x 60 x 530 (W x H x D)  
 Bowl dimensions 580 x 40/90 x 360 (W x H x D)  
 With taphole

**ANMW416** ..... 2000101159

### QUADRO DOUBLE WASHBASIN


QUADRO double washbasin, made of MIRANIT resin-bonded mineral material with smooth, pore-free surface (temperature resistant up to 80°C). With two seamless, rectangular bowls, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Three-sided apron. Without tap holes. Mounting material included (hanger bolts and dowels).

Colour Alpine white  
 Width of washbasin in mm 1400  
 Depth of washbasin in mm 530  
 Bowl dimensions 580 x 90 x 360 mm (W x H x D)

**ANMW420** ..... 2000090012

With tap holes

**ANMW421** ..... 2000090013




## QUADRO MULTIPLE WASHBASIN

QUADRO triple washbasin, made of MIRANIT resin-bonded mineral material with smooth, pore-free surface (temperature resistant up to 80°C). With three seamless, rectangular bowls, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Three-sided apron. Without tap holes. Mounting material included (hanger bolts and dowels).

Colour Alpine white  
 Width of washbasin in mm 2100  
 Depth of washbasin in mm 530  
 Bowl dimensions 580 x 90 x 360 mm (W x H x D)

<b>ANMW430</b>	2000090014
With tap holes	
<b>ANMW431</b>	2000090015



## QUADRO NICHE WASHBASIN





QUADRO niche washbasin made of MIRANIT resin-bonded mineral material with smooth, pore-free surface (temperature-resistant up to 80°C). For installation in a recess between two walls, with lateral cuts of 90°. With one centrally positioned, seamless rectangular bowl, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Front apron. Without tap hole, mounting material included. The installer can use a disc grinder to adapt the length.

Colour Alpine White  
 Dimensions of washbasin 1300 x 60 x 530 mm (W x H x D)  
 Dimensions of bowl 580 x 40/90 x 360 mm (W x H x D)

<b>ANMW510</b>	2000100836
With tap hole	
<b>ANMW511</b>	2000100843
Without tap hole, dimension 1300 x 60 x 530 mm (W x H x D)	
<b>ANMW516</b>	2000100849
With tap hole, dimensions 1300 x 60 x 530 mm (W x H x D)	
<b>ANMW515</b>	2000100848

# WASH PLACES

## MIRANIT



### QUADRO NICHE WASHBASIN

QUADRO niche washbasin made of MIRANIT resin-bonded mineral with smooth, pore-free surface (temperature-resistant up to 80°C). For installation in a recess between two walls, with lateral cuts of 90°. With two seamless rectangular bowls, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Front apron. Mounting material included. The installer can use a disc grinder to adapt the length.

Colour Alpine White  
 Dimensions of washbasin 2100 x 60 x 530 mm (W x H x D)  
 Dimensions of bowls 580 x 40/90 x 360 mm (W x H x D)  
 Centre-to-centre distance of the bowls 700 mm  
 Without tapholes

**ANMW520** ..... 2000100850

With tap holes

**ANMW521** ..... 2000100851

### RONDA SINGLE WASHBASIN

RONDA single washbasin made of MIRANIT resin-bonded mineral material with smooth, pore-free surface (temperature-resistant up to 80°C). With seamless round bowl, flattened out at the rear, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Three-sided apron. Without tap hole. Mounting material included (hanger bolts and dowels).

Colour Alpine white  
 Width of washbasin in mm 600  
 Depth of washbasin in mm 530  
 Bowl dimensions 520 x 90 x 380 (W x H x D)

**ANMW210** ..... 2000090004

With tap holes

**ANMW211** ..... 2000090005

### RONDA DOUBLE WASHBASIN






RONDA double washbasin made of MIRANIT resin-bonded mineral material with smooth, pore-free surface (temperature-resistant up to 80°C). With two seamless round bowls, flattened out at the rear, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Three-sided apron. Without tap holes. Mounting material included (hanger bolts and dowels).

Colour Alpine white  
 Width of washbasin 1400 mm  
 Depth of washbasin 530 mm  
 Bowl dimensions 540 x 90 x 380 mm (W x H x D)

**ANMW220** ..... 2000090006

With tap holes

**ANMW221** ..... 2000090007



## RONDA MULTIPLE WASHBASIN

RONDA triple washbasin made of MIRANIT resin-bonded mineral material with smooth, pore-free surface (temperature-resistant up to 80°C). With three seamless round bowls, flattened out at the rear, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Three-sided apron. Without tap holes. Mounting material included (hanger bolts and dowels).

Colour Alpine white

Width of washbasin 2100 mm

Depth of washbasin 530 mm

Bowl dimensions 540 x 90 x 380 mm (W x H x D)

**ANMW230** ..... 2000090008

With tap holes

**ANMW231** ..... 2000090009

## RONDA NICHE WASHBASIN

RONDA niche washbasin made of MIRANIT resin-bonded mineral with smooth, pore-free surface (temperature-resistant up to 80°C). For installation in a recess between two walls, with lateral cuts of 90°. With one centrally positioned, seamless round bowl, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Front apron. Mounting material included. The installer can use a disc grinder to adapt the length.

Alpine White colour

Dimensions of bowl 540 x 40/90 x 380 mm (W x H x D)

Without taphole

Dimensions of washbasin 1300 x 60 x 530 mm (W x H x D)

**ANMW550** ..... 2000100901

With taphole

**ANMW555** ..... 2000100904

Without taphole, Dimensions 1600 x 60 x 530 mm (W x H x D)

**ANMW556** ..... 2000100905

With taphole, Dimensions 1600 x 60 x 530 mm (W x H x D)

**ANMW551** ..... 2000100902

## RONDA NICHE WASHBASIN

RONDA niche washbasin made of MIRANIT resin-bonded mineral with smooth, pore-free surface (temperature-resistant up to 80°C). For installation in a recess between two walls, with lateral cuts of 90°. With two seamless round bowls, without overflow. Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Front apron. Mounting material included. The installer can use a disc grinder to adapt the length.

Alpine White colour

Dimensions of bowls 540 x 40/90 x 380 mm (W x H x D)

Centre-to-centre distance of the bowls 700 mm

Without tapholes

Dimensions of washbasin 2100 x 60 x 530 mm (W x H x D)


**ANMW560** ..... 2000100912

With tapholes

**ANMW561** ..... 2000100913

# WASH PLACES

## MIRANIT




### DOME WASTE VALVE

Dome waste valve, stainless steel/plastic stem valve, chrome-plated plug, with strainer, connection G 1 1/4 B.

ZANMW900

2000100861



### STRAINER WASTE

Strainer waste, lower part of valve made of plastic, strainer plate made of stainless steel, diameter 55 mm, connection G 1 1/4 B.

ZANMW901

2000100854





### DRAIN AND OVERFLOW SET

Waste and overflow set DN 32, with cap, for pillar taps with pop-up waste set, for washbasins without overflow hole.

ZANMW902

2000100932





### WASHINO-2 WASH AND PLAY TROUGH FOR CHILDREN


WASHINO-2 children's wash-and-play trough made of MIRANIT resin-bonded mineral material, Alpine white colour. With 2 wash places. Wave-shaped basin, large inner and outer radii of basins, with integrated surge edge, tap landing with a tap hole for each wash place. Waste and overflow valve G 1 1/2 B as a standpipe. Integral back panel for fixing. Mounting material included.

Dimensions 1100 x 207 x 450 mm (W x H x D)

**SANW200** ..... 2000103056

Dimensions 1600 x 207 x 450 mm (W x H x D)

**SANW215** ..... 2000106654



### WASHINO-3 WASH AND PLAY TROUGH FOR CHILDREN

WASHINO Children's Wash-and-Play Trough made of MIRANIT resin-bonded mineral material, with a smooth, pore-free surface (temperature-resistant up to 80°C). Alpine white colour. Wave-shaped basins with reduced extension offers increased accessibility to the faucet. Large outer radii of basins helps minimize risk of injury while large inner radii facilitates easy cleaning. Faucet deck with 3 faucet holes, 1 3/8 in. (35 mm). Waste and overflow valve DN 40 x 120 mm implemented as a standpipe. Integral back panel for fixing. Mounting material included. Required waste fitting (sold separately) Model #100.

Overall dimensions 63 x 9 7/16 x 17 11/16 in. (W x H x D)

1600 x 240 x 450 mm


3 wash places

Bowl depth 7 7/8 in. (200 mm)

**SANW215** ..... 2000106654

Dimensions 1100 x 207 x 450 mm (W x H x D)

**SANW200** ..... 2000103056



### WASHINO-STEP WASH AND PLAY TROUGH FOR CHILDREN

WASHINO-Step children's wash-and-play trough made of MIRANIT resin-bonded mineral material, Alpine white colour. Model with basin left top/right bottom. With 4 wash places (2 wash places with a height difference of 100 mm). Wave-shaped basins, large inner and outer radii of basins, with integrated surge edge, tap landing with a tap hole for each wash place. Integrated divider with overflow function made of MIRANIT, blue colour (RAL 5002). Waste and overflow valve G 1 1/2 B as a standpipe for 2 wash places each. Each basin with one waste outlet (distance between the outlets 1000 mm). Integral back panel for fixing. Mounting material included.

Dimensions 2100 x 340 x 470 mm (W x H x D)



**SANW211** ..... 2000103058

Version with basin on the top right, bottom left.

**SANW212** ..... 2000103059

# WASH PLACES

## MIRANIT



### VARIUSCARE SINGLE WASHBASIN, BARRIER-FREE

Single wash basin VARIUScare made of MIRANIT resin-bonded mineral material. Colour Alpine white with colour strip (RAL 7022). Wheelchair accessible, with integrated gripping edge. Seamless moulded bowl, without overflow. With tap hole, integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Mounting material included.

Dimensions 650 x 120 x 550 mm (W x H x D)  
Bowl dimensions 600 x 80 x 420 mm (W x H x D)

**ANMW500** 2030020956

Dimensions 450 x 100 x 350 mm (W x H x D)  
recess dimensions 400 x 60 x 230 mm (W x H x D)

2030020962

**ANMW504**  
Dimensions 550 x 120 x 450 mm (W x H x D)  
recess dimensions 500 x 80 x 325 mm (W x H x D)

2030020959

**ANMW502**

### VARIUSCARE SINGLE WASHBASIN, BARRIER-FREE

Single washbasin VARIUScare made of MIRANIT resin-bonded mineral material. Colour Alpine white. Wheelchair accessible, with integrated gripping edge. Seamless moulded bowl, without overflow. With tap hole, integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Mounting material included.

Dimensions 650 x 120 x 550 mm (W x H x D)  
Bowl dimensions 600 x 80 x 420 mm (W x H x D)

**ANMW501** 2030020958




Dimensions 550 x 120 x 450 mm (W x H x D)  
recess dimensions 500 x 80 x 325 mm (W x H x D)

2030020961

**ANMW503**  
Dimensions 450 x 100 x 350 mm (W x H x D)  
recess dimensions 400 x 60 x 230 mm (W x H x D)

2030020963

**ANMW505**



## VARIUS WASHBASIN

Single washbasin Varius, mineral-based material with a high-gloss Gelcoat layer, colour Alpine white. Pore-free and smooth surface temperature resistance of 80°. With seamless, rectangular bowl left, without overflow. Integral back panel with integrated brackets and holes for fixing. Delivery time: 5 weeks after order confirmation.

Version left

Dimensions 800 x 350 x 150 mm

Dimensions bowl 440 x 200 x 110 mm

**ANMA0020**

 2030008456

## VARIUS WASHBASIN




Single washbasin Varius, mineral-based material with a high-gloss Gelcoat layer, colour Alpine white. Pore-free and smooth surface (temperature resistance of 80°). With seamless, rectangular bowl right, without overflow. Integral back panel with integrated brackets and holes for fixing. Delivery time: 5 weeks after order confirmation.

Dimensions 800 x 350 x 150 mm

Dimensions bowl 440 x 200 x 110 mm

**ANMA0021**

 2030008457




# WASH PLACES

## MIRANIT



Example of VARIUSmed multi-purpose wash-basin with laterally positioned bowl



### VARIUSMED MULTI-PURPOSE BASIN

made of MIRANIT resin-bonded mineral material, with a non-porous smooth surface (temperature resistant up to 80°C) coated all around. Alpine white colour.

With up to 2 seamlessly integrated bowls with large inner radii, without overflow. Variable bowl spacing. Splash-guard edge front and back.

With tube overflow DN 40 x 200 mm. Including fastening material (screws, dowels, wall bracket, consoles).

Bowl dimensions (WxHxD): 600x500x500 mm

#### When using stainless steel consoles:

Dimensions (WxHxD): 800 - 3200x375x600 mm

Center-center spacing of the bowls min. 800 mm

#### When using MIRANIT consoles:

Dimensions (WxHxD): 950 - 3200x375x600 mm

Center-center spacing of the bowls min. 950 mm

#### Customized fit to building specifications

Detailed specifications such as installation type and basin spacing, etc. are detailed on planning sheets for each specific project (to be requested from Franke).



Example of VARIUSmed with 3 bowls

## MULTIPLE WASHBASIN VARIUSMED

made of MIRANIT resin-bonded mineral material, with a non-porous smooth surface (temperature resistant up to 80°C) coated all around. Alpine white colour.

With up to 3 seamlessly integrated bowls, without overflow. Variable bowl distance, centre distance of bowls at least 700 mm. Ergonomic bowl shape with large inside radii, with slight rearward slant to prevent dripping water.

Integral back panel with integrated brackets and holes for fixing. Rear contoured edge. Including fastening materials.

Dimensions (WxHxD): 700 - 3200x230x550 mm  
 Bowl dimensions (WxHxD): 645x205x440 mm  
 Washbasin thickness: 25 mm

### Customized fit to building specifications



Detailed specifications such as installation type and basin spacing, etc. are detailed on planning sheets for each specific project (to be requested from Franke).

### Optional:

Strainer waste, lower part of valve made of plastic, strainer plate made of stainless steel, diameter 55 mm, connection 1 1/4 inches.





ZANMW901

2000100854



# WASH PLACES

## MIRANIT



Wash basin – straight design, made of MIRANIT resin-bonded mineral material with Gelcoat Alpine White glossy coating or Solid White matte material, with up to 5 seamless, molded bowls, 3 different bowl shapes, without overflow. Variable bowl distance, available with/without apron or edges with Gelcoat coating/Solid White. Individual wash basin length, with raised edge or splash back. Wash basin thickness 25 mm (MIRANIT mineral material), 18 mm (Solid material). Incl. brackets and fasteners.

### Material

- MIRANIT Alpine White glossy
- Solid White matte

### Bowl shape

- Rectangular (560 x 90 x 400 mm)
- Oval (555 x 90 x 395 mm)
- Round (410 x 90 mm)

Number of bowls: ..... (min. 1 unit, max. 5 units)

### Size

Wash basin length: ..... mm (max. 3600 mm)

- Wash basin depth:
- 470 mm without tap hole
  - 550 mm with tap hole
  - 550 mm without tap hole

Distance between bowls: ..... mm

Min. distance (round) 450 mm/min. distance (rectangular/oval) 600 mm

### Design options

#### Apron

- Right
- Left
- Front
- Without apron  
Edges with Gelcoat or Solid
- Without raised edge (3 mm)
- Rear splash back: .....  
(min. 10 mm, max. 100 mm)

Apron height: .....  
(max. 150 mm)

#### Holes for

- Soap dispenser
- Stainless steel waste disposal barrel
- Waste disposal flap
- Waste disposal with Gelcoat
- Paper towel dispenser
- Hand towel holder

# VARIUS

124 — 125

## Varius Straight Design with D-Shape



Wash basin – straight design with D-shape, made of MIRANIT resin-bonded mineral material with Gelcoat Alpine White glossy coating or Solid White matte material, with up to 3 seamless, molded bowls, 2 different bowl shapes, without overflow. Variable bowl distance, available with/without apron or edges with Gelcoat coating/Solid White. Individual wash basin length, with raised edge or splash back. Wash basin thickness 25 mm (MIRANIT mineral material), 18 mm (Solid material). Incl. brackets and fasteners.

### Material

- MIRANIT Alpine White glossy
- Solid White matte

### Bowl shape

- Oval (555 x 90 x 395 mm)
- Round (410 x 90 mm)

Number of bowls: ..... (min. 1 unit, max. 3 units)



### Size

Wash basin length: ..... mm (max. 3600 mm)

- Wash basin depth:
- 470 mm without tap hole
  - 640 mm with tap hole
  - 640 mm without tap hole

Distance between bowls: ..... mm

Min. distance (oval) 600 mm/min. distance (round) 450 mm



### Design options

#### Apron

- Right
- Left
- Front
- Without apron  
Edges with Gelcoat or Solid
- Without raised edge (3 mm)
- Rear splash back: .....  
(min. 10 mm, max. 100 mm)


Apron height: .....  
(max. 150 mm)

#### Holes for

- Soap dispenser
- Stainless steel waste disposal barrel
- Waste disposal flap
- Waste disposal with Gelcoat
- Paper towel dispenser
- Hand towel holder

# VARIUS

## Varius Corner Design L-Shaped



Wash basin – Corner design L-shaped, made of MIRANIT resin-bonded mineral material with Gelcoat Alpine White glossy coating or Solid White matte material, one seamless molded bowl, 3 different bowl shapes, without overflow. Available with/without apron or edges with Gelcoat coating/Solid White. Individual wash basin length, with raised edge or splash back, wash basin thickness 25 mm (MIRANIT mineral material), 18 mm (Solid material). Incl. brackets and fasteners.

### Material

- MIRANIT Alpine White glossy
- Solid White matte

### Bowl Shape

- Rectangular (560 x 90 x 400 mm)
- Oval (555 x 90 x 395 mm)
- Round (410 x 90 mm)

Number of bowls: 1

### Size

Wash basin length: Left side: ..... mm (max. 1500 mm)  
 Right side: ..... mm (max. 1500 mm)

Wash basin depth:  400 mm (round/oval basin)  
 470 mm (rectangular basin)

- With tap hole
- Without tap hole

### Design options



#### Apron

- Right
- Left
- Front
- Without apron  
Kanten mit Gelcoat oder Solid
- Without raised edge (3 mm)
- Rear splash back: .....  
(min. 10 mm, max. 100 mm)

Apron height: .....  
(max. 150 mm)

#### Holes for

- Soap dispenser
- Stainless steel waste disposal barrel
- Waste disposal flap
- Waste disposal with Gelcoat
- Paper towel dispenser
- Hand towel holder



# VARIUS

126 — 127

## Varius Corner Design Convex



Wash basin - Corner design convex, made of MIRANIT resin-bonded mineral material with Gelcoat Alpine White glossy coating or Solid White matte material, one seamless molded bowl, 2 different bowl shapes, without overflow. Available with/without apron or edges with Gelcoat coating/Solid White. Individual wash basin length, with raised edge or splash back. Wash basin thickness 25 mm (MIRANIT mineral material), 18 mm (Solid material). Incl. brackets and fasteners.



### Material

- MIRANIT Alpine White glossy
- Solid White matte



### Bowl shape


- Oval (555 x 90 x 395 mm)
- Round (410 x 90 mm)

Number of bowls: 1



### Size wash basin

- 500 x 500mm (round bowl)
- 600 x 600mm (round/oval bowl)
- 700 x 700 mm (round/oval bowl)
- 800 x 800 mm (round/oval bowl)
- 900 x 900 mm (oval bowl)
- 1000 x 1000 mm (oval bowl)
- With tap hole
- Without tap hole




### Design options

#### Apron

- Front
- Without apron  
Edges with Gelcoat or Solid
- Without raised edge (3 mm)
- Rear splash back: .....  
(min. 10 mm, max. 100 mm)

Apron height: .....  
(max. 150 mm)



### Holes for


- Soap dispenser
- Hand towel holder

# WASH PLACES

## VARIUS



E - rectangular



O - oval



R - round

Design Examples



### VARIUS WASHBASIN

made of MIRANIT resin-bonded mineral material. Alpine white. With up to 5 seamless, moulded bowls, without overflow. Variable bowl clearance, centre spacing of bowls min. 600 mm. Individual washbasin width, with rear lip, washbasin thickness 25 mm. Including mounting material. Design variables:

- washbasin width up to max. 3600 mm
- 3 different bowl shapes (E, O, R)
- bowl layout can be freely selected
- up to 5 bowls (E, O) per niche washbasin
- up to 6 bowls (R) per niche washbasin
- depth of washbasin 550 mm, with tap holes for pillar fittings
- depth of washbasin 470 mm, for wall-mounted taps
- with apron, total height 60 mm
- with splashback at rear
- coated on all sides
- mounting on moulded rear wall with depth of washbasin of 550 mm
- mounting by means of brackets made from stainless steel or mineral granite

#### Property-specific versions:

VARIUS washbasins are made to order in accordance with manufacturing specifications. Forms should be requested from the factory.

#### Customized fit to building specifications

Detailed specifications such as installation type and basin spacing, etc. are detailed on planning sheets for each specific project (to be requested from Franke).

#### Optional extras:

Strainer waste G 1 1/4 B <b>Z-ANMW901</b>	2000100854
Dome waste valve G 1 1/4 B <b>Z-ANMW900</b>	2000100861
Eccentric drain and overflow G 1 1/4 B <b>Z-ANMW902</b>	2000100932
Siphon <b>XINX140</b>	2000057417



#### VARIUS D-SHAPE WASHBASIN WITH PROTRUDING BOWL

VARIUS D-shape washbasin with protruding bowl made of MIRANIT resin-bonded mineral material. Alpine white. With up to 3 seamless, moulded, protruding bowls, without overflow. Variable bowl clearance, centre spacing of bowls min. 600 mm. Individual washbasin width, with rear lip, washbasin thickness 25 mm. Including mounting material.

##### Design variables:

- washbasin width up to max. 3600 mm
- 2 different bowl shapes (O, R)
- bowl layout can be freely selected
- up to 3 bowls per niche washbasin
- depth of washbasin 640 mm, with tap holes for pillar fittings
- depth of washbasin 470 mm, for wall-mounted taps
- with apron, total height 60 mm
- with splashback at rear
- coated on all sides
- mounting by means of brackets made from stainless steel



#### VARIUS L-SHAPE CORNER WASHBASIN

made of MIRANIT resin-bonded mineral material. Alpine white. With one seamless, moulded bowl, without overflow. With rear lip, washbasin thickness 25 mm. Including mounting material.

Design variables:

##### Design variables:

- bracket length of washbasin on left/right side up to max. 1500 mm
- 3 different bowl shapes (E, O, R)
- depth of washbasin 400 mm with bowls R and O
- depth of washbasin 470 mm with bowl E
- with or without tap hole
- with apron, total height 60 mm
- with splashback at rear
- coated on all sides
- mounting by means of brackets made from stainless steel



#### VARIUS CONVEX CORNER WASHBASIN

made of MIRANIT resin-bonded mineral material. Alpine white. With one seamless, moulded bowl, without overflow. With rear lip, washbasin thickness 25 mm. Including mounting material.

##### Design variables:

- depth of washbasin max. 1000 mm
- 2 different bowl shapes (O, R)
- with or without tap hole
- with apron, total height 60 mm
- with splashback at rear
- coated on all sides


##### Property-specific versions:

VARIUS washbasins are made to order in accordance with manufacturing specifications. Forms should be requested from the factory.

# WASHBASINS


Stainless steel





# WASHBASINS

## Stainless steel




### SINGLE WASHBASIN

Single wash basin for wall mounting, stainless steel, surface satin finished, material thickness 1 mm, seamless welded bowl with diameter 500 x 335 x 155 mm, oval shape, 90 mm tap ledge, prewelded mounting brackets, with soap dish, inclusive screws and dowels.

Without overflow, 1 1/4" flat perforated waste.  
Dimensions 50 x 155 x 450 mm (W x H x D)

<b>BS204</b>	2000090016
With tap hole $\varnothing$ 35 mm	
<b>BS205-M</b>	2000103080
Version with overflow, without tap hole	
<b>BS205</b>	2000090017
With tap hole $\varnothing$ 35 mm	
<b>BS204-M</b>	2000103078



### INSERT WASHBASIN

Washbasin for inserting into worktop, manufactured from grade 1.4301 (304) stainless steel - satin polish finish, material thickness 0.9mm. Prepared for 32mm waste outlet and overflow hole with two tapholes in the rear ledge behind the bowl - suitable for either basin taps or mixer taps. Bowls are supplied complete with fixing clips for inserting into worktops.

<b>D20168N</b>	2000100229
----------------	------------





### HEAVY-DUTY SINGLE WASHBASIN

Single wash basin for wall mounting, stainless steel, surface satin finished, material thickness 1.2 mm, with 3 threaded rods for mounting through the wall via a service room, seamless welded bowl, 40 mm tap ledge, without taphole, without overflow, 1 1/4" flat perforated waste, incl. hidden mounted siphon DN 32.

Dimensions 450 x 280 x 400 mm (W x H x D)

**HDTX450**

2000100349





### RONDO ROUND SINK

Round inset basin, can be mounted from top or underneath, stainless steel, surface high polished, material thickness 1 mm, bowl diameter 300 mm, without overflow, inclusive 5/4" flat perforated waste, stainless steel lugs for underneath mounting are included.

Bowl depth 180 mm



**BR300OU**

2000100793



# WASHBASINS

## Stainless steel



### SECURITY WASHBASIN

The washbasin is manufactured from 1.2 mm thick grade En 1.4301 (304) stainless steel polished to a satin finish without tapholes and supplied with 32 mm flush grated waste. Complete with undershield and concealed brackets for screw to wall installation. No screws and dowels included.

No tapholes

**G20480N** ..... 2000100248

2 tapholes with shroud

**G20482N** ..... 2000100249

### ANIMA SINGLE WASHBASIN

Single wash basin for wall mounting, stainless steel, surface satin finished, material thickness 1 mm, seamless welded round bowl with diameter 240 mm, semicircular shape, 45 mm tap ledge, without overflow, 1 1/2" flat perforated waste, drainage centric, inclusive screws and dowels.

Dimensions 315 x 105 x 320 mm (W x H x D)

**WB240WM** ..... 2000057383



#### OVAL A WASH HAND BASINS

Franke Model Oval A Wash Hand Basins, 420 x 340 x 185 mm deep, Grade 304 (18/10) Stainless steel, 1.2mm gauge. Unit includes one piece pressed bowl, 360 x 280 x 130mm deep with a 40 mm waste outlet, with a 50 mm splashback and 100 mm radiused apron. Basin to be fixed to the wall with 4 x 6 mm anchor bolts (bolts elsewhere measured).

Tap and waste fitting not included

**2520029**

2030030488



#### HEAVY DUTY SURROUND WALL MOUNTED

Unit to be manufactured from Grade 304 (18/10) Stainless Steel, 1.2 mm gauge in a satin finish. Unit to include a pressed bowl 360 x 320 x 130 mm deep with a 40 mm waste outlet and a polished outer casing with a removable baseplate. Basin to be supplied with two 25 x 6 mm fixing brackets to secure the basin to the wall. Fixing bracket fixed to the wall with 4 x 6 mm anchor bolts (bolts elsewhere measured).

- Basin with pressed bowl
- Hygienic and vandal resistant
- 150 mm splashback with tap holes (FSWSB Model)
- Provision for secured fixing to wall
- Concealed plumbing with removable base plate

**2560009**

2030047039


# WATERMANAGEMENT





The range of electronic- and self-closing valves provides a choice of designs with or without temperature mixing. The water flows for a defined period, and then the fitting closes automatically. Good aesthetic design needs to be combined with reliable technology to meet the high demands placed on modern sanitary fittings which makes these taps suitable for stylish applications in public, semi-public and commercial sanitary rooms.

# WATERMANAGEMENT




## PROTRONIC-S ELECTRONIC PILLAR MIXER

PROTRONIC-S battery-supplied washbasin mixer with touch-free operation, DN 15 with aerator and integrated flow control, for connection to hot and cold water supply, polished chromium-plated brass. With temperature selection lever and conversion set for concealed mixing device, 6 V battery.

**AQUA130**

2000067773




## PROTRONIC-S ELECTRONIC PILLAR TAP

PROTRONIC-S battery-supplied washbasin tap with touch-free operation, DN 15 with aerator and integrated flow control, for connection to pre-mixed warm or cold water supply, polished chromium-plated brass, 6 V battery.

**AQUA131**

2000067774



## PROTRONIC - A3000 OPEN WASHBASIN TAP

PROTRONIC - A3000 open opto-electronically controlled washbasin fitting DN 15 with combined controller and solenoid valve for concealed mounting. For connection to pre-mixed warm or cold water supply. Adjustable flow duration down to the second, 24 V DC.

**AQUA109**

2000090028

Necessary accessories

Compact system power supply unit – A3000 open for power supply


**ZAQUA007**

2000100375

Version with ferrules

**ZAQUA094**


2000102691



### AQUA205AUS SELF-CLOSING BIB TAP

AQUALINE-S self-closing bib tap DN 15, for connection to cold water, flow time adjustable, all-metal construction, polished chromium-plated brass. Version Australia


**AQUA205AUS** ..... 2000103674



### AQUA201AUS SELF-CLOSING PILLAR TAP

AQUALINE-S self-closing pillar tap DN 15, noise group I, for connection to cold water, flow time adjustable, all-metal construction, polished chromium-plated brass. Version AUSTRALIA.

**AQUA201AUS** .....  2000110546




### AQUA203AUS SELF-CLOSING PILLAR TAP

AQUALINE-C self-closing pillar tap DN 15, for connection to cold water, flow time adjustable, all-metal construction, polished chromium-plated brass. Version Australia

**AQUA203AUS** ..... 2000103673

# WATERMANAGEMENT



## AQUA202AUS SELF-CLOSING SINGLE MIXER

AQUAMIX-C self-closing single mixer DN 15, noise group I, as pillar mixer, for connection to hot and cold water, flow time adjustable, all-metal construction, polished chromium-plated brass, with connection hoses. version Australia


**AQUA202AUS** ..... 2000103675



## AQUA200AUS SELF-CLOSING SINGLE MIXER

AQUAMIX-S self-closing single mixer DN 15, noise group I, as pillar mixer, for connection to hot and cold water, flow time adjustable, all-metal construction, polished chromium-plated brass, with connecting hoses. Model Australia

**AQUA200AUS** ..... 2000105213



## PROTRONIC - A3000 OPEN SHOWER FITTING

PROTRONIC - A3000 open opto-electronically controlled shower fitting DN 15 with combined controller and solenoid valve for concealed mounting. For connection to pre-mixed warm or cold water supply. Adjustable flow duration down to the second, 24 V DC.

**AQUA615** ..... 2000101044

Necessary accessories


Compact system power supply unit - A3000 open for power supply

**ZAQUA007** ..... 2000100375

Version with ferrules

**ZAQUA094** ..... 2000102691





## AQUATIMER - A3000 OPEN ELECTRONIC INSTALLATION TAP

AQUATIMER - A3000 open electronic, time-controlled shower fitting DN 15 for in-wall installation, with facility for chargeable water delivery with AQUAPAY coin-activated controller and for externally controlling the options such as fitting settings and communication via ECC function controller. For connection to pre-mixed warm or cold water. Adjustable flow duration, down to the second. Finished installation kit with waterproof electronic module, solenoid valve, dirt strainer, mounting frame with profiled seal and stainless steel cover plate 175 x 175 mm with piezo pushbutton with start/stop function and hidden screw fixing, 24 V DC.

**AQUA627** ..... 2000100704

Necessary accessories

Basic installation kit

**AQUA603** ..... 2000066041

Basic installation kit

**AQUA605** ..... 2000100734

100 m/ring

**ZAQUA077** ..... 2000100801

25 m/ring

**ZAQUA078** ..... 2000100852

100 m/ring

**ZAQUA011** ..... 2000104272

25 m/ring

**ZAQUA012** ..... 2000104274

ECC2 function controller

**ZA3OP0011** ..... 2000108123



## SHOWER HEAD

AQUAJET Slimline shower head DN 15 with plastic jet face with anti-calcification system and low aerosol formation, jet angle 16°, for wall connection, polished chromium-plated brass. With flow controller 0.10 l/s.

**AQUA754** ..... 2000102683

Shower head

**AQUA756** ..... 2000102689

Shower head

**AQUA755** ..... 2000102684



## SH07040A HIGH SECURITY SHOWERHEAD

SH07040A HIGH SECURITY SHOWERHEAD

**SH07040A** ..... 2030047313

# WATERMANAGEMENT

## AQUA 3000 open

The AQUA 3000 open water management system is successful in coordinating sanitary technology throughout the building with central and hygienic control of the entire supply of water. The two levels of our system sub-divided into taps technology and a network.



### Networking fittings intelligently - Managing water efficiently

The requirements of sanitary facilities in highly frequented and safety-relevant areas are continuously growing. The AQUA 3000 open water management system sets modern benchmarks with regards to system security, economy, user-friendliness and hygiene.

The system can be individually programmed and can be expanded as required. Water quantities, water hygiene flushes, thermal disinfections and their temperature limit values can be individually set and monitored for each room and even for each individual fitting. Malfunctions are detected immediately and reported by the system. In addition to that, efficient water heating reduces energy consumption.

The water management system is systematically sub-divided into two levels - taps and network - which can communicate with one another using various data protocols. The most important water supply functions are controlled at the taps level. With the ECC2 (ECC = Ethernet-CAN-Coupler) functional controller and the integrated WEB-Server, additional functions ranging up to GLT connections are available at a network level.

Optional expansion options are available with two different additional modules: I/O module with digital inputs and outputs for downstream controllers and GSM module for mobile remote maintenance.



# SANITARYWARE / HEAVY DUTY




HEAVY-DUTY, the high-security product line has been designed not only for heavily burdened areas such as prisons, police stations, but also for public toilets and roadside restaurants. The range of products extends from wash basins to urinals and toilet bowls to toilet-roll holders, soap dispensers, waste containers, compact WC/ wash basin combinations and all the way to fittings.



**Features of the range:**

- The housing is suspended on the mounting plate and screwed down to the stainless steel threaded rod using the spindle lock.
- Robust, impact-proof design
- High material thickness up to 2.0 mm
- Theft-proof version
- Easy-to-clean design
- Security you can rely on
- Complete range

# SANITARYWARE / HEAVY DUTY




## CAMPUS TOILET BOWL

Wall hung WC pan, stainless steel, surface satin finished, material thickness 1.6 mm, flushing certificated to EN 997, concealed flushing rim with min. 4 liter flushing capacity, with a shrouded 100 mm diameter horizontal 'P' trap outlet, pressed seat area tapered towards centre, all edges curved, fixing with mounting plate supplied, conform to EN 33, includes security screws. 4 litre flush EN997 approved.

Without seat

**CMPX592**

2000100133




## CAMPUS TOILET BOWL

Floor standing WC pan with shroud to the floor, stainless steel, surface satin finished, material thickness 1.6 mm, flushing certificated to EN 997, concealed flushing rim with min. 4 litre flushing capacity, with a shrouded 100 mm diameter horizontal 'P' trap outlet, pressed seat area tapered towards centre, all edges curved, fixing with included mounting plate conform to EN 33, including safety screws. 4 litre flush EN997 approved.

Without seat

**CMPX597**

2000100153



## CAMPUS TOILET BOWL

Campus floor standing WC pan for fitting through duct wall, manufactured from grade 1.4301 (304) stainless steel, material thickness 1.5mm for the pan and shroud - satin polish finish. The WC incorporates a stainless steel P trap 102mm o/d. A separate mounting plate and 3 bolts are provided for mounting the WC through a duct wall. The Campus WC has a pressed seating area that does not require a separate seat in vandal prone installations. However, a seat and lid can be fitted. Approval: Complies with BS EN 997 for 4.5 litre flushing. Also complies with the Australian and German test standards.

Without seat and lid

**HDTX597**

2000100729

**HDTX596WM**

Campus floor standing WC pan for fitting through duct wall, manufactured from grade 1.4301 (304) stainless steel, material thickness 1.5mm for the pan and shroud - satin polish finish. The WC incorporates a stainless steel P trap 102mm o/d. A separate mounting plate and 3 bolts are provided for mounting the WC through a duct wall. The Campus WC has a pressed seating area that does not require a separate seat in vandal prone installations. However, a seat and lid can be fitted. Approval: Complies with BS EN 997 for 4.5 litre flushing. Also complies with the Australian and German test standards.

Australian Watermark (WM) approved.  
Without seat and lid

**HDTX596WM**

2030048397

**HDTX598WM**

Campus floor standing WC pan for fitting through duct wall, manufactured from grade 1.4301 (304) stainless steel, material thickness 1.5mm for the pan and shroud - satin polish finish. The WC incorporates a stainless steel P trap 102mm o/d. A separate mounting plate and 3 bolts are provided for mounting the WC through a duct wall. The Campus WC has a pressed seating area that does not require a separate seat in vandal prone installations. However, a seat and lid can be fitted. Approval: Complies with BS EN 997 for 4.5 litre flushing. Also complies with the Australian and German test standards.

Australian Watermark (WM) approved.  
Without seat and lid

**HDTX598WM**

2030048395

**BARIATRIC WC**

The Bariatric toilet with heavy duty plastic seat and lid, is manufactured from grade 1.4301 (304) stainless steel with a material thickness of 1.5 mm in a satin polish finish. The specially designed floor standing wc for bariatric patients is fitted with a large seat and lid which gives increased support and comfort for the user. The seat width of 500mm provides stability and security for users weighing up to 381kg (60 stones). Complies with BS EN997 for 4 litre flushing and can be flushed with a conventional 6 litre duct mounted cistern. Ideal for hospitals, doctor's surgeries, specialist clinics and nursing homes.

CE Certified  
Max user weight 381 kg  
Dimensions 600 x 555 x 400 mm (W x H x D)

**G22080N**

2000100350

# SANITARYWARE / HEAVY DUTY



WC washbasin combination made of chromium nickel steel, satin finished surface for installation outside of a utility room accessible from the rear, with remote controlled tap components for installation in the plant room, mounting from the back using threaded pins.

Date:

Client:

Project name:


Franke contact:

Deadline:

Number:

When the production drawing has been signed, we can confirm the production time and the order.

	Standard	Project-specific requirements
<b>Dimensions:</b>		
Height of top edge of washbasin	850 mm	<input type="checkbox"/> mm
Width:	390 mm	<input type="checkbox"/> mm
<b>Back panel for fittings: height</b>	90 mm	<input type="checkbox"/> mm
<b>Back panel for fittings: depth</b>	130 mm	<input type="checkbox"/> mm
Toilet tissue holder:	Ø 140 mm	<input type="checkbox"/> Ø 125 mm
<b>Installation:</b>		
From the front or the rear:	From the rear; 8x250 mm stainless steel threaded bars	<input type="checkbox"/> From the front; 6 safety screws on each side
Floor fixing plate:	No fixing plate	<input type="checkbox"/> With fixing plate
<b>Housing:</b>		
Design:	Round form	<input type="checkbox"/> Rectangular (only possible with min. width of 500 mm)
Riveted inspection panel	No panel	<input type="checkbox"/> With panel
<b>WC / washbasin / piping:</b>		
WC position:	With WC	<input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> Central
WC type:	Floor mounted	<input type="checkbox"/> Wall-mounted
Self-closing washbasin lever valve	Mechanical	<input type="checkbox"/> Electronic
Height of top edge of WC:	400 mm	<input type="checkbox"/> mm
Waste fittings:	One waste outlet	<input type="checkbox"/> WC and washbasin waste separate
Fittings extension:	25 mm	<input type="checkbox"/> With overflow
Washbasin overflow:	No overflow	<input type="checkbox"/> 75 mm
Pipe vent:	No pipe vent	<input type="checkbox"/> With pipe vent at washbasin waste fitting




## HEAVY-DUTY Soap Dispenser

Soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 14 gauge (2 mm), casing is held in place by a stainless steel rod fixed to the mounting plate and a security lock, suitable for liquid soaps and lotions, 1 liter soap tank, push button on front, incl. stainless steel screws and dowels.

128x320x127 mm (WxHxD)

SD300

2000057729



## Soap dispenser

Soap dispenser for wall mounting and re-filling from Serviceroom behind the wall, high polished chromated brass, requires 18 mm drilling hole, 3/8" thread, spout not movable, suitable for liquid soaps and lotions, without soap tank (can be directly connected to soap can), for filling from behind the wall.

SD110

2000102699




## Security soap holder, RM


Soap holder recessed mounted with rectangular vessel shall have lower ribs to prevent soap dip to wet surface and shall fabricated of stainless steel grade 304, material thickness of 1.5mm, all expose surface shall have satin finished. Back mounting plate shall be 1.5mm thick bended stainless steel sheet grade EN 1.4301 (304) and shall be reversible for shallow or deep wall installation. Back of soap holder shall have two (2) welded stud bolt, M8 associated with internally threaded coupling that accept threaded rods with washers and nuts (supplied). Rough wall opening (RWO) required is 165mm (6.5") W x 127mm (5") H x 70mm (2.75")

FRK10206

2000106633



# SANITARYWARE / HEAVY DUTY




## EXOS. URINAL DIVIDER

Urinal divider for wall mounting, made of 10.7 mm thick tempered safety glass, fixing devices stainless steel, incl. stainless steel screws and dowels.

Glass color Brilliant Black PVB, RAL 9005

**EXOV701B**

2030030321




## URINAL DIVIDER, 304 MATERIAL

Urinal divider for wall mounting, stainless steel grade 304, surface satin finished, material thickness 1mm outer frames and 2 mm hidden wall mounting, includes screws and dowels.

**CMPX700B**

2030035699




## URINAL DIVIDER - 316

Urinal divider for wall mounting, stainless steel Grade 316, surface satin finished, material thickness 1mm outer frames and 2mm hidden wall mounting, included screws and dowels.

**CMPX700HN**

2030016562




## URINAL DIVIDER RADIUS-304

Urinal divider for wall mounting, stainless steel grade 304, surface satin finished, material thickness 1mm outer frames and 2 mm hidden wall mounting, includes screws and dowels.

**FRK213002**

2030035708




## URINAL DIVIDER RADIUS-316

Urinal divider for wall mounting, stainless steel grade 316, surface satin finished, material thickness 1mm outer frames & 2mm hidden wall mounting, included screws and dowels.

**FRK213002HN**

2030016661



## CAMPUS URINAL PARTITION


Urinal divider for wall mounting, stainless steel, surface satin finished, material thickness 1.5 mm, 32 mm pipe diameter, with two stainless steel covers for hidden mounting, includes screws and dowels.

**CMPX560**

2000056972

# SANITARYWARE / HEAVY DUTY

## Accessories



### HEAVY-DUTY TOILET ROLL HOLDER

Toilet roll holder for wall mounting, stainless steel, surface satin finished, material thickness 14 gauge (2 mm), casing is held in place by a stainless steel rod fixed to the mounting plate and a security lock, paper withdrawal over tear-off edge, for three rolls with max. 120 mm width and max. Ø 115 mm, without spindles, reserve rolls visible, inclusive stainless steel screws and dowels.

Dimensions 130 x 415 x 150 mm (W x H x D)

**HDTX674**

2000057081





### JUMBO ROLL HOLDER

Jumbo roll holder for wall mounting, stainless steel, surface satin inished, material thickness 14 gauge (2 mm), casing is held in place by stainless steel rod fixed to the mounting plate and a security lock, paper withdrawal over two tear-off edges, for 1 roll with max. Ø 300 mm, inclusive stainless steel screws and dowels.

**RH320**

2000057717



### HEAVY-DUTY CLOTHES HOOK

Coat hook for on-wall installation, stainless steel, material thickness 2 mm, visible surface satin finished. Safety hook tilts downwards when overloaded, projection 30 mm from wall plate. Mounting from the front with screws. M6S plastic dowels to be provided by the builder.

Dimensions 108 x 108 x 52 mm (W x H x D)


**HDTX692**

2000090046

Version for installation from the rear, with threaded pins for vandalism-resistant installation via utility room

**HDTX693**

2000090047



## HEAVY-DUTY MIRROR

Stainless steel mirror for wall mounting, mirror with a reflective polished surface, material thickness 1 mm, hidden thief resistant fixings, reinforced with polystyrene plate, inclusive stainless steel screws and dowels.

Dimensions 390 x 290 mm (W x H)


**M400HD** ..... 2000057089

Dimensions 590 x 490 mm (W x H)

**M600HD** ..... 2000057091

Dimensions 490 x 390 mm (W x H)

**M500HD** ..... 2000057090



## CONTINA SWINGABLE MIRROR


Swingable mirror for wall mounting, mirror and brackets stainless steel, mirror with a reflective polished surface, brackets surface satin finished, material thickness mirror 8 mm, material thickness brackets 4 mm, reinforced with polystyrene plate and hidden fixings, reinforced 1.5 mm stainless steel bracket on backside, swingable due to premounted lever, lever can be mounted right or left, inclusive stainless steel screws and dowels.

Dimensions 600 x 500 x 74 mm (W x H x D)

**CNTX91** ..... 2000057509

# SANITARYWARE / HEAVY DUTY


## Accessories



### STAINLESS STEEL MIRROR

Stainless steel mirror for wall mounting is made from stainless steel sheet Grade EN 1.4301 (304), surface satin finished frame, material thickness 3.0 mm, with reflective polished surface. Includes surface mounting hardware (stainless steel screws and plastic dowels).


<b>MIR4030</b>	2000106594
MIR5040 Stainless steel mirror	
<b>MIR5040</b>	2000106595
MIR6050 Stainless steel mirror	
<b>MIR6050</b>	2000106596



### HIGH SECURITY MIRROR

Stainless steel high security mirror for hidden mounting is made of stainless steel Grade EN 1.4301 (304), frame surface satin finished, material thickness 3.0mm, with reflective polished surface. Back corners of SS frame have four (4) welded stud bolts, M8 associated with internally threaded coupling that accept threaded rods with washers and nuts (supplied).


<b>MIR4030HS</b>	2000106634
MIR5040HS SS High Security Mirror	
<b>MIR5040HS</b>	2000106636
MIR6050HS SS High Security Mirror	
<b>MIR6050HS</b>	2000106637



### SECURITY GRAB BAR, 600MML

Security Grab Bar, 600 mmL with plate enclosure for wall mounting, stainless steel, surface satin finished, rough polishing for better feel, 32 mm Ø pipe, material wall thickness 1.2 mm, 2.0 mm perforated plate enclosure. Complete with mounting plate, 2.0 mm material thickness, surface satin finished with three fixing holes, includes high security wall fixing hardware.


<b>FRK202006</b>	2030020428
------------------	------------



### HEAVY-DUTY BX PROTECTION SYSTEM

Mounting system HD, made of stainless steel, 2 locking screws, 2 anchor, 1 key = Set

<b>BF22HD</b>	2000101366
---------------	------------




### HEAVY-DUTY SOAP DISPENSER

Soap dispenser for wall mounting, stainless steel, surface satin finished, material thickness 14 gauge (2 mm), casing is held in place by a stainless steel rod fixed to the mounting plate and a security lock, suitable for liquid soaps and lotions, 1 liter soap tank, push button on front, inclusive stainless steel screws and dowels.

Dimensions 128 x 320 x 127 mm (W x H x D)

**SD300**

2000057729




### HEAVY-DUTY PAPER TOWEL DISPENSER

Paper towel dispenser for wall mounting, stainless steel, surface satin finished, material thickness 14 gauge (2 mm), complete closed casing, casing is held in place by a stainless steel rod fixed to the mounting plate and a security lock, loading capacity 400 - 600 pcs. of paper depending on convolution, inclusive stainless steel screws and dowels.

Dimensions 258 x 352 x 127 mm (W x H x D)

**TD350**

2000057407



### HEAVY-DUTY TOILET ROLL HOLDER

Toilet roll holder for wall mounting, stainless steel, surface satin finished, material thickness 14 gauge (2 mm), replaceable spindle secured by heavy-duty lock, for 1 roll with maximum 130 mm width, inclusive stainless steel screws and dowels.

Dimensions 140 x 110 x 110 mm (W x H x D)

**HDTX0001**

2030005623

# **GENERAL PURPOSE** BUCKET AND UTILITY SINKS






Combines domestic and commercial utility sinks designed for the use in workshops, general industrial applications, laboratories, retail sector and food processing industry.

**Features of the range:**

- Generously sized workroom basins
- Range of sizes
- Models for wall-mounting and installation in covers
- Wall models with hygienic tiled edge

# GENERAL PURPOSE BUCKET AND UTILITY SINKS



## ART ROOM SINK, 18 GAUGE, T316

Single compartment self rimming topmount sink without faucet ledge. 18 gauge (1.2 mm), type 316 (EN1.4401 17/12/2) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.


Centre waste location, 3 1/2" (89 mm) type 316 (EN1.4401 17/12/2) stainless steel crumb cup strainer with 1 1/2" (DN38) type 316 (EN1.4401 17/12/2) stainless steel tailpiece.

19 1/8 x 50 1/8" Overall. 17 x 48 x 8" Bowl. (FB x LR x D).

486 x 1273 mm Overall. 432 x 1219 x 203 mm Bowl. (FB x LR x D).

**ART48/316-1**

2000101882



## WITH LEDGE, 20 GAUGE

Single compartment self rimming topmount sink with faucet ledge. 20 gauge (0.9 mm), type 302 (CNS 18/8) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.

Centre waste location. Includes 3 1/2" (89 mm) crumb cup strainer with 1 1/2" (DN38) brass tailpiece.

Model Options:

LBS9407-1/1, 1 faucet hole, 1 1/2" diameter

LBS9407-1/2, 2 faucet holes, 1 1/2" diameter, 4" centres


LBS9407-1, Custom (non-returnable)

14 5/16 x 16 5/8" Overall. 9 1/2 x 14 1/2 x 7" Bowl. (FB x LR x D).

364 x 422 mm Overall. 241 x 368 x 178 mm Bowl. (FB x LR x D).

**LBS9407-1**

2000102223



## SINGLE, NO LEDGE, 18 GAUGE, T316

Single compartment self rimming topmount sink less faucet ledge. 18 gauge (1.2 mm), type 316 (EN1.4401 17/12/2) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.


Centre waste location, 3 1/2" (89 mm) type 316 (EN1.4401 17/12/2) stainless steel crumb cup strainer with 1 1/2" (DN38) type 316 (EN1.4401 17/12/2) stainless steel tailpiece.

11 5/8 x 16 5/8" Overall. 9 1/2 x 14 1/2 x 7" Bowl. (FB x LR x D).

295 x 422 mm Overall. 241 x 368 x 178 mm Bowl. (FB x LR x D).

**S9407/316P-1**

2000102390



## NO LEDGE, 20 GAUGE

Single compartment self rimming topmount sink less faucet ledge. 20 gauge (0.9 mm), type 302 (CNS 18/8) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.


Centre back waste location. Includes 3 1/2" (89 mm) crumb cup strainer with 1 1/2" (DN38) brass tailpiece.

11 5/8 x 16 5/8" Overall. 9 1/2 x 14 1/2 x 7" Bowl. (FB x LR x D).

295 x 422 mm Overall. 241 x 368 x 178 mm Bowl. (FB x LR x D).

**S9407-1**

2000102392



### SINGLE, WITH LEDGE, 18 GAUGE, T316

Single compartment self rimming topmount sink with faucet ledge. 18 gauge (1.2 mm), type 316 (EN1.4401 17/12/2) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.

Centre waste location, 3 1/2" (89 mm) type 316 (EN1.4401 17/12/2) stainless steel crumb cup strainer with 1 1/2" (DN38) type 316 (EN1.4401 17/12/2) stainless steel tailpiece.

Model Options:

LBS6810/316P-1/1, 1 faucet hole, 1 1/2" diameter

LBS6810/316P-1/3, 3 faucet holes, 1 1/2" diameter, 4" centres, 8" centreset


LBS6810/316P-1, Custom (non-returnable)

20 9/16 x 20 1/8" Overall. 16 x 18 x 10" Bowl. (FB x LR x D).

522 x 511 mm Overall. 406 x 457 x 254 mm Bowl. (FB x LR x D).

**LBS6810/316P-1**

2000102152



### SINGLE, NO LEDGE, 18 GAUGE, T316

Single compartment self rimming topmount sink less faucet ledge. 18 gauge (1.2 mm), type 316 (EN1.4401 17/12/2) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.


Centre waste location, 3 1/2" (89 mm) type 316 (EN1.4401 17/12/2) stainless steel crumb cup strainer with 1 1/2" (DN38) type 316 (EN1.4401 17/12/2) stainless steel tailpiece.

18 1/8 x 20 1/8" Overall. 16 x 18 x 10" Bowl. (FB x LR x D).

460 x 511 mm Overall. 406 x 457 x 254 mm Bowl. (FB x LR x D).

**S6810/316P-1**

2000102377



### SINGLE, WITH LEDGE, 18 GAUGE, T316

Single compartment self rimming topmount sink with faucet ledge. 18 gauge (1.2 mm), type 316 (EN1.4401 17/12/2) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.

Centre waste location, 3 1/2" (89 mm) type 316 (EN1.4401 17/12/2) stainless steel crumb cup strainer with 1 1/2" (DN38) type 316 (EN1.4401 17/12/2) stainless steel tailpiece.

Model Options:

LBS4607/316P-1/1, 1 faucet hole, 1 1/2" diameter

LBS4607/316P-1/3, 3 faucet holes, 1 1/2" diameter, 4" centres, 8" centreset

LBS4607/316P-1, Custom (non-returnable)


18 13/16 x 18 1/8" Overall. 14 x 16 x 7" Bowl. (FB x LR x D).

478 x 460 mm Overall. 356 x 406 x 178 mm Bowl. (FB x LR x D).

**LBS4607/316P-1**

2000102084

# GENERAL PURPOSE BUCKET AND UTILITY SINKS



## SINGLE, WITH LEDGE, 18 GAUGE, T316

Single compartment self rimming topmount sink with faucet ledge. 18 gauge (1.2 mm), type 316 (EN1.4401 17/12/2) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fitting, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.

Centre waste location, 3 1/2" (89 mm) type 316 (EN1.4401 17/12/2) stainless steel crumb cup strainer with 1 1/2" (DN38) type 316 (EN1.4401 17/12/2) stainless steel tailpiece.

Model Options:

LBS4610/316P-1/1, 1 faucet hole 1 1/2" diameter

LBS4610/316P-1/2, 2 faucet holes 1" diameter 2 3/4" centreset


LBS4610/316P-1/3, 3 faucet holes 1 1/2" diameter, 8" centreset

18 13/16 x 18 1/8" Overall. 14 x 16 x 10" Bowl. (FB x LR x D).

478 x 460 mm Overall. 356 x 406 x 254 mm Bowl. (FB x LR x D).

**LBS4610/316P-1**

2000102096



## WITH LEDGE, 18 GAUGE

Double compartment self rimming topmount sink with faucet ledge. 18 gauge (1.2 mm), type 304 (CNS 18/10) stainless steel. Exposed surfaces are #4 satin finished. Undercoated to reduce condensation and resonance. Includes waste fittings, factory applied rim seal, cutout template, and factory installed EZ TORQUE™ fasteners. Certified to ASME A112.19.3-2008 / CSA B45.4-08.

Centre back waste location. Includes 3 1/2" (89 mm) crumb cup strainer with 1 1/2" (DN38) brass tailpiece.

Model Options:

LBD6410PCB-1/1, hole, 1 1/2" diameter, centred over partition

LBD6410PCB-1/3, 3 faucet holes, 8" centreset, 1 1/2" diameter, centred over partition

LBD6410PCB-1/4, 4 faucet holes total, 1 1/2" diameter, 4" centres, 8"

centreset, plus 1 faucet hole 4" to the right (non-returnable)

LBD6410PCB-1, Custom (non-returnable)

20 13/16 x 31 1/4" Overall. 16 x 14 x 10" Bowl. (FB x LR x D).

529 x 794 mm Overall. 406 x 356 x 254 mm Bowl. (FB x LR x D).

**LBD6410PCB-1**

2000101983



### DROP-ON WASHTROUGH

Dimensions 600 x 500 x 257 mm. Unit to be manufactured from Grade 304 (18/10) Stainless Steel, 0,9mm gauge. Unit to include a pressed bowl 525 x 425 x 257 mm deep (43 litres) with a 40 mm waste outlet. Unit to be fixed to the wall with a pair of galvanised mild steel Falcon Brackets (brackets optional, please specify).

- Trough wall mounted or drop on type
- One piece pressed bowl 43 litres

\* waste fitting not included

**2560001**

2030021822



### LDS DRIP SINK/ CLEANER SINK

Franke model LDS drip sink 600 x 500 x 258mm deep manufactured from Grade 304 (18/10) stainless steel 0,9mm thick and with a 50mm waste outlet. Unit fitted with stainless steel hinged bucket grid manufactured from 2630027 LDS Drip Sink/ Cleaner Sink Unit fixed to wall 600mm high from the top of the front apron to the finish floor level with 4 off anchor bolts (bolts specified elsewhere).

- Large bowl 43 litres capacity
- One piece pressed construction

**2630027**

2030047041




### JANITORIAL UNIT

Floor standing janitorial unit manufactured from grade 1.4301 (304) stainless steel, 1.2mm material thickness throughout except for lower bowl thick is 0.9mm. Supplied complete with monobloc mixer, 32mm flush grated waste (for top wash bowl) and 38mm domed waste outlet (for lower bowl). The janitorial unit can be fixed with 4 legs for floor standing or part wall hung/floor standing by using only two of the front legs or alternatively can be fitted as a wall hung unit by using the joggle strip provided.

**G20050N**

2000100145



# TERMS AND CONDITIONS

## of sale

### 1. General

All quotations issued and orders received are subject to these Conditions of Sales and no alterations shall take effect unless confirmed in writing by **Franke LLC**, (hereinafter referred to as "the Seller"). No terms, condition or warranty not recorded herein shall be binding on the Seller, except where such is necessarily imported into the contract under any Statute or at Common Law.

### 2. Prices

- (i) Errors and omissions are subject to correction
- (ii) Unless otherwise stated in writing, prices charged would be those ruling at the date of the order being received by the company.
- (iii) Unless otherwise specified, prices **exclude** delivery, off-loading, positioning and installation.
- (iv) Prices are correct at the time of printing but are subject to alteration without prior notification.

### 3. Payment

- (i) In respect of an initial order and whenever else specified by the Seller, the Buyer shall pay the Seller in full as a condition precedent to dispatching the goods. In all other cases, payment must be made in full according to the agreed payment terms.
- (ii) Where payment is not received by the due date, the Seller reserves the right to charge interest on outstanding amounts for each month or part of any month that payment is overdue, at the highest rate allowed by law, and/or at the Seller's option to suspend all deliveries of all goods to the Buyer.
- (iii) If Buyer should default on any payment, the Seller reserves the right to declare all invoice amounts due and payable without notice to the Buyer. In the event the Seller should commence any action or actions, the Buyer agrees to pay reasonable collection and attorney's fee and court and other expenses incurred by the Seller, whether or not the suit is filed.
- (iv) Title to the goods or any part thereof shall not pass to the Buyer until the Seller has been paid in full for the goods.
- (v) No goods may be returned to the Seller without Seller's prior written permission. Seller reserves the right to decline all returns or to accept them subject to a handling/restocking charge. Even after Seller has authorized the return of goods for credit, Seller reserves the right to adjust the amount of any credit given to Buyer on return of the goods based on the conditions of the goods on arrival in the Seller's warehouse. Credit for returned goods will be issued to Buyer only where such goods are returned by Buyer and not by any subsequent owner of the goods. Goods will be considered for return only if they are in their original condition and packaging.

### 4. Delivery

- (i) Any time expressed for delivery shall be deemed to be an estimate only, time not being of the essence for the contract un-

less separately agreed to in writing by the Seller. The Seller accepts no liability for any loss sustained by the Buyer through late delivery and further where a time for delivery has been agreed but delivery is delayed for any reason beyond the control of the Seller, a reasonable extension of time shall be allowed to the Seller.

- (ii) Where working drawings have to be approved by either the Buyer or his agent then the estimated delivery period is to be applied from the date of receipt in writing by the Seller of this approval.
- (iii) Where a time for delivery is agreed and the Buyer fails for whatever reason to accept the delivery, a minimum charge of **30% of the total Invoice Value** will be incurred and the Seller reserves the right to make a reasonable charge for storage. Should delivery not be possible after one week's delay the Seller shall be entitled to submit his invoice and the normal conditions of payment will apply.
- (iv) The Buyer shall provide adequate labour and unloading facilities at the place of delivery at his own risk and expense.
- (v) If advance notice of the approximate arrival time of the delivery vehicle is required this must be stated on the order.
- (vi) An additional charge will normally be made for packing and delivery outside **United Arab Emirates**.
- (vii) Any special delivery arrangements or similar requests by the Buyer will be charged at cost.

### Delivery Charges

Applicable delivery are charged to the Buyer separately and are indicated in writing as *Transport Charges*.

### 5. Restocking

In cases wherein the customer has duly expressed the intention to return products to Franke L.L.C., the following terms and conditions apply:

- (i) Only products that meet the following criteria will be considered for return by prior agreement:
  - 1.1 In its original packaging
  - 1.2 In a resalable condition
  - 1.3 A current product shown in the latest published copy of our sales catalogue.
- (ii) A restocking charge of 30% of the original invoice value will be applied.
- (iii) Any goods authorized for restocking must be returned at the customer's expense and risk. Any goods received back damaged will not be credited.
- (iv) An authorization to return goods needs to be issued by Franke L.L.C. before any goods will be accepted. Franke L.L.C. reserves the right to refuse a restocking request.
- (v) Non-standard or customized products cannot be accepted for return.

### 6. Cancellation of Order

- (i) Special item orders cannot be cancelled. The Seller will invoice the full amount whether or not the product is still required.
- (ii) Standard products' order cannot be cancelled without the Seller's agreement in

writing. (standard products are those products that appear on Franke's official website)

- (iii) Once goods have been delivered they are not in any circumstances returnable without the Seller's agreement in writing.

### 7. Damage or Loss in Transit

- (i) The Seller is not liable for any damage or loss during delivery transport, unloading or thereafter.
- (ii) The Buyer or his agent should examine goods on arrival and details of any damage or loss entered on the Carrier's note.
- (iii) In the event of non-arrival, damage or shortage of goods, no claim will be accepted unless notification is given to the Seller in writing within 7 days from the date of the Seller's invoice.
- (iv) Damaged goods will not be replaced or repaired if they have been used or installed.

### 8. Property and Risk

- (i) Title to each item of the goods supplied by the Seller remains vested in the Seller until the purchase price and all other monies owing by the Buyer in relation to those goods or the price (whether or not due) are paid in full.
- (ii) In addition, and without prejudice to sub-condition (i) above, title to goods supplied by the Seller remains vested in the Seller until such time as there are no monies owing by the Buyer to the Seller on any account (whether or not due).
- (iii) Notwithstanding this reservation of title the Buyer may resell any goods in the ordinary course of business which remains the property of the Seller, in which event the Buyer shall remit the proceeds of sale to the Seller and in such a way that they are kept separate and are readily identifiable.
- (iv) The Seller shall be entitled (but not obliged) at any time to recover and dispose of any goods to which it has retained title under this clause and the Buyer will be deemed to have granted to the Seller an irrevocable licence, for so long as any monies shall remain owing to the Seller to enter the Buyer's premises to inspect and recover any such goods.
- (v) The Buyer agrees to undertake in respect of all goods that remain the property of the Seller:
  - (a) To store the same in such a way that they are readily identifiable as the property of the Seller.
  - (b) To insure the same to their full value.
  - (c) To hold the same in all respects as bailor for the Seller.
- (vi) Where the property in the goods has not passed, the Seller may nevertheless maintain an action against the Buyer for the purchase prices and all other monies then owing to the Company in relation to the goods.
- (vii) If the Seller repossesses or resells its goods it shall credit the Buyer in the Seller's accounts (in each case after deduction of all expenses of recovery and/or sale) with the lesser of (i) the net value or proceeds of sale (as the Seller may elect)

of the goods and (ii) the invoiced price to the Buyer of the goods.

- (viii) Notwithstanding the provisions of Condition 8(i) and 8(ii) above the goods shall be at the risk of the Buyer from the time when they are tendered for the delivery at an agreed destination or are available for collection by the Buyer or cease to be in the Seller's possession and in particular when they are delivered into the possession or custody of a carrier, forwarding agent, warehouseman or other bailee or agent for the purposes of transmission whether or not such person contracts with or is instructed by the Seller or Buyer.

#### 9. Drawings

All drawings by the Seller shall remain the Seller's property and copyright, and therefore must not be wholly or partially used or copied without the Seller's written permission.

#### 10. Description

Illustrations and dimensions, in the Seller's catalogue or documents, although correct in general detail, do not constitute a sale by description. The Seller's policy is one of continuing improvement and the Seller reserves the right to vary or modify the design, specification, or surface finish without notice, unless written undertaking has been given to the contrary.

#### 11. Replacement

Where the goods supplied by the Seller are of the Seller's design and manufacture the Seller will make good any defects in those goods subject to the following conditions:-

- (i) The Buyer shall notify the Seller; and the Seller should officially acknowledge the receipt of complaint.
- (ii) The Seller shall send the replacement of reported defective goods as soon as possible. Customer will be advised with the dispatch date, accordingly. At the onset, full amount to be invoiced to the customer. This will be credited back if the test findings resulted to the conclusion that the defect is due to the fault of the Seller.
- (iii) Customer is required to coordinate the return of the defective goods within two weeks after the replacement product has been received. Failure to return the defective goods, Seller reserves the right to invoice the full amount to the customer.
- (iv) The Seller shall be provided with an adequate opportunity to examine and investigate the defective goods. Replacement of the defective product is free of charge; however, if the findings show that the defect was due to improper installation, product misuse, or any other conditions which is outside Franke's standard warranty terms and conditions, full amount shall be invoiced to the customer.
- (v) Where the defect is reasonably attributed to the fault of the Seller, the Seller shall replace or repair the defective goods, but shall not be liable for any costs of removal of the defective goods, or installation of replacement goods, nor any consequential loss or damage arising there from.
- (vi) The Seller will not accept any charges for remedial work that is carried out without

his express authority and approval.

- (vii) The Seller's liability shall be limited to the repair or replacement of materials and components manufactured by the Seller. No goods are guaranteed by the Seller for any specific length of time but are warranted to be free from defect in workmanship and materials at time of delivery. No liability can be accepted in respect of products that have become defective due to contact with corrosive liquids such as strong bleaching solutions and fluids, photographic developing liquids, immersion type silver cleaning fluids and the like that are injurious to stainless steel.
- (viii) Where goods and components supplied by the Seller are not of the Seller's design and manufacture, the Seller's liability shall be limited to the guarantee provided by the manufacturer of such goods and components.
- (ix) The Seller shall not be under any duty arising from Section 11 of these Conditions of Sale if the Buyer is in breach of any provision of the Contract with the Seller until the Buyer has remedied the breach.

#### 12. Indemnity

The Buyer shall indemnify the Seller against all damages, penalties, costs and expenses to which the Seller may be liable if any work done in accordance with the Buyer's specification infringes any third party property right.

#### 13. Information

- (i) All warning data sheets, diagrams and other information as to the construction, assembly use, storage or disposal of the goods made available to the Buyer before, at the time of, or after the time of supply of the goods to the Buyer shall be supplied by the Buyer to any person to whom the Buyer supplies the goods or any product in which the goods are incorporated and the Buyer shall impose a similar requirement on such person. The Buyer shall indemnify the Seller in full against all liabilities costs claims demands and expenses resulting from any failure by any person other than the Seller to make such warnings data sheets, diagrams and other information available to any other person.
- (ii) Where an indication as to time limits for the use of the goods has been supplied to the Buyer shall procure that all persons into whose hands the goods may come are aware of such time limits and shall not supply the goods after such time limits have been exceeded.
- (iii) The Buyer will notify the Seller of any intended application of the goods other than that contemplated in the information referred to in sub-section (i) above so as to enable the Seller to verify that the goods will be safe for use in such application.

#### 14. Termination

If the Buyer commits any breach of these conditions, or if in the opinion of the Seller, the financial standing of the Buyer becomes unsatisfactory, the Seller may, without prejudice to its other rights and remedies, terminate this contract and any other contract with the Buyer. The Seller

shall also be entitled to require immediate payments for all goods delivered. In the event of termination under the provisions of this clause the Seller shall be relieved of all liability under this contract and any other contract so terminated.

#### 15. Force Majeure

In the event of war, invasion, act of foreign enemy, hostility (whether war has been declared or not), civil war, rebellion, revolution, insurrection or military or usurped powers, the Seller shall be relieved of liabilities incurred under the contract whatsoever and to the extent to which fulfilment of such obligations is prevented, frustrated or impeded as a consequence of any such events or by status, rules, regulations, order or requisition issued by any Government Department, Council, or duly constituted authority, or from strikes, lock-outs, breakdown of plant or any other causes (whether or not like nature) beyond the Seller's control.

#### 16. Law and Arbitration

- (i) All contracts entered into by the Seller shall be subject to UAE Law (United Arab Emirates' Law).
- (ii) In the event of any dispute between the parties the same shall be submitted to an appropriate arbitrator selected by the Seller.

#### 17. General

- (i) Any notice to be given under these conditions may be delivered by hand, or sent by first class post, addressed to the party to be served at its registered office for the time being or (if not a company) the address for the party giving the notice. Notices served by post shall (except where expressly provided otherwise) be deemed served on the second business day after the date of posting, 'business day' shall mean a day other than a Friday or Saturday or Statutory Public Holiday,
- (ii) No failure or delay by the Seller in exercising any of its rights under this contract shall operate as a waiver thereof.
- (iii) In the event that any of these conditions shall become or shall be declared by any court of competent jurisdiction to be invalid or unenforceable in any way, such invalidity or unenforceability shall in no way impair or affect any of the other conditions hereof all of which shall remain in full force and effect.
- (iv) Clause headings are for ease of reference only and do not affect construction.

#### 18. Warranty

- (i) Franke LLC's products have the following warranty periods from the date of delivery: Std. SS Accessories (e.g. Rodan) – 5 years  
Taps and water controls – 2 years  
Hand dryers – 2 years depending on model
- (ii) For specific product warranty periods, Buyer should request from the Seller.

#### 19. Retention of Title

All goods delivered by the Seller will remain the Seller's property until all debts owed to the Seller by the buyer, including any balances existing are settled.

# INDEX

## Types

TYPE	ITEM NUMBER	PAGE	TYPE	ITEM NUMBER	PAGE
<b>2520029</b>	2030030488	135	<b>ANMW555</b>	2000100904	117
<b>2560001</b>	2030021822	161	<b>ANMW556</b>	2000100905	117
<b>2560009</b>	2030047039	135	<b>ANMW560</b>	2000100912	117
<b>2630027</b>	2030047041	161	<b>ANMW561</b>	2000100913	117
<b>3L Pedal Bin</b>	2030033150	094	<b>AQUA109</b>	2000090028	138
<b>6L Pedal Bin</b>	2030033151	094	<b>AQUA130</b>	2000067773	138
<b>12L Pedal Bin</b>	2030033152	094	<b>AQUA131</b>	2000067774	138
<b>20L Pedal Bin</b>	2030033153	094	<b>AQUA200AUS</b>	2000105213	140
<b>40L Pedal Bin</b>	2030033154	094	<b>AQUA201AUS</b>	2000110546	139
<b>A</b>			<b>AQUA202AUS</b>	2000103675	140
<b>ANMA0020</b>	2030008456	121	<b>AQUA203AUS</b>	2000103673	139
<b>ANMA0021</b>	2030008457	121	<b>AQUA205AUS</b>	2000103674	139
<b>ANMW0001</b>	2030020667	110	<b>AQUA615</b>	2000101044	140
<b>ANMW0001</b>	2030020667	111	<b>AQUA627</b>	2000100704	141
<b>ANMW0002</b>	2030020673	110	<b>AQUA754</b>	2000102683	141
<b>ANMW0002</b>	2030020673	111	<b>AQUA755</b>	2000102684	141
<b>ANMW0003</b>	2030020676	111	<b>AQUA756</b>	2000102689	141
<b>ANMW0010</b>	2030020677	110	<b>ART36/316-1</b>	2000101878	158
<b>ANMW0011</b>	2030020679	110	<b>ART48/316-1</b>	2000101882	158
<b>ANMW210</b>	2000090004	116	<b>ART60/316-1</b>	2000101886	158
<b>ANMW211</b>	2000090005	116	<b>ARTH101</b>	2000090041	068
<b>ANMW220</b>	2000090006	116	<b>ARTH210</b>	2000090042	068
<b>ANMW221</b>	2000090007	116	<b>ARTW410</b>	2000056770	067
<b>ANMW230</b>	2000090008	117	<b>B</b>		
<b>ANMW231</b>	2000090009	117	<b>BF22HD</b>	2000101366	154
<b>ANMW410</b>	2000090010	114	<b>BR300OU</b>	2000100793	133
<b>ANMW411</b>	2000090011	114	<b>BS204-M</b>	2000103078	132
<b>ANMW416</b>	2000101159	114	<b>BS204</b>	2000090016	132
<b>ANMW420</b>	2000090012	114	<b>BS205-M</b>	2000103080	132
<b>ANMW421</b>	2000090013	114	<b>BS205</b>	2000090017	132
<b>ANMW430</b>	2000090014	115	<b>BS646</b>	2000056910	074
<b>ANMW431</b>	2000090015	115	<b>BS648</b>	2000057041	074
<b>ANMW500</b>	2030020956	120	<b>BS677</b>	2000057045	071
<b>ANMW501</b>	2030020958	120	<b>C</b>		
<b>ANMW502</b>	2030020959	120	<b>CHRX669</b>	2000060983	073
<b>ANMW503</b>	2030020961	120	<b>CHRX670</b>	2000057141	073
<b>ANMW504</b>	2030020962	120	<b>CHRX675</b>	2000057143	071
<b>ANMW505</b>	2030020963	120	<b>CHRX676N</b>	2030028851	071
<b>ANMW510</b>	2000100836	115	<b>CHRX690</b>	2000057150	075
<b>ANMW511</b>	2000100843	115	<b>CMPX560</b>	2000056972	151
<b>ANMW515</b>	2000100848	115	<b>CMPX592B</b>	2000100136	146
<b>ANMW516</b>	2000100849	115	<b>CMPX592G</b>	2000100137	146
<b>ANMW520</b>	2000100850	116	<b>CMPX592S</b>	2000100134	146
<b>ANMW521</b>	2000100851	116	<b>CMPX592W</b>	2000100138	146
<b>ANMW550</b>	2000100901	117	<b>CMPX592</b>	2000100133	146
<b>ANMW551</b>	2000100902	117	<b>CMPX597G</b>	2000100157	146

TYPE	ITEM NUMBER	PAGE	TYPE	ITEM NUMBER	PAGE
<b>CMPX597S</b>	2000100154	146	<b>CUBX007HP</b>	2000106357	091
<b>CMPX597W</b>	2000100158	146	<b>CUBX007</b>	2000106356	091
<b>CMPX597</b>	2000100153	146	<b>CUBX010HP</b>	2000106359	091
<b>CMPX700B</b>	2030035699	150	<b>CUBX010</b>	2000106358	091
<b>CMPX700HN</b>	2030016562	150	<b>CUBX012HP</b>	2000106361	090
<b>CNTX20WL</b>	2030038220	099	<b>CUBX012</b>	2000106360	090
<b>CNTX20WR</b>	2030038221	099	<b>CUBX111HP</b>	2000106363	091
<b>CNTX21W</b>	2030038226	099	<b>CUBX111</b>	2000106362	091
<b>CNTX22WL</b>	2030038223	099	<b>D</b>		
<b>CNTX22WR</b>	2030038225	099	<b>D20168N</b>	2000100229	132
<b>CNTX31WL</b>	2030038237	100	<b>DRYX220</b>	2030028804	066
<b>CNTX40WL</b>	2030038229	100	<b>DRYX500</b>	2030036294	066
<b>CNTX50WL</b>	2030038227	101	<b>E</b>		
<b>CNTX50WR</b>	2030038228	101	<b>E-BS602E</b>	2000101106	074
<b>CNTX52W</b>	2030036235	101	<b>E-BS686</b>	2000100019	043
<b>CNTX70C</b>	2000057751	101	<b>E-STRX687</b>	2000100020	043
<b>CNTX70D</b>	2000057752	101	<b>EXOS220B</b>	2030034622	017
<b>CNTX70E</b>	2000057753	101	<b>EXOS220B</b>	2030034622	066
<b>CNTX70G</b>	2030040945	102	<b>EXOS220W</b>	2030034660	017
<b>CNTX73A</b>	2000103669	101	<b>EXOS220W</b>	2030034660	066
<b>CNTX73B</b>	2000103670	101	<b>EXOS220X</b>	2030027981	017
<b>CNTX91</b>	2000057509	153	<b>EXOS220X</b>	2030027981	066
<b>CNTX268</b>	2030038268	103	<b>EXOS600B</b>	2030022934	019
<b>CNTX300W</b>	2030033995	098	<b>EXOS600EB</b>	2030034625	026
<b>CNTX400A</b>	2000057738	102	<b>EXOS600EW</b>	2030034662	026
<b>CNTX400WB</b>	2030041144	103	<b>EXOS600EX</b>	2030034624	026
<b>CNTX400WC</b>	2030041161	103	<b>EXOS600W</b>	2030025229	019
<b>CNTX400WE</b>	2030038260	102	<b>EXOS600X</b>	2030022933	019
<b>CNTX400WF</b>	2030037145	102	<b>EXOS602EB</b>	2030034627	028
<b>CNTX450W</b>	2030033978	098	<b>EXOS602EW</b>	2030034663	028
<b>CNTX600W</b>	2030032985	098	<b>EXOS602EX</b>	2030034626	028
<b>CNTX700WA</b>	2030037502	099	<b>EXOS605B</b>	2030022929	020
<b>CNTX750W</b>	2030033997	098	<b>EXOS605EB</b>	2030034629	027
<b>CNTX900W</b>	2030033990	098	<b>EXOS605EW</b>	2030034664	027
<b>CNTX1050W</b>	2030034502	098	<b>EXOS605EX</b>	2030034628	027
<b>CNTX1100W</b>	2030033994	098	<b>EXOS605W</b>	2030025228	020
<b>CUBX001HP</b>	2000106345	090	<b>EXOS605X</b>	2030022928	020
<b>CUBX001</b>	2000106344	090	<b>EXOS611B</b>	2030030108	022
<b>CUBX002HP</b>	2000106347	090	<b>EXOS611EB</b>	2030034631	029
<b>CUBX002</b>	2000106346	090	<b>EXOS611EW</b>	2030034665	029
<b>CUBX004HP</b>	2000106351	090	<b>EXOS611EX</b>	2030034630	029
<b>CUBX004</b>	2000106350	090	<b>EXOS611W</b>	2030030111	022
<b>CUBX005HP</b>	2000106353	092	<b>EXOS611X</b>	2030028001	022
<b>CUBX005</b>	2000106352	092	<b>EXOS616B</b>	2030022946	016
<b>CUBX006HP</b>	2000106355	091	<b>EXOS616EB</b>	2030034636	024
<b>CUBX006</b>	2000106354	091	<b>EXOS616EW</b>	2030034666	024

# INDEX

## Types

TYPE	ITEM NUMBER	PAGE	TYPE	ITEM NUMBER	PAGE
<b>EXOS616EX</b>	2030034634	024	<b>FIRX104</b>	2000106282	086
<b>EXOS616W</b>	2030025232	016	<b>FIRX107HP</b>	2000106285	086
<b>EXOS616X</b>	2030022945	016	<b>FIRX107</b>	2000106284	086
<b>EXOS618B</b>	2030022940	016	<b>FIRX111HP</b>	2000106289	087
<b>EXOS618EB</b>	2030034638	024	<b>FIRX111</b>	2000106288	087
<b>EXOS618EW</b>	2030034667	024	<b>FRK602EA</b>	2000106591	065
<b>EXOS618EX</b>	2030034637	024	<b>FRK10112</b>	2000106590	076
<b>EXOS618W</b>	2030025230	016	<b>FRK10151</b>	2000106560	057
<b>EXOS618X</b>	2030022939	016	<b>FRK10203</b>	2030015795	103
<b>EXOS625B</b>	2030022943	016	<b>FRK10204</b>	2000106559	053
<b>EXOS625EB</b>	2030034641	024	<b>FRK10233</b>	2030016320	042
<b>EXOS625EW</b>	2030034668	024	<b>FRK10233</b>	2030016320	076
<b>EXOS625EX</b>	2030034639	024	<b>FRK10235</b>	2030015827	055
<b>EXOS625W</b>	2030025231	016	<b>FRK10284ME</b>	2030013877	070
<b>EXOS625X</b>	2030022942	016	<b>FRK201011ME</b>	2030014949	070
<b>EXOS637B</b>	2030022951	018	<b>FRK202006</b>	2030020428	154
<b>EXOS637W</b>	2030025233	018	<b>FRK203007E</b>	2030038933	072
<b>EXOS637X</b>	2030022950	018	<b>FRK203007</b>	2030037172	072
<b>EXOS670X</b>	2030028245	021	<b>FRK203008E</b>	2030038934	073
<b>EXOS675X</b>	2030031170	021	<b>FRK203008</b>	2030037173	073
<b>EXOS676B</b>	2030034645	021	<b>FRK203010E</b>	2030037206	072
<b>EXOS676EB</b>	2030034644	029	<b>FRK203010</b>	2030037193	072
<b>EXOS676EW</b>	2030034669	029	<b>FRK203018</b>	2030025070	071
<b>EXOS676EX</b>	2030034642	029	<b>FRK207008</b>	2030029994	077
<b>EXOS676W</b>	2030034670	021	<b>FRK209002</b>	2030015658	067
<b>EXOS676X</b>	2030033180	021	<b>FRK213002HN</b>	2030016661	151
<b>EXOS687X</b>	2030027995	022	<b>FRK213002</b>	2030035708	151
<b>EXOV701B</b>	2030030321	149	<b>FRK307009</b>	2030015108	105
<b>F</b>			<b>FRK309001</b>	2030034006	105
<b>FIRX001HP</b>	2000106265	085	<b>FRK502001</b>	2030034274	070
<b>FIRX001</b>	2000106264	085	<b>FRK502002</b>	2030034306	075
<b>FIRX002HP</b>	2000106267	085	<b>FRK502002</b>	2030034306	095
<b>FIRX002</b>	2000106266	085	<b>FRK510001</b>	2030035325	095
<b>FIRX004HP</b>	2000106271	085	<b>FRK601007E</b>	2030036971	064
<b>FIRX004</b>	2000106270	085	<b>FRKKB100-ST-01</b>	2000106652	079
<b>FIRX005HP</b>	2000106273	087	<b>FRKKB101-01</b>	2000106650	078
<b>FIRX005</b>	2000106272	087	<b>FRKKB102-01</b>	2000106651	079
<b>FIRX006HP</b>	2000106275	086	<b>FRKKB200-01</b>	2000106648	077
<b>FIRX006</b>	2000106274	086	<b>FRKKB200-SS-01</b>	2000106649	078
<b>FIRX010HP</b>	2000106279	086	<b>FRKSD0102P</b>	2000106593	069
<b>FIRX010</b>	2000106278	086	<b>FRKSD0102S</b>	2000106592	069
<b>FIRX0110HP</b>	2000106287	087	<b>G</b>		
<b>FIRX0110</b>	2000106286	087	<b>G20050N</b>	2000100145	161
<b>FIRX012HP</b>	2000106281	085	<b>G20480N</b>	2000100248	134
<b>FIRX012</b>	2000106280	085	<b>G20482N</b>	2000100249	134
<b>FIRX104HP</b>	2000106283	086	<b>G22080N</b>	2000100350	147

TYPE	ITEM NUMBER	PAGE
<b>H</b>		
HBD191	2000057080	039
HDTX0001	2030005623	155
HDTX450	2000100349	133
HDTX596WM	2030048397	147
HDTX597B	2000100730	146
HDTX597S	2000100731	146
HDTX597	2000100729	146
HDTX598WM	2030048395	147
HDTX674	2000057081	152
HDTX692	2000090046	152
HDTX693	2000090047	152
<b>L</b>		
LBD44 10P-1	2000101953	160
LBD64 10PCB-1	2000101983	160
LBD75 10P-1/3	2000102013	160
LBS4607-1/3	2000102092	158
LBS4607/3 16P-1	2000102084	159
LBS46 10/3 16P-1/1	2000102097	160
LBS46 10/3 16P-1/3	2000102099	160
LBS46 10/3 16P-1	2000102096	160
LBS46 10/3 16PC-3	2000102100	160
LBS6407/3 16P-1	2000102117	159
LBS68 10/3 16P-1	2000102152	159
LBS9407-1	2000102223	158
<b>M</b>		
M400HD	2000057089	153
M500HD	2000057090	153
M600HD	2000057091	153
MEDX001HP	2000106243	082
MEDX001	2000106242	082
MEDX002HP	2000106245	082
MEDX002	2000106244	082
MEDX004HP	2000106247	082
MEDX004	2000106246	082
MEDX005HP	2000106249	084
MEDX005	2000106248	084
MEDX006HP	2000106251	083
MEDX006	2000106250	083
MEDX007HP	2000106253	083
MEDX007	2000106252	083
MEDX010HP	2000106255	083
MEDX010	2000106254	083
MEDX0110HP	2000106261	084
MEDX0110	2000106260	084
MEDX012HP	2000106257	082

TYPE	ITEM NUMBER	PAGE
MEDX012	2000106256	082
MEDX104HP	2000106385	083
MEDX104	2000106384	083
MEDX111HP	2000106263	084
MEDX111	2000106262	084
MIR4030HS	2000106634	154
MIR4030	2000106594	154
MIR5040HS	2000106636	154
MIR5040	2000106595	154
MIR6050HS	2000106637	154
MIR6050	2000106596	154
MISX0009HP	2000106381	094
MISX0009	2000106193	094
MISX2009HP	2000106380	093
MISX2009	2000106194	093
MISX30014HP	2000106377	093
MISX30118HP	2000106378	093
MISX30218HP	2000106379	093
<b>R</b>		
RH320	2000057717	152
RODX191	2000101218	056
RODX310	2000090055	050
RODX310	2000090055	067
RODX320	2000101043	050
RODX320	2000101043	067
RODX600E	2000090057	061
RODX600HN	2030018373	052
RODX600MED	2000106372	061
RODX600ME	2000090058	061
RODX600TT	2000102672	053
RODX600	2000090056	052
RODX601	2000101221	052
RODX602E	2000090060	064
RODX602SE	2000101042	064
RODX602S	2000101041	058
RODX602	2000090059	058
RODX603E	2000101052	065
RODX603	2000101051	059
RODX604E	2000101347	063
RODX604	2000101345	056
RODX605EB	2000106588	062
RODX605EE	2000101344	062
RODX605E	2000090062	062
RODX605SL	2000103806	055
RODX605S	2000101236	054
RODX605TT	2000101211	055

# INDEX

## Types

TYPE	ITEM NUMBER	PAGE	TYPE	ITEM NUMBER	PAGE
<b>RODX605</b>	2000090061	054	<b>SDA605</b>	2030029923	069
<b>RODX606E</b>	2000101348	063	<b>SDA613HP</b>	2030030522	075
<b>RODX606</b>	2000101346	056	<b>SDA613HP</b>	2030030522	094
<b>RODX607TT</b>	2000101212	056	<b>SH07040A</b>	2030047313	141
<b>RODX607</b>	2000101351	054	<b>STRX220</b>	2030027296	032
<b>RODX611</b>	2000090063	053	<b>STRX220</b>	2030027296	066
<b>RODX611E</b>	2030036220	062	<b>STRX600E</b>	2000057207	045
<b>RODX612E</b>	2000101359	061	<b>STRX600</b>	2000057205	035
<b>RODX612</b>	2000101358	054	<b>STRX601E</b>	2000057226	044
<b>RODX616E</b>	2000101224	060	<b>STRX601</b>	2000057209	034
<b>RODX616</b>	2000101222	050	<b>STRX602E</b>	2000057227	045
<b>RODX617E</b>	2000101220	065	<b>STRX605E</b>	2000057229	046
<b>RODX617</b>	2000101219	059	<b>STRX605</b>	2000057228	037
<b>RODX618E</b>	2000090066	060	<b>STRX607</b>	2000057230	037
<b>RODX618</b>	2000090067	050	<b>STRX608</b>	2000057231	038
<b>RODX619E</b>	2000090069	060	<b>STRX611E</b>	2000057376	046
<b>RODX619HN</b>	2030018364	051	<b>STRX611</b>	2000057375	038
<b>RODX619</b>	2000090068	051	<b>STRX615</b>	2000100014	039
<b>RODX625</b>	2000090070	051	<b>STRX616</b>	2000100001	032
<b>RODX630E</b>	2000101040	061	<b>STRX618</b>	2000057379	033
<b>RODX630</b>	2000090071	053	<b>STRX619E</b>	2000057385	044
<b>RODX637</b>	2030016336	052	<b>STRX619</b>	2000057382	033
<b>RODX672E</b>	2000090073	063	<b>STRX624</b>	2000102701	043
<b>RODX672</b>	2000090072	057	<b>STRX625</b>	2000057388	033
<b>RODX674B</b>	2030002104	057	<b>STRX630</b>	2000057390	035
<b>RODX680E</b>	2000106562	063	<b>STRX635B</b>	2030025051	036
<b>RODX680</b>	2000106561	058	<b>STRX637</b>	2000110533	036
<b>RODX687</b>	2000100000	057	<b>STRX670</b>	2000057394	041
<b>S</b>			<b>STRX671E</b>	2000057396	047
<b>S9106/316P-1</b>	2000102386	158	<b>STRX671L</b>	2000057397	040
<b>S9106/316P-1</b>	2000102386	159	<b>STRX671</b>	2000057395	040
<b>S9407-1</b>	2000102392	158	<b>STRX672E</b>	2000057400	047
<b>S9407/316P-1</b>	2000102390	158	<b>STRX672</b>	2000057399	040
<b>S9407/316P-1</b>	2000102390	159	<b>STRX673E</b>	2000057422	047
<b>SANW200</b>	2000103056	119	<b>STRX680</b>	2000057401	042
<b>SANW211</b>	2000103058	119	<b>STRX687</b>	2000057403	043
<b>SANW212</b>	2000103059	119	<b>STRX692</b>	2000057979	042
<b>SANW215</b>	2000106654	119	<b>STRX692</b>	2000057979	076
<b>SD80</b>	2000056721	034	<b>STRX694</b>	2000057985	042
<b>SD80</b>	2000056721	069	<b>STRX694</b>	2000057985	076
<b>SD99-009</b>	2030039032	068	<b>T</b>		
<b>SD99-010</b>	2030039038	068	<b>TD350</b>	2000057407	155
<b>SD300</b>	2000057729	155	<b>V</b>		
<b>SDA238</b>	2030033737	070	<b>VENX001HP</b>	2000106323	088
<b>SDA238</b>	2030033737	104	<b>VENX001</b>	2000106322	088
<b>SDA600</b>	2030029886	069	<b>VENX002HP</b>	2000106325	088

TYPE	ITEM NUMBER	PAGE
VENX002	2000106324	088
VENX004HP	2000106329	088
VENX004	2000106328	088
VENX006HP	2000106333	089
VENX006	2000106332	089
VENX007HP	2000106335	089
VENX007	2000106334	089
VENX010HP	2000106337	089
VENX010	2000106336	089
VENX312HP	2000106343	088
VENX312	2000106342	088
<b>W</b>		
WB240WM	2000057383	134
<b>Z</b>		
ZANMW900	2000100861	118
ZANMW901	2000100854	118
ZANMW902	2000100932	118
ZEXOS220B	2030035359	017
ZEXOS220W	2030035360	017
ZEXOS220	2030035358	017
ZEXOS600B	2030022937	019
ZEXOS600EB	2030034648	026
ZEXOS600EB	2030034648	028
ZEXOS600E S/S	2030034647	026
ZEXOS600E S/S	2030034647	028
ZEXOS600EW	2030034672	026
ZEXOS600EW	2030034672	028
ZEXOS600W	2030025236	019
ZEXOS600	2030022936	019
ZEXOS605B	2030022931	020
ZEXOS605B	2030022931	027
ZEXOS605B	2030022931	028
ZEXOS605W	2030025234	020
ZEXOS605W	2030025234	027
ZEXOS605W	2030025234	028
ZEXOS605	2030022930	020
ZEXOS605	2030022930	027
ZEXOS605	2030022930	028
ZEXOS611B	2030034650	022
ZEXOS611B	2030034650	029
ZEXOS611W	2030034707	022
ZEXOS611W	2030034707	029
ZEXOS611	2030034649	022
ZEXOS611	2030034649	029
ZEXOS616B	2030022948	017
ZEXOS616EB	2030034654	025

TYPE	ITEM NUMBER	PAGE
ZEXOS616E S/S	2030034653	025
ZEXOS616EW	2030034710	025
ZEXOS616K	2030022955	017
ZEXOS616K	2030022955	025
ZEXOS616W	2030025238	017
ZEXOS616	2030022947	017
ZEXOS618K	2030022956	017
ZEXOS618K	2030022956	025
ZEXOS625K	2030022954	017
ZEXOS625K	2030022954	025
ZEXOS637B	2030022953	018
ZEXOS637W	2030025239	018
ZEXOS637	2030022952	018
ZEXOS676B	2030034656	021
ZEXOS676EB	2030034658	029
ZEXOS676E S/S	2030034657	029
ZEXOS676EW	2030034712	029
ZEXOS676W	2030034711	021
ZEXOS676	2030034655	021

